

WantJoin K90

WantJoin Professional Commercial Blender K90 User Manual

Model: K90 | Brand: WantJoin

1. INTRODUCTION AND OVERVIEW

Thank you for choosing the WantJoin Professional Commercial Blender K90. This high-performance blender is designed for efficiency and durability, featuring a powerful 2200W motor, a quiet sound enclosure, and a large 80 oz (2.2 L) capacity pitcher. It is ideal for preparing a wide range of recipes, from smoothies and shakes to salsas and purees, with reduced noise levels.

Please read this manual thoroughly before operating the appliance to ensure safe and optimal use. Keep this manual for future reference.

2. SAFETY INSTRUCTIONS

- Always unplug the blender from the power outlet before cleaning or when not in use.
- Do not immerse the motor base in water or any other liquid. Wipe clean with a damp cloth.
- Keep hands and utensils out of the pitcher while blending to prevent injury. Use the tamper only when the lid is securely in place.
- Ensure the lid and sound enclosure are properly secured before operating the blender.
- This appliance is not intended for use by persons with reduced physical, sensory, or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.
- Do not blend extremely hot liquids, as pressure buildup can cause the lid to eject and result in burns.
- The blender features an overheating protection system. If the motor overheats due to continuous heavy use, it will automatically shut off. Allow the unit to cool down for approximately 15-20 minutes before resuming operation.
- Do not operate the blender with a damaged cord or plug. Contact customer support for assistance.

3. PRODUCT COMPONENTS

Familiarize yourself with the parts of your WantJoin Professional Commercial Blender K90:

- 1. Motor Base:** Houses the powerful 2200W motor and control panel.
- 2. Blender Pitcher (80 oz / 2.2 L):** Large capacity, durable pitcher with integrated stainless steel blades.
- 3. Pitcher Lid:** Secure lid with a removable cap for adding ingredients during blending.
- 4. Sound Enclosure:** A clear, thick shield designed to reduce operational noise and prevent splatters.
- 5. Tamper:** Tool for pushing down dense or frozen ingredients towards the blades.



Figure 1: WantJoin Professional Commercial Blender K90 with its components.



Figure 2: Blender with the sound enclosure open, showing the pitcher and tamper.



Figure 3: Close-up of the blender's control panel with speed dial and pulse function.

4. SETUP

1. Unpack all components and remove any packaging materials.
2. Wash the blender pitcher, lid, and tamper with warm, soapy water before first use. Rinse thoroughly and dry.
3. Place the motor base on a clean, dry, and stable surface.
4. Ensure the sound enclosure is properly seated on the motor base.
5. Place the blender pitcher onto the motor base, ensuring it is securely aligned.
6. Plug the power cord into a grounded electrical outlet.

5. OPERATING INSTRUCTIONS

1. Add ingredients to the blender pitcher. Do not exceed the maximum fill line (74 oz / 2.2 L for optimal blending).
2. Securely place the lid on the pitcher and close the sound enclosure.
3. Turn the power switch to 'ON'.
4. Select your desired speed using the 15-speed control dial. For quick bursts of power, use the 'Pulse' switch.
5. If blending dense or frozen ingredients, use the tamper through the lid's feeding hole to push ingredients towards the blades. Never use other utensils.
6. Once blending is complete, turn the power switch to 'OFF' and unplug the appliance.

Your browser does not support the video tag.

Video 1: Demonstration of the WantJoin Blender in operation, showcasing its features and blending capabilities.

6. CLEANING AND MAINTENANCE

- Self-Cleaning Function:** For quick cleaning, add warm water and a drop of dish soap to the pitcher (up to half full). Secure the lid and sound enclosure, then run the blender on a medium speed for 30-60 seconds, or use the 'Pulse' function several times. Rinse thoroughly.
- Manual Cleaning:** Disassemble the pitcher, lid, and tamper. Wash with warm, soapy water using a non-abrasive sponge or brush. Rinse thoroughly and allow to air dry.
- Motor Base and Sound Enclosure:** Wipe the motor base and sound enclosure with a damp cloth. Do not immerse them in water.
- Ensure all parts are completely dry before reassembling or storing the blender.



Figure 4: Illustration of the blender's self-cleaning process.

7. TROUBLESHOOTING

- Blender Not Starting:** Ensure the power cord is securely plugged in and the power switch is 'ON'. Check if the pitcher and sound enclosure are correctly seated on the motor base. If the unit recently overheated, allow it to cool down.
- Ingredients Not Blending Smoothly:** Add more liquid. Use the tamper to push ingredients towards the blades. Increase the speed setting.
- Overheating Protection Activated:** The blender will automatically shut off. Unplug the unit and let it cool for 15-20 minutes before restarting.

8. SPECIFICATIONS

Feature	Detail
---------	--------

Brand	WantJoin
Model	K90
Capacity	80 Fluid Ounces (2.2 Liters)
Power Source	Corded Electric
Motor Power	2200W
Number of Speeds	15
Blade Material	Stainless Steel
Control Type	Manual
Container Material	Glass (Durable, BPA-free pitcher material)

9. WARRANTY AND SUPPORT

The WantJoin Professional Commercial Blender K90 comes with a limited warranty. For detailed information regarding warranty coverage, terms, and conditions, please refer to the warranty card included in your product packaging.

If you encounter any issues or have questions about your blender, please contact WantJoin customer support. Have your product model number (K90) and purchase date ready for faster assistance.