Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

PKPOWER B0978RF9DX

PKPOWER AC Power Cord Cable User Manual

Model: B0978RF9DX

Introduction

This manual provides essential information for the safe and effective use of your PKPOWER AC Power Cord Cable, designed as a replacement for Rotel Audio System Equipment. This product ensures reliable power delivery to your compatible devices.
Key features include:

- Input: 100-240V 50-60Hz
- CE / FCC / RoHS certified, meeting OEM specifications
- OVP (Over Voltage Protection), OCP (Over Current Protection), SCP (Short Circuit Protection)

Product Overview



Figure 1: The PKPOWER AC Power Cord, featuring a standard two-prong US plug on one end and a C13 connector on the other, designed for various audio system equipment.



Figure 2: A coiled view of the power cord, highlighting its flexibility and the design of both the male (Type A) and female (C13) connectors. An inset diagram illustrates the Type A plug configuration.



Figure 3: A detailed view of the connectors, showing the robust construction and the specific shape of the C13 female connector, which is commonly used for power supply units in electronic devices.

Setup Instructions

1. **Verify Compatibility:** Ensure your audio system equipment requires a C13 type power cord and operates within the 100-240V range. Refer to your equipment's manual for power input specifications.
2. **Power Off Equipment:** Before connecting the power cord, ensure your audio system equipment is turned off and unplugged from its current power source.
3. **Connect to Equipment:** Insert the C13 female connector of the PKPOWER cord firmly into the corresponding power inlet on your audio system equipment.
4. **Connect to Power Outlet:** Plug the two-prong male connector of the PKPOWER cord into a standard wall power outlet (100-240V, 50-60Hz).
5. **Power On:** Once securely connected, you may now turn on your audio system equipment.

Operating Instructions

The PKPOWER AC Power Cord functions as a direct power supply cable. Once properly connected to a compatible device and a power outlet, it will provide the necessary electrical current for the device to operate. There are no user-adjustable settings or operational modes for the power cord itself.

- Ensure the cord is not kinked or pinched during operation.
- Avoid placing heavy objects on the cord.

- Do not use the cord if it shows any signs of damage.

Maintenance and Care

Proper maintenance ensures the longevity and safe operation of your power cord.

- **Cleaning:** Disconnect the power cord from both the wall outlet and the equipment before cleaning. Wipe the cord and connectors with a dry, soft cloth. Do not use liquid cleaners or abrasive materials.
- **Storage:** When not in use, coil the cord loosely. Avoid tight coiling or bending, which can damage the internal wires. Store in a cool, dry place away from direct sunlight and extreme temperatures.
- **Inspection:** Periodically inspect the cord for any signs of wear, cuts, fraying, or damage to the insulation or connectors. If any damage is observed, discontinue use immediately and replace the cord.
- **Handling:** Always grasp the plug when disconnecting from an outlet or equipment; do not pull on the cord itself.

Troubleshooting

If you encounter issues with your PKPOWER AC Power Cord, refer to the following common troubleshooting steps:

Problem	Possible Cause	Solution
No power to equipment	Cord not fully plugged in Wall outlet not active Equipment power switch off Damaged power cord	Ensure both ends of the cord are securely connected. Test the wall outlet with another device. Check circuit breaker. Verify the equipment's power switch is in the 'On' position. Inspect the cord for damage. If damaged, replace it.
Intermittent power	Loose connection Internal cord damage	Reseat both ends of the cord. Replace the cord if damage is suspected.

If the problem persists after following these steps, please contact customer support.

Specifications

Attribute	Detail
Brand	PKPOWER
Model Number (ASIN)	B0978RF9DX
Input Voltage	100-240V
Frequency	50-60Hz
Connector Gender	Male-to-Female
Plug Format	Type A (US 2-prong) to C13
Certifications	CE / FCC / RoHS

Attribute	Detail
Protection Features	OVP, OCP, SCP
Item Weight	3 ounces

Warranty and Support

Return Policy: This product is eligible for a 30-day refund/replacement return policy from the date of purchase.
Customer Service: For any questions, concerns, or support needs regarding your PKPOWER AC Power Cord, please contact PK-Power customer service. Our friendly and reliable customer service team aims to respond within 24 hours. You can visit the PKPOWER Store on Amazon for more information and contact options.

© 2024 PKPOWER. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B0978RF9DX

More documents and user manuals: **https://manuals.plus/**