

HENDI 222232

HENDI Mixer Shaft Instruction Manual

Model: 222232



1. PRODUCT OVERVIEW

This manual provides instructions for the HENDI Mixer Shaft, designed for use with HENDI Kitchen Line hand blenders models 221884 and 221891. This stainless steel shaft and blade assembly is ideal for preparing vegetable soups, purees, sauces, and mayonnaise.



Image: The HENDI Mixer Shaft, a stainless steel attachment for hand blenders.

Key Features:

- Stainless steel shaft and blade for durability and hygiene.
- Compatible with HENDI Kitchen Line hand blenders models 221884 and 221891.
- Includes a blade removal set for easy maintenance.

2. SETUP AND INSTALLATION

Before first use, ensure all packaging materials are removed and the mixer shaft is clean. Refer to the hand blender's manual for specific safety instructions.

1. **Preparation:** Ensure the HENDI Kitchen Line hand blender (models 221884 or 221891) is unplugged from the power outlet.
2. **Attachment:** Align the mixer shaft with the motor block of the hand blender. Gently push and twist the shaft until it securely locks into place. A click sound may indicate proper attachment.
3. **Verification:** Lightly pull on the mixer shaft to ensure it is firmly attached and does not wobble.

Note: Never force the attachment. If it does not connect easily, re-align and try again. Incorrect attachment can damage the unit.

3. OPERATING INSTRUCTIONS

The HENDI Mixer Shaft is designed for efficient blending and pureeing. Always operate the hand blender according to its specific instructions.

- **Immersion:** Always immerse the mixer shaft into the ingredients before starting the hand blender to prevent splashing.
- **Blending:** Plug in the hand blender and select the desired speed setting. Move the mixer shaft up and down gently to ensure even blending.
- **Safety:** Do not operate the hand blender continuously for extended periods. Allow the motor to cool down between uses if necessary. Avoid contact with the rotating blade.
- **Detachment:** After use, unplug the hand blender. Carefully twist and pull the mixer shaft to detach it from the motor block.

Caution: The blade is extremely sharp. Handle with care during operation and cleaning.

4. MAINTENANCE AND CLEANING

Regular cleaning and maintenance will prolong the life of your HENDI Mixer Shaft.

1. **Immediate Cleaning:** After each use, detach the mixer shaft and rinse it immediately under running water to prevent food residue from drying.
2. **Deep Cleaning:** For thorough cleaning, use warm soapy water and a soft brush. The stainless steel shaft can be washed by hand. Ensure all food particles are removed from the blade area.
3. **Blade Removal:** Use the included blade removal set to safely detach the blade for more detailed cleaning if necessary. Follow the instructions provided with the blade removal set.
4. **Drying:** Dry all parts completely before storing to prevent water spots and corrosion.
5. **Storage:** Store the mixer shaft in a clean, dry place, away from direct heat or moisture.

Important: Do not immerse the motor block of the hand blender in water. Clean the motor block with a damp cloth only.

5. TROUBLESHOOTING

If you encounter issues with your HENDI Mixer Shaft, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Mixer shaft does not attach securely.	Incorrect alignment or obstruction.	Ensure the shaft is correctly aligned with the motor block. Check for any food debris or foreign objects preventing proper connection.
Blade not rotating freely.	Food residue build-up or damaged blade.	Clean the blade area thoroughly. If the blade is damaged, it may need replacement.
Unusual noise during operation.	Loose attachment or internal issue.	Verify the mixer shaft is securely attached. If the noise persists, consult the hand blender's manual or contact customer support.

For issues not listed here, please refer to the main hand blender manual or contact HENDI customer support.

6. SPECIFICATIONS

Attribute	Detail
Brand	HENDI
Model Number	222232
Compatible Hand Blenders	HENDI Kitchen Line 221884 & 221891
Material	Stainless Steel
Color	Silver
Length (L)	300mm (for this specific model)
ASIN	B097BNMRPB
First Available Date	June 16, 2021

7. WARRANTY AND SUPPORT

For warranty information regarding your HENDI product, please refer to the documentation included with your HENDI Kitchen Line hand blender or visit the official HENDI website. The mixer shaft is an accessory and its warranty may be covered under the main appliance's warranty terms.


For further assistance, technical support, or to inquire about replacement parts, please contact HENDI customer service or visit the HENDI store on Amazon:

[Visit the Official HENDI Store on Amazon](#)


© 2024 HENDI. All rights reserved.
This manual is for informational purposes only. HENDI reserves the right to make changes without prior notice.

Related Documents - 222232

	Hendi Popcorn Machine 282748 User Manual User manual for the Hendi Popcorn Machine (Model 282748), providing essential safety, operation, and maintenance instructions for commercial use.
	Hendi Pizza Oven User Manual - Models 220290, 220283 Comprehensive user manual for the Hendi Pizza Oven (models 220290, 220283). Contains essential safety guidelines, operating instructions, cleaning procedures, and technical specifications for professional kitchen use.

	Hendi Deep Fryer Mastercook 2X8L - Appliance Part 207307 - Technical Specification and Parts List Detailed Bill of Materials, circuit diagram, and wiring diagram for the Hendi Deep Fryer Mastercook 2X8L (Appliance Part# 207307). Includes part numbers, quantities, and descriptions for professional kitchen equipment.
	Hendi Induction Cooker User Manual (Item 239377) Comprehensive user manual for the Hendi Induction Cooker (Item 239377), detailing safety regulations, operation, maintenance, troubleshooting, and technical specifications for professional use.
	HENDI VACUUM PACKAGING MACHINE KITCHEN LINE User Manual User manual for the HENDI VACUUM PACKAGING MACHINE KITCHEN LINE (Model 975374). Covers safety regulations, intended commercial use, operating instructions, technical specifications, troubleshooting, and maintenance for professional kitchens.
	Arctic ICE CUBE MACHINE - KITCHEN LINE User Manual Comprehensive user manual for the Arctic ICE CUBE MACHINE - KITCHEN LINE (models 271551, 271568). Provides essential safety instructions, operating procedures, maintenance guidelines, and technical specifications for optimal use.

Documents - HENDI – 222232



[pdf] User Manual


2022 11 07 Manual blade removal 221884 221891 222225 222232 222249 222256 222393

DownloadBloc moteur mixeur plongeur vitesse réglable 350W HENDI Tools for Chefshendi xcdn nl FD |||

*Loosen direction *Loosen direction ENGLISH Blade removal instruction For item:

221884, 221891, 222225, **222232**, 222249, 222256, 222393 Place the blade removal kit as shown picture and screw in the direction as indicated. BE CAREFUL Beware of sharp edges during removal. If necessary, wear prot...

lang:it score:34 filesize: 191.22 K page_count: 4 document date: 2022-11-08



[pdf] User Manual

2022 11 07 Manual blade removal 221884 221891 222225 222232 222249 222256 222393 Télécharger HENDI Set Mixeur plongeur 350 à vitesse variable fouet support mural CHR DISTRIB chr distrib fr 2025 01 |||

*Loosen direction *Loosen direction ENGLISH Blade removal instruction For item: 221884, 221891, 222225, **222232**, 222249, 222256, 222393 Place the blade removal kit as shown picture and screw in the direction as indicated. BE CAREFUL Beware of sharp edges during removal. If necessary, wear prot...

lang:it **score:32** filesize: 191.22 K page_count: 4 document date: 2022-11-08




[pdf] User Manual Instructions

hendi xcdn nl 222140 221884 221891 222393 Stick blender manual FD |||

STICK BLENDER 222140, 221884, 221891, 222393 You should read this user manual carefully before usin ... g 250 mm Whisk for model 221884 optional and 221891 optional 222225 0,82 kg 250 mm 35 mm **222232** 1,02 kg 222249 1,28 kg 300 mm 400 mm 35 mm 35 mm Blender shaft for 221884 optional and...

lang:en **score:30** filesize: 12.08 M page_count: 152 document date: 2021-12-29



[pdf] User Manual Instructions

STICK BLENDER Manual 222140 221884 221891 222393 Stick blender hendi xcdn nl FD |||

STICK BLENDER 222140, 221884, 221891, 222393 You should read this user manual carefully before usin ... g 250 mm Whisk for model 221884 optional and 221891 optional 222225 0.82 kg 250 mm 35 mm **222232** 1.02 kg 222249 1.28 kg 300 mm 400 mm 35 mm 35 mm Blender shaft for 221884 optional and...

lang:en **score:29** filesize: 11.89 M page_count: 152 document date: 2020-10-09




[pdf] User Manual Instructions

DownloadUnite de acționare blender stick viteză variabilă 500 W HENDI Tools for Chefs221891 Stick manualhendi xcdn nl FD 221891 manual |||

STICK BLENDER 222140, 221884, 221891, 222393 You should read this user manual carefully before usin ... g 250 mm Whisk for model 221884 optional and 221891 optional 222225 0,82 kg 250 mm 35 mm **222232** 1,02 kg 222249 1,28 kg 300 mm 400 mm 35 mm 35 mm Blender shaft for 221884 optional and...

lang:en **score:27** filesize: 12.08 M page_count: 152 document date: 2021-12-29



[pdf] User Manual Instructions

Mixeur plongeur vitesse varia kitchen line 160 230v 220w Hendi food service equipment 222140 Stock Direct CHRv1stock direct chr prodimages hendi 1 mars 2023 Manual 221884 221891 222393 Stick blender |||

STICK BLENDER 222140, 221884, 221891, 222393 You should read this user manual carefully before usin ... g 250 mm Whisk for model 221884 optional and 221891 optional 222225 0.82 kg 250 mm 35 mm **222232** 1.02 kg 222249 1.28 kg 300 mm 400 mm 35 mm 35 mm Blender shaft for 221884 optional and...

lang:en **score:27** filesize: 11.89 M page_count: 152 document date: 2020-10-09



[pdf] User Manual Instructions

222140 i kolejne Miksery reczne 0916 wszystkie jezyki indd bartoszfasiiecki recz 7 gen 2022 — appliance in order to prevent damage due incorrect use Read the safety regulations particular very carefully 1 SAFETY INSTRUCTIONS instrukcja obsługi hendi pl product attachment 6995

31c54c3fe682cf133eb92e091c4f39a6 |||

User manual Gebrauchsanweisung Gebruiksaanwijzing Instrukcja obsługi Mode d emploi Istruzioni per l ... 171 optional and 222188 optional 222218 0.69 kg 200 mm 35 mm 222225 0.82 kg 250 mm 35 mm **222232** 1.02 kg 300 mm 35 mm Blender shaft for 222171 optional and 222188 optional 222249 1.2...

lang:nl **score:26** filesize: 13.88 M page_count: 128 document date: 2016-10-06



[pdf]

222171 Mikser ręczny HENDI 350 KARTA TECHNICZNA SPRZĘGLA marek przepiora Télécharger 222232 Pied mixeur pour plongeur CHR DISTRIB 222225 222249 222256 222263 Karta Techniczna chr distrib fr 2025 01 |||

Napd miksera rcznego HENDI Kitchen Line 350 ze zmienn prdkoci, wraz z ramionami roboczymi 222171 222225, **222232**, 222249, 222256, 222263 Przekazywanie obrotw z silnika na ramiona robocze ...

lang:nl **score:25** filesize: 89.29 K page_count: 1 document date: 2017-02-23



[\[pdf\]](#) User Manual

Télécharger HENDI 222393 Set Mixeur plongeur 350 à vitesse variable fouet support mural CHR

DISTRIB Manual 222140v02 221884v02 221891v02 222393v02 Stick blender chr distrib fr 2025 01 |||

STICK BLENDER 222140 v.02, 221884 v.02, 221891 v.02, 222393 v.02

EGnBg:lUissher...m...a.n...u.a... 393 v.02: 1 4 3 2 8 9 10 67 5 11 12 27 17 26 25 24

23 22 21 4 16 15 14 13 20 19 18 4 222225, **222232**, 222248, 222256: 51 2 222164: 3

4 5 6 7 5 4 3 8 9 10 11 12 13 14 15 16 3 17 3 18 19 20 21 1 ...

lang:i-klngon **score:24** filesize: 2.41 M page_count: 152 document date: 2023-08-17



[\[pdf\]](#)

222171 Mikser reczny HENDI 350 KARTA TECHNICZNA SPRZEGLA marek przepiora

TéléchargerHENDI 222249 Pied mixeur pour plongeur CHR DISTRIB222225 222232 222256 222263

Karta Technicznachr distrib fr 2025 06 222225 Techniczna TéléchargerDownloadHENDI

DISTRIBAccesoriu pentru blendere verticale Tools for Chefs222225 Techniczna222225 Technicznahendi

xcdn nl FD TéléchargerTéléchargerDownloadHENDI DISTRIBHENDI 09 |||

Napd miksera rcznego HENDI Kitchen Line 350 ze zmienn prdkoci, wraz z ramionami

roboczymi 222171 222225, **222232**, 222249, 222256, 222263 Przekazywanie obrotw

z silnika na ramiona robocze ...

lang:i-klngon **score:23** filesize: 89.29 K page_count: 1 document date: 2017-02-23



[\[pdf\]](#)

VoirPied mixeur pour plongeur HENDI Kitchen Line L 300mm FRANCE CHRnl 871 1369222232

productsheethendi xcdn nl large en productsheet hendi de fr it es pt |||

Mixerstaaf voor staafmixer **222232** Voor professioneel gebruik in restaurants,

hotelkeukens, ijssalons voor de bereiding van o.a. ijsmixen, groentesoepen, purees,

sauzen, vullingen, etc. Geventileerde motor. Behuizing met ergonomische handgreep

van duurzaam kunststof. Roestvaststalen schacht en mes. P...

lang:es **score:21** filesize: 39.51 K page_count: 1 document date: 2025-09-01

lang:tl score:21 filesize: 43.26 K page_count: 1 document date: 2025-09-01

[illegible]

[\[pdf\]](#)

Braço misturador para trituradores HENDI Tools for Chefssk 8711369222232 productsheethendi xcdn nl
FD sk productsheet |||

Mixovacie rameno pre pohon mixra HENDI Kitchen Line 350 a 500**222232** Na profesionlne pouzitie v restaurcich, hotelovch kuchyniach, obchodoch so zmrzlinou na prpravu, okrem inho, zmrzlinovch zmes, polievok z zeleniny, pyr, omcok, upchvok a pod. Ventilovan motor. Puzdro s ergonomickou rukovou vyroben ...

lang:es score:20 filesize: 41.08 K page_count: 1 document date: 2025-09-01

[illegible]

[\[pdf\]](#)

Braço misturador para trituradores HENDI Tools for Chefshu 8711369222232 productsheethendi xcdn ni
FD hu productsheet |||

Mixer rdmixerekhez **222232** Professzionlis hasznlatra ttermekben, szllodai konyhokban, fagyaltboltokban tbbek kztt fagyaltkeverkek, zldsglevesek, prk, szszok, kitmsek stb. elksztshez. Vilgtott motor. Tarts manyagbl ksztlt, ergonomikus fogantyval elltott hz. Rozsdamentes acl rd s penge. Termkcsald 221...

lang:en score:20 filesize: 40.05 K page_count: 1 document date: 2025-09-01


[illegible]

[\[pdf\]](#)

Braço misturador para trituradores HENDI Tools for Chefset 871136922232 productsheethendi xcdn nl
FD et productsheet |||

Tarvikud 350 ja 500 ksisegisti ajamile **222232** Professionaalseks kasutamiseks restoranides, hotellikides, jtisepoodides muu hulgas jtisesegude, kgiviljasuppide, preede, kastmete, tidiste jne valmistamiseks. Ventileeritud mootor. Korpus ergonoomilise kepidemega on valmistatud vastupidavast plastist. R...

lang:it score:20 filesize: 40.07 K page_count: 1 document date: 2025-09-01



[pdf]

2024 07 31 Artwork 221341 Stick blender 500 with variable speed and blending shaft 500mm CB

Administrator Avec cordon électrique de 2 5 m et prise terre Capacité jusqu'à 120 L PKS HENDI South East Europe SA Metsovou Str 18346 Moschato Athens A1wGBTBmjsL ref dp product quick view media amazon images I |||

Enjoy your new Tool, Chef VIIAA Blade removal kit included STICK BLENDER 500 VARIABLE SPEED 100x ... made of stainless steel AISI304, with 500 mm length.

Different shafts can be purchased separately: **222232**, 222225, 222249, 222263. Net weight: 3.86 kg. IT Miscelatore stick 500 con velocit variabile...

lang:it **score:20** filesize: 1.45 M page_count: 1 document date: 2024-07-31



[pdf]

Braço misturador para trituradores HENDI Tools for Chefscs 8711369222232 productsheethendi xcdn nl FD cs productsheet |||

Slehac rameno pro pohon rucnch mchacek 350 a 500**222232** Pro profesionln pouzit v restauracch, hotelovch kuchynch, obchodech se zmrzlinou pro ppravu, mimo jin zmrzlinovch sms, zeleninovch polvek, pyr, omcky, vpln atd.Vtrn motor. Kryt s ergonomickou rukojet vyroben z odolnho plastu. Rameno a cepel z n...

lang:es **score:20** filesize: 40.57 K page_count: 1 document date: 2025-09-01



[pdf]

Braço misturador para trituradores HENDI Tools for Chefshr 8711369222232 productsheethendi xcdn nl FD hr productsheet |||

Osovina za stapne miksere **222232** Za profesionalnu upotrebu u restoranima, hotelskim kuhinjama, slasticarnicama za pripremu, izmeu ostalog, sladoleda, juha od povra, pirea, umaka, nadjeva itd. Ventilirani motor. Kuiste s ergonomskom ruckom od izdrzljive plastike. Osovina i ostrica od nehrajueg celika...

lang:en **score:20** filesize: 40.23 K page_count: 1 document date: 2025-09-01



[pdf]

Braço misturador para trituradores HENDI Tools for Chefsp 8711369222232 productsheethendi xcdn nl FD pt productsheet |||

Brao misturador para trituradores **222232** Para uso profissional em restaurantes, cozinhas de hotis, gelatarias para a preparao de misturas de gelados e outros , sopas de vegetais, purs, molhos, recheios, etc. Motor ventilado. Caixa com pega ergonmica feita de plstico durvel. Lmina e brao em ao inoxi...

lang:es **score:20** filesize: 39.83 K page_count: 1 document date: 2025-09-01



product attachment 6995 b57acd6b9802be4a3d2a37155a40f7eb 6998

Napd miksera rcznego HENDI Kitchen Line 500 ze zmienn prdkoci, wraz z ramionami

roboczymi 222188 222225, **222232**, 222249, 222256, 222263 Przekazywanie obrotw

z silnika na ramiona robocze ...

lang:es score:20 filesize: 89.52 K page count: 1 document date: 2017-02-23



8711369222393 productsheethendi xcdn nl FD uk productsheet |||

: 350 222393 , . AISI304. : : 4000 16000 / . . . 80 . : 400 , - 250 AISI304 . : **222232**,

22225, 222256, 222263. HENDI B.V. Innovatielaan 6 6745 XW De Klomp, The

Netherlands T: 31 0 317 681 040 E: info hendi.eu HENDI Polsk...

lang:es score:20 filesize: 59.28 K page count: 2 document date: 2025-07-08




871136922393 productsheethendi xcdn nl FD el productsheet ||

: Stick 350 rack 222393 . AISI304. : : 4000 16000 80 L. : 400 mm. 250 mm

AlSi304 : **22232**, 22225, 222256, 222263, HENDI B.V. Innovatielaan 6 6745 XW De

Klomp, The Netherlands T: 31 0 317 681 0...

lang:en score:20 filesize: 59.76 K page count: 2 document date: 2025-07-08



DownloadBlender vertical 500 cu viteză variabilă și ax de amestecare mm HENDI Tools for Chefsuk

500 500 221341 , . AISI304. : : 4000 16000 / 120 . : 18/8, 500 . : **222232**, 22225,
222249, 222263. HENDI B.V. Innovatielaan 6 6745 XW De Klomp, The Netherlands
T: 31 0 317 681 040 E: info.hendi.eu HENDI Polska Sp. z o.o. ul....

ProductsheetStick blender 500 with variable speed and blending shaft 400mm HENDI Tools for Chefsen

Stick blender 500 with variable speed and blending shaft 400mm 221334 Drive unit housing made of dur ... made of AISI304 stainless steel, with 400 mm length.

Different shafts can be purchased separately: **222232**, 222225, 222256, 222263.

HENDI B.V. Innovatielaan 6 6745 XW De Klomp, The Netherlands T: 31...

lang:en score:20 filesize: 44.72 K page_count: 2 document date: 2025-07-08



Tools for Chefs

Stick blender 500 with variable speed and blending shaft 500mm

221341

Drive unit housing made of durable black polycarbonate reinforced with Kevlar®. Removable shaft made of 18/8 stainless steel, included in the set, a must for maximizing the blade.

Variable speed control: adjustable with 6 speeds. Item 222232 or 222225 1740 RPM. Variable motor. Safety button prevents accidental activation of the appliance. Lock button enables continuous operation without pushing the button.

Up to 18 L capacity. Blending shaft included in the set, made of 18/8 stainless steel, with 500 mm length. Different shafts can be purchased separately: 222232, 222225, 222249, 222263.



HENDI B.V. Postbus 100 4200 CA 's-Hertogenbosch T: +31 (0)35 205 1000 E: info@hendi.nl W: www.hendi.nl	HENDI Spain Calle de la Industria s/n - 46100 Burjassot T: +34 (0)91 550 00 00 E: info@hendi.es W: www.hendi.es	POI HENDI Spain Barcelona S.L. C/ Miquel Marqués, 10 - 08005 Barcelona T: +34 (0)93 485 00 00 E: info@poi-hendi.es W: www.poi-hendi.es
HENDI Polska s.p.a. ul. Piłsudskiego 10/12 01-651 Warszawa T: +48 (0)22 650 00 00 E: info@hendi.pl W: www.hendi.pl	HENDI S.R.L. Via S. Maria della Pace, 10 00187 Roma T: +39 (0)6 478 00 00 E: info@hendi.it W: www.hendi.it	HENDI Italia S.R.L. Via S. Maria della Pace, 10 00187 Roma T: +39 (0)6 478 00 00 E: info@hendi.it W: www.hendi.it

[pdf]

DownloadStick blender 500 with variable speed and blending shaft 500mm HENDI Tools for Chefsen

8711369221341 productsheethendi xcdn nl FD en productsheet |||

Stick blender 500 with variable speed and blending shaft 500mm 221341 Drive unit housing made of dur ... et: made of 18/8 stainless steel, with 500 mm length. Different shafts can be purchased separately: **222232**, 222225, 222249, 222263. HENDI B.V. Innovatielaan 6 6745 XW De Klomp, The Netherlands T: 31...

lang:en score:20 filesize: 44.4 K page_count: 2 document date: 2025-07-08



Tools for Chefs

Staafmixer 500 met variabele snelheid en 400 mm staaf

221334

Deel van de aandrijfeenheid gemaakt van duurzaam zwart polycarbonaat versterkt met Kevlar®. Verwijderbare staaf gemaakt van 18/8 RVS met een lengte van 400 mm. Variabele snelheid: instelbaar met 6 snelheden van 400 tot 1740 RPM. Gevoelstroom motor. De veiligheidsschakelaar voorkomt het ongebruikt per ongeluk wordt geactiveerd. De vergrendelingsknop maakt continue werking mogelijk zonder op de knop te drukken.

Capaciteit tot 18 L. Staaf bijgeleverd in de set, gemaakt van 18/8 RVS met een lengte van 400 mm. Verscheidene schachten kunnen afzonderlijk worden aangeschaft: 222232, 222225, 222249, 222263.



HENDI B.V. Postbus 100 4200 CA 's-Hertogenbosch T: +31 (0)35 205 1000 E: info@hendi.nl W: www.hendi.nl	HENDI Spain Calle de la Industria s/n - 46100 Burjassot T: +34 (0)91 550 00 00 E: info@hendi.es W: www.hendi.es	POI HENDI Spain Barcelona S.L. C/ Miquel Marqués, 10 - 08005 Barcelona T: +34 (0)93 485 00 00 E: info@poi-hendi.es W: www.poi-hendi.es
HENDI Polska s.p.a. ul. Piłsudskiego 10/12 01-651 Warszawa T: +48 (0)22 650 00 00 E: info@hendi.pl W: www.hendi.pl	HENDI S.R.L. Via S. Maria della Pace, 10 00187 Roma T: +39 (0)6 478 00 00 E: info@hendi.it W: www.hendi.it	HENDI Italia S.R.L. Via S. Maria della Pace, 10 00187 Roma T: +39 (0)6 478 00 00 E: info@hendi.it W: www.hendi.it

[pdf]

ProductbladStaafmixer 500 met variabele snelheid en 400 mm staaf HENDI Tools for Chefsnl

8711369221334 productsheethendi xcdn nl FD productsheet |||

Staafmixer 500 met variabele snelheid en 400 mm staaf 221334 Behuizing aandrijfeenheid gemaakt van d ... vast staal, met een lengte van 400 mm. Verschillende staven kunnen afzonderlijk worden aangeschaft: **222232**, 222225, 222256, 222263. HENDI B.V. Innovatielaan 6 6745 XW De Klomp, The Netherlands T: 31...

lang:nl score:20 filesize: 44.74 K page_count: 2 document date: 2025-07-08



Tools for Chefs

Komplekt: saumikser 350 muutuva kiirusega + vispel + seinale paigaldatav hoidik

222393

Ajami korpus on valmistatud vahelduvast tugevatest titaaniga tugevdatud polüestrist. Eraldatav varsi on valmistatud roostevabast terasest AISI304. Komplekt kuulub alla toodud seinalt kinnitatavale. Reguleeritav kiirus, mis on reguleeritav reguleerimisnupuga -400 kuni 1600 RPM. Roostevabast motor. Ohutussüsteem takistab juhusliku juhtimise. Lukustusnupp võimaldab jätkata töö ilma nuppu vajutada.

Komplekt sisaldab: Komplekt kuuluvad -400 mm pikkune segamisel, 20 mm paksune vahelduvast, mis on valmistatud roostevabast terasest AISI304, ja seinale paigaldatav hoidik. Kõik need on sisalduvad. 222393, 22135, 22136, 22234.



HENDI B.V. Postbus 100 4200 CA 's-Hertogenbosch T: +31 (0)35 205 1000 E: info@hendi.nl W: www.hendi.nl	HENDI Spain Calle de la Industria s/n - 46100 Burjassot T: +34 (0)91 550 00 00 E: info@hendi.es W: www.hendi.es	POI HENDI Spain Barcelona S.L. C/ Miquel Marqués, 10 - 08005 Barcelona T: +34 (0)93 485 00 00 E: info@poi-hendi.es W: www.poi-hendi.es
HENDI Polska s.p.a. ul. Piłsudskiego 10/12 01-651 Warszawa T: +48 (0)22 650 00 00 E: info@hendi.pl W: www.hendi.pl	HENDI S.R.L. Via S. Maria della Pace, 10 00187 Roma T: +39 (0)6 478 00 00 E: info@hendi.it W: www.hendi.it	HENDI Italia S.R.L. Via S. Maria della Pace, 10 00187 Roma T: +39 (0)6 478 00 00 E: info@hendi.it W: www.hendi.it


[pdf]

DownloadSet Stick blender 350 with variable speed whisk wall mounted rack HENDI Tools for Chefset

8711369222393 productsheethendi xcdn nl FD et productsheet |||

Komplekt: saumikser 350 muutuva kiirusega vispel seinale paigaldatav hoidik 222393 Ajami korpus ... tud roostevabast terasest AISI304, ja seinale paigaldatav hoidik. Erinevaid varsi saab osta eraldi: **222232**, 22225, 222256, 222263. HENDI B.V. Innovatielaan 6 6745 XW De Klomp, The Netherlands T: 31 ...

lang:en score:20 filesize: 54.79 K page_count: 2 document date: 2025-07-08



lang:en score:20 filesize: 44.62 K page count: 2 document date: 2025-07-08

Sada: Tycov mixr 350 s regulac rychlosti slehac metla nstnn stojan 222393 Kryt
pohonn jednotky j ... o dlce 250 mm - vyrobenou z nerezov oceli AISI304 a nstnn
stojan. Rzn hdele lze zakoupit samostatn: **222232**, 222225, 222256, 222263. HENDI
B.V. Innovatielaan 6 6745 XW De Klomp, The Netherlands T: 31...
lang:tl score:20 filesize: 56.27 K page_count: 2 document date: 2025-07-08

Komplet: Stapni mikesr 350 s promjenjivom brzinom mutilica stalak za zidnu montazu
222393 Kuiste ... 0 mm izraenu od nehrajueg celika AISI304 i zidni stalak. Razlicite
osovine mogu se kupiti zasebno: **222232**, 222225, 222256, 222263. HENDI B.V.
Innovatielaan 6 6745 XW De Klomp, The Netherlands T: 31...
lang:hr score:20 filesize: 55.64 K page_count: 2 document date: 2025-07-08

Triturador 500 com velocidade varivel e eixo de mistura com 400mm 221334
Estrutura da unidade de acc ... , com 400mm de comprimento. Podem ser adquiridos
diferentes eixos de mistura, vendidos em separado: **222232**, 222225, 222256,
222263. HENDI B.V. Innovatielaan 6 6745 XW De Klomp, The Netherlands T: 31...
lang:es score:20 filesize: 45.65 K page_count: 2 document date: 2025-07-08

lang:es score:20 filesize: 45.59 K page_count: 2 document date: 2025-07-08



Tools for Chefs

Štapni mikser 500 s promjenjivom brzinom i osovinom za miješanje 500 mm

221341

Kuistište pogonske jedinice izrađeno od nehrđajućeg čelika, potpuno opremljeno sistemom odabiranja. Dvije brzine odabiranja od 1000 do 1500 obrtaja u minuti. Način rada: miješanje, miješanje s kuhanjem, miješanje s kuhanjem i miješanje s kuhanjem. Kapacitet: 1,5 l. Može se mijenjati u skladu s potrebama. Izrađeno od nehrđajućeg čelika 18/8, duljina 500 mm. Različite osovine mogu se kupiti zasebno. 222232, 222225, 222249, 222263.



HENDI B.V.
Innovatielaan 6
6745 XW De Klomp
The Netherlands
T: 31 48 3500000
E: info@hendi.nl

HENDI P.A.S.
Via S. Maria
10121 Torino
Italy
T: +39 011 5100000
E: info@hendi.it

HENDI S.R.L.
Via S. Maria
10121 Torino
Italy
T: +39 011 5100000
E: info@hendi.it

HENDI S.R.L.
Via S. Maria
10121 Torino
Italy
T: +39 011 5100000
E: info@hendi.it

HENDI S.R.L.
Via S. Maria
10121 Torino
Italy
T: +39 011 5100000
E: info@hendi.it

HENDI S.R.L.
Via S. Maria
10121 Torino
Italy
T: +39 011 5100000
E: info@hendi.it

HENDI S.R.L.
Via S. Maria
10121 Torino
Italy
T: +39 011 5100000
E: info@hendi.it

HENDI S.R.L.
Via S. Maria
10121 Torino
Italy
T: +39 011 5100000
E: info@hendi.it

HENDI S.R.L.
Via S. Maria
10121 Torino
Italy
T: +39 011 5100000
E: info@hendi.it

[pdf]

DownloadBlender vertical 500 cu viteză variabilă și ax de amestecare mm HENDI Tools for Chefshr
8711369221341 productsheethendi xcdn nl FD hr productsheet |||

Stapni mikser 500 s promjenjivom brzinom i osovinom za mijesanje 500 mm 221341
Kuiste pogonske jedin ... omplet: izraena od nehrajueg celika 18/8, duljine 500 mm.
Razlicite osovine mogu se kupiti zasebno: **222232**, 222225, 222249, 222263. HENDI
B.V. Innovatielaan 6 6745 XW De Klomp, The Netherlands T: 31 ...
lang:hr **score:20** filesize: 45.18 K page_count: 2 document date: 2025-07-08



Tools for Chefs

Týčový mixér 500 s variabilnou rýchlosťou a mixovacím hriadeľom 500 mm

221341

Kryt hriadeľa je perforovaný a vyrobený z nerezovej ocele. Dve rýchlosti odabierania: 1000 a 1500 otáčok za minútu. Način práce: miešanie, miešanie s varením, miešanie s varením a miešanie s varením. Kapacita: 1,5 l. Môže sa meniť podľa potreby. Vyrobené z nerezovej ocele 18/8, dĺžka 500 mm. Rôzne vrtáky sa môžu kúpiť samostatne. **222232**, 222225, 222249, 222263.



HENDI B.V.
Innovatielaan 6
6745 XW De Klomp
The Netherlands
T: 31 48 3500000
E: info@hendi.nl

HENDI P.A.S.
Via S. Maria
10121 Torino
Italy
T: +39 011 5100000
E: info@hendi.it

HENDI S.R.L.
Via S. Maria
10121 Torino
Italy
T: +39 011 5100000
E: info@hendi.it

HENDI S.R.L.
Via S. Maria
10121 Torino
Italy
T: +39 011 5100000
E: info@hendi.it

HENDI S.R.L.
Via S. Maria
10121 Torino
Italy
T: +39 011 5100000
E: info@hendi.it

HENDI S.R.L.
Via S. Maria
10121 Torino
Italy
T: +39 011 5100000
E: info@hendi.it

HENDI S.R.L.
Via S. Maria
10121 Torino
Italy
T: +39 011 5100000
E: info@hendi.it

HENDI S.R.L.
Via S. Maria
10121 Torino
Italy
T: +39 011 5100000
E: info@hendi.it

HENDI S.R.L.
Via S. Maria
10121 Torino
Italy
T: +39 011 5100000
E: info@hendi.it

[pdf]

DownloadBlender vertical 500 cu viteză variabilă și ax de amestecare mm HENDI Tools for Chefssk
8711369221341 productsheethendi xcdn nl FD sk productsheet |||

Tycov mixr 500 s variabilnou rhclosou a mixovacm hriadeom 500 mm 221341 Kryt
hnacej jednotky vyroben ... ou spravy: je vyroben z nehrdzavejcej ocele 18/8 s dzkou
500 mm. Hriadele je mozn zakpi samostatne: **222232**, 222225, 222249, 222263.
HENDI B.V. Innovatielaan 6 6745 XW De Klomp, The Netherlands T: 31...
lang:en **score:20** filesize: 46.13 K page_count: 2 document date: 2025-07-08



Tools for Chefs

Blender vertical 500 cu viteză variabilă și ax de amestecare 500 mm

221341

Carcasa unitii de acționare este fabricată din oțel inoxidabil. Dve viteze de funcționare: 1000 și 1500 rotații pe minut. Modul de lucru: amestecare, amestecare cu fierbere, amestecare cu fierbere și amestecare cu fierbere. Capacitate: 1,5 l. Se poate schimba în funcție de necesități. Fabricat din oțel inoxidabil 18/8, lungimea de 500 mm. Diferite axuri pot fi achiziționate separat: **222232**, 222225, 222249, 222263.



HENDI B.V.
Innovatielaan 6
6745 XW De Klomp
The Netherlands
T: 31 48 3500000
E: info@hendi.nl

HENDI P.A.S.
Via S. Maria
10121 Torino
Italy
T: +39 011 5100000
E: info@hendi.it

HENDI S.R.L.
Via S. Maria
10121 Torino
Italy
T: +39 011 5100000
E: info@hendi.it

HENDI S.R.L.
Via S. Maria
10121 Torino
Italy
T: +39 011 5100000
E: info@hendi.it

HENDI S.R.L.
Via S. Maria
10121 Torino
Italy
T: +39 011 5100000
E: info@hendi.it

HENDI S.R.L.
Via S. Maria
10121 Torino
Italy
T: +39 011 5100000
E: info@hendi.it

HENDI S.R.L.
Via S. Maria
10121 Torino
Italy
T: +39 011 5100000
E: info@hendi.it

HENDI S.R.L.
Via S. Maria
10121 Torino
Italy
T: +39 011 5100000
E: info@hendi.it

HENDI S.R.L.
Via S. Maria
10121 Torino
Italy
T: +39 011 5100000
E: info@hendi.it

[pdf]

DownloadBlender vertical 500 cu viteză variabilă și ax de amestecare mm HENDI Tools for Chefso
8711369221341 productsheethendi xcdn nl FD ro productsheet |||

Blender vertical 500 cu vitez variabil i ax de amestecare 500 mm 221341 Carcasa
unitii de acionare e ... abricat din oel inoxidabil 18/8, cu lungimea de 500 mm. Diferite
axuri pot fi achiziționate separat: **222232**, 222225, 222249, 222263. HENDI B.V.
Innovatielaan 6 6745 XW De Klomp, The Netherlands T: 31...
lang:it **score:20** filesize: 45.21 K page_count: 2 document date: 2025-07-08

[illegible]

[\[pdf\]](#)

ProductsheetSet Staafmixer 350 met variabele snelheid garde wandrek HENDI Kitchen Line Zwart 230V

350W ø100x110mm Horecakeukennl 8711369222393 productsheethendi xcdn nl large productsheet |||

Set: Staafmixer 350 met variabele snelheid garde wandrek 222393 Behuizing aandrijfeenheid gemaak ... n 18/8 roestvast staal en een wandrek. Verschillende staven kunnen afzonderlijk worden aangeschaft: **222232**, 222225, 222256, 222263.

HENDI B.V. Innovatielaan 6 6745 XW De Klomp, The Netherlands T: 31...

lang:nl score:20 filesize: 54.96 K page_count: 2 document date: 2025-09-03


HENDI
Tools for Chef

Setare: Blender vertical 350 cu viteză variabilă + tel + suport montat pe perete

Descriere

Gratona verticală de acționare este fabricată din poliamidă negru 400000 reforțată cu fibră de sticlă. Lanțul este din aliajul inoxidabil de viteză variabilă 400000, încheie la 300 rpm sau mai puțin. Pentru a evita daunele la motor, încheie automat grătora la 300 rpm. Motorul este echipat cu un sistem de răcire pentru a preveni supraîncălzirea. Sistemul de siguranță împiedică funcționarea cotelor și alinașului la încheiere.

Capacitate de până la 30 L. Timp de încheiere: limit de amestecare cu încheierea de 400 rpm, sau de 100 cu încheierea de 200 rpm. Motorul este dotat cu încheiere 400000 și un suport montat pe perete. Dimensiile totale de amestecare pe lăcășieră: raport: 2200, 1200, 2200, 1200.

MODEL 3

- 1. Motorul este dotat cu încheiere 400000.
- 2. Lanțul este din aliajul inoxidabil de viteză variabilă 400000.
- 3. Motorul este dotat cu încheiere 400000.

MODEL 3500 P&A + A

- 1. Motorul este dotat cu încheiere 400000.
- 2. Lanțul este din aliajul inoxidabil de viteză variabilă 400000.

MODEL 3500

- 1. Motorul este dotat cu încheiere 400000.
- 2. Lanțul este din aliajul inoxidabil de viteză variabilă 400000.
- 3. Motorul este dotat cu încheiere 400000.

MODEL 3500

- 1. Motorul este dotat cu încheiere 400000.
- 2. Lanțul este din aliajul inoxidabil de viteză variabilă 400000.
- 3. Motorul este dotat cu încheiere 400000.

MODEL 3500 (Set de blender 350)

- 1. Motorul este dotat cu încheiere 400000.
- 2. Lanțul este din aliajul inoxidabil de viteză variabilă 400000.
- 3. Motorul este dotat cu încheiere 400000.

MODEL 3500 P&A

- 1. Motorul este dotat cu încheiere 400000.
- 2. Lanțul este din aliajul inoxidabil de viteză variabilă 400000.
- 3. Motorul este dotat cu încheiere 400000.

[\[pdf\]](#)

DownloadSetare Blender vertical 350 cu viteză variabilă tel suport montat pe perete HENDI Tools for

Chefsro 8711369222393 productsheethendi xcdn nl FD ro productsheet |||

Setare: Blender vertical 350 cu vitez variabil tel suport montat pe perete 222393

Carcasa unitii ... dabil AISI304 i un suport montat pe perete. Diferie brae de

amestecare pot fi achiziționate separat: **222232**, 222225, 222256, 222263. HENDI

B.V. Innovatielaan 6 6745 XW De Klomp, The Netherlands T: 31...

lang:es score:19 filesize: 55.54 K page_count: 2 document date: 2025-07-08


HENDI
 Tools for Chef

Blender vertical 500 cu viteză variabilă și ax de amestecare 400 mm

21236

Cu viteză variabilă de acționare este folosită din găsituri
 reșea 6 amplitud (refacută în 1/2 și 3 de c.c.). Lămpi electroluminescente
 folosite în cel mai bun mod posibil, înlocuibile în orice moment
 pentru economisirea de energie. Viteza variabilă reglată prin un
 control electronic în funcție de 1000 RPM. Motor vertical.
 Durata de viață și protecție acțiune acționată a aparatului.
 Durata de viață și protecție acțiune acționată a aparatului.

Capacitate de până la 80 l. Se poate amesteca în orice
 blender și este instalată în 400 mm, la temperatură de 400 mm.
 Alimentare electrică în funcționare: 220V, 220V,
 220V, 220V.

HENDI S.A.
 Calea București, nr. 100, București
 Tel: 021 200 00 00

HENDI France S.A.
 10, rue de la République
 92100, Nanterre

HENDI S.R.L.
 Calea București, nr. 100, București
 Tel: 021 200 00 00

HENDI S.R.L.
 10, rue de la République
 92100, Nanterre

PSI HENDI Inc.
 10, rue de la République
 92100, Nanterre

HENDI S.R.L.
 10, rue de la République
 92100, Nanterre

[\[pdf\]](#)

Fișă de produseBlender vertical 500 cu viteză variabilă și ax amestecare 400 mm HENDI Tools for


Chefsro 8711369221334 productsheethendi xcdn nl FD ro productsheet |||

Blender vertical 500 cu vitez variabil i ax de amestecare 400 mm 221334 Carcasa

unitii de acionare e ... icat din oel inoxidabil AISI304, cu lungimea de 400 mm. Arborii diferii pot fi achiziionai separat: **222232**, 22225, 222256, 222263. HENDI B.V.

Innovatielaan 6 6745 XW De Klomp, The Netherlands T: 31 ...

lang:it score:19 filesize: 45.51 K page count: 2 document date: 2025-07-08



[pdf]

Fiche produitMixeur plongeur 500 à vitesse variable et pied mélangeur de 400 mm HENDI Tools for
Chefsfr 8711369221334 productsheethendi xcdn nl FD fr productsheet |||

Mixeur plongeur 500 vitesse variable et pied mlangeur de 400 mm 221334 Botier du
moteur en polyamid ... n acier inoxydable AISI304, d une longueur de 400 mm.
Diffrents pieds peuvent tre achets sparment : **222232**, 222225, 222256, 222263.

HENDI B.V. Innovatielaan 6 6745 XW De Klomp, The Netherlands T: 31...
lang:fr **score:19** filesize: 45.81 K page_count: 2 document date: 2025-07-08



[pdf]

Hoja de productoBatidora varillas 500 con velocidad variable y eje mezcla 400 mm HENDI Tools for
Chesfes 8711369221334 productsheethendi xcdn nl FD es productsheet |||

Batidora de varillas 500 con velocidad variable y eje de mezcla de 400 mm 221334
Carcasa de la unida ... acero inoxidable AISI304, con 400 mm de longitud. Se pueden
adquirir diferentes ejes por separado: **222232**, 222225, 222256, 222263. HENDI B.V.
Innovatielaan 6 6745 XW De Klomp, The Netherlands T: 31...

lang:es **score:19** filesize: 45.31 K page_count: 2 document date: 2025-07-08



[pdf] User Manual Instructions

stick blender 222140 221884 221891 222393 Hendi pl 22 apr 2021 — from open fire To pull the plug out
of socket always on and not cord Ensure that or extension is positioned so instrukcja obsługi hendi
product attachment 7476 a96399d95a0b67351c851fc98cce5e79 |||

STICK BLENDER 222140, 221884, 221891, 222393 You should read this user
manual carefully before usin ... g 250 mm Whisk for model 221884 optional and
221891 optional 222225 0.82 kg 250 mm 35 mm **222232** 222249 1.02 kg 1.28 kg 300
mm 400 mm 35 mm 35 mm Blender shaft for 221884 optional an...

lang:en **score:19** filesize: 12.63 M page_count: 152 document date: 2020-10-12

