

[Manuals.plus](#) /

› [ZIOYCKL](#) /

› ZIOYCKL QY-Qizhen S2 5x5x5 Speed Cube Instruction Manual

ZIOYCKL QY-Qizhen S2 5X5X5

ZIOYCKL QY-Qizhen S2 5x5x5 Speed Cube Instruction Manual

Model: QY-Qizhen S2 5X5X5

INTRODUCTION

Thank you for choosing the ZIOYCKL QY-Qizhen S2 5x5x5 Speed Cube. This advanced puzzle toy is designed for smooth turning and durable play, offering hours of brain-teasing enjoyment. This manual provides essential information for the proper use, maintenance, and care of your speed cube.




Image: The ZIOYCKL QY-Qizhen S2 5x5x5 Speed Cube, showcasing its vibrant stickerless design.

SAFETY INFORMATION

- This product is intended for users aged 14 years and older.
- Keep small parts away from young children to prevent choking hazards.
- Do not attempt to force turns if the cube is misaligned, as this may cause damage.
- Avoid exposing the cube to extreme temperatures or direct sunlight for prolonged periods.

SETUP

Your ZIOYCKL QY-Qizhen S2 5x5x5 Speed Cube comes ready for use right out of the box. It is pre-lubricated and tensioned to provide optimal performance.

1. **Unboxing:** Carefully remove the speed cube from its packaging.

2. **Initial Inspection:** Check the cube for any visible damage or loose parts.
3. **First Turns:** Gently rotate each face and layer to familiarize yourself with the cube's movement and feel.



Image: The QY-Qizhen S2 5x5x5 Speed Cube alongside its retail packaging.

OPERATING THE SPEED CUBE

The objective of the 5x5x5 speed cube is to scramble the colors and then return each face to a single, solid color. This requires logical thinking, pattern recognition, and dexterity.

Basic Movements

The cube consists of multiple layers that can be rotated independently. Each face can be turned clockwise or counter-clockwise. Inner layers can also be turned, adding complexity to the puzzle.

- **Face Turns:** Rotate any of the six outer faces (Up, Down, Front, Back, Left, Right) by 90, 180, or 270 degrees.
- **Slice Turns:** Rotate the inner layers. For a 5x5x5 cube, there are two inner layers between the center and outer layers on each axis.



Image: A view of the QY-Qizhen S2 5x5x5 Speed Cube, illustrating its internal structure and smooth turning capability.

Solving Strategies

Solving a 5x5x5 cube typically involves advanced methods building upon 3x3x3 and 4x4x4 techniques. Common strategies include:

- **Center Building:** Solving the 3x3 centers on each face.
- **Edge Pairing:** Grouping matching edge pieces together.
- **3x3 Stage:** Reducing the 5x5x5 cube to a 3x3x3 state and solving it using standard methods.

Numerous tutorials and guides are available online for detailed solving algorithms. Practice and patience are key to mastering the 5x5x5 speed cube.

MAINTENANCE

Proper maintenance ensures the longevity and optimal performance of your speed cube.

Cleaning

- Wipe the cube surfaces with a soft, dry cloth to remove dust and fingerprints.
- Avoid using harsh chemicals or abrasive materials, as these can damage the plastic and colors.

Lubrication

While your cube comes pre-lubricated, over time, the lubricant may wear off. If the cube feels stiff or sluggish, you may apply a small amount of silicone-based speed cube lubricant.

- Apply 1-2 drops of lubricant into the gaps between the pieces.
- Turn the cube vigorously for a few minutes to distribute the lubricant evenly.
- Wipe off any excess lubricant from the exterior.

Tension Adjustment

The cube's tension can be adjusted to suit your turning style. To access the tensioning screws:

1. Pry off the center cap on each face.
2. Use a small screwdriver to turn the screw:
 - Turn clockwise to tighten (makes the cube more stable, but potentially slower).
 - Turn counter-clockwise to loosen (makes the cube faster, but potentially less stable and prone to popping).
3. Adjust each screw evenly across all six faces for balanced performance.
4. Replace the center caps.




Image: An individual piece of the speed cube, demonstrating its design for easy assembly and disassembly for maintenance.




Image: The internal spring mechanism of the speed cube, which allows for tension adjustment and smooth rotation.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Cube feels stiff or sluggish	Lack of lubrication or overtightened tension.	Apply speed cube lubricant. Loosen tension screws slightly.
Pieces "pop" out during turns	Tension is too loose or aggressive turning.	Tighten tension screws slightly. Turn more carefully.
Cube is unstable or wobbly	Tension is too loose.	Tighten tension screws.

Problem	Possible Cause	Solution
Difficulty turning layers smoothly	Misalignment of layers or insufficient lubrication.	Ensure layers are aligned before turning. Apply lubricant.

SPECIFICATIONS

- Model:** QY-Qizhen S2 5X5X5
- Brand:** ZIOYCKL
- Type:** Speed Cube
- Size:** 62mm x 62mm x 62mm (2.44"L x 2.44"W)
- Weight:** Approximately 4.16 ounces
- Material:** Acrylonitrile Butadiene Styrene (ABS)
- Color:** Stickerless ABS Colourful
- Skill Level:** Intermediate
- Recommended Age:** 14+ years

启征S2-119g




Image: The QY-Qizhen S2 5x5x5 Speed Cube, highlighting its 62mm full size.

WARRANTY AND SUPPORT

This ZIOYCKL QY-Qizhen S2 5x5x5 Speed Cube comes with a **6-month warranty** against manufacturer defects.

For any questions, concerns, or warranty claims, please contact the seller or manufacturer directly. Refer to your purchase documentation for specific contact details.

Your satisfaction is important to us. If you encounter any issues, please reach out for assistance.

© 2023 ZIOYCKL. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question