

COOPERS CP10

COOPERS CP10 Tablet User Manual

Model: CP10 | Brand: COOPERS

INTRODUCTION

This manual provides comprehensive instructions for the COOPERS CP10 10-inch Android Tablet. It covers essential information regarding setup, operation, maintenance, and troubleshooting to ensure optimal performance and longevity of your device. Please read this manual thoroughly before using your tablet.

SETUP

1. What's in the Box

Upon opening the package, please verify that all components are present:

- 1 x COOPERS CP10 10-inch Tablet
- 1 x USB Type-C Cable
- 1 x Electronic Manual (this document)



Image: Contents of the COOPERS CP10 Tablet package, including the tablet, USB cable, and user guide.



Image: The COOPERS CP10 Tablet, showcasing its front display with "Android 15" and "widevine L1" text, and its sleek blue rear casing.




Image: The rear of the COOPERS CP10 Tablet, showing the model information sticker (IC: 28410-CP10, HVIN: CP10) and speaker grilles.

2. Initial Charging

Before first use, fully charge the tablet. Connect the provided USB Type-C cable to the tablet's charging port and the other end to a compatible USB power adapter (not included) or a computer's USB port. The battery indicator on the screen will show charging progress.

Long Lasting Battery

Mixed use more than 8 hours, good when travelling



Image: The COOPERS CP10 Tablet screen displaying "6000mAh Battery", indicating its long-lasting power capacity.

3. Power On/Off

- **To Power On:** Press and hold the Power button located on the side of the tablet until the COOPERS logo appears on the screen.
- **To Power Off:** Press and hold the Power button until a power options menu appears. Select "Power off" and confirm.
- **To Restart:** From the power options menu, select "Restart" and confirm.

4. Initial Setup Wizard

Upon first power-on, the tablet will guide you through an initial setup process. Follow the on-screen prompts to:

- Select your preferred language.
- Connect to a Wi-Fi network.
- Sign in with your Google account or create a new one. This is essential for accessing the Google Play Store and other Google services.
- Set up screen lock (PIN, pattern, or password).
- Review and accept terms and conditions.

OPERATING YOUR TABLET

1. Basic Navigation

The COOPERS CP10 tablet uses a capacitive touchscreen for interaction. Common gestures include:

- **Tap:** To select an item, open an app, or press a button.
- **Swipe:** To scroll through pages, home screens, or menus.
- **Pinch-to-Zoom:** To zoom in or out on photos, maps, or web pages.
- **Long Press:** To access contextual menus or move icons.

Superior performance

6GB RAM 32GB ROM, Faster tablet




Image: The COOPERS CP10 Tablet screen showing various applications, highlighting its superior performance with 6GB RAM and 32GB ROM for faster operation.

2. Connecting to Wi-Fi

To connect to a Wi-Fi network:

1. Go to **Settings**.
2. Tap on **Network & internet**, then **Wi-Fi**.
3. Turn on Wi-Fi. The tablet will scan for available networks.

4. Select your desired network from the list.
5. If prompted, enter the network password and tap **Connect**.

3. Bluetooth Pairing

To pair with a Bluetooth device (e.g., headphones, speakers):

1. Ensure the Bluetooth device is in pairing mode.
2. On your tablet, go to **Settings**.
3. Tap on **Connected devices**, then **Bluetooth**.
4. Turn on Bluetooth. The tablet will scan for nearby devices.
5. Select the device you wish to pair with from the list.
6. Follow any on-screen prompts to complete the pairing process.

4. Installing and Managing Apps

The COOPERS CP10 tablet comes with Google Mobile Services (GMS) certification, allowing full access to the Google Play Store.

GMS certification

Google play store for more Apps



Image: The COOPERS CP10 Tablet screen showcasing the Google Play Store icon and other popular app icons, indicating GMS certification for app access.

- **To Install Apps:** Open the **Play Store** app, search for the desired app, and tap **Install**.
- **To Uninstall Apps:** Long-press the app icon on the home screen or app drawer, then drag it to "Uninstall" or select "Uninstall" from the pop-up menu. Alternatively, go to **Settings > Apps & notifications > See all apps**, select the app, and tap **Uninstall**.

5. Camera Usage

The tablet features a 2.0 MP front camera and an 8.0 MP rear camera with flash light.

- Open the **Camera** app.
- Switch between front and rear cameras using the camera switch icon.
- Tap the shutter button to take a photo.
- Select video mode to record videos.

10'' Large 1280x800 IPS HD Display



Image: A person holding the COOPERS CP10 Tablet, which displays a clear and vibrant selfie, demonstrating its 10-inch 1280x800 IPS HD display.

6. Storage Management

The tablet comes with 32GB of internal storage. You can expand storage using a microSD card (up to 1024GB, not included).

- To check storage: Go to **Settings > Storage**.
- To insert a microSD card: Locate the card slot on the side of the tablet and gently insert the card until it clicks into place.




Image: A collage showing diverse uses of the COOPERS CP10 Tablet, including watching movies, listening to music, reading, and taking photographs, highlighting its versatility.

MAINTENANCE

1. Battery Care

- Avoid fully discharging the battery frequently.
- Do not expose the tablet to extreme temperatures.
- Use only the provided USB cable for charging.

2. Cleaning the Device

- Use a soft, lint-free cloth to clean the screen and body.
- For stubborn smudges, slightly dampen the cloth with water or a screen cleaner.
- Avoid using harsh chemicals or abrasive materials.

3. Software Updates

Periodically check for system updates to ensure your tablet has the latest features and security patches.

- Go to **Settings > System > System update**
- Follow the on-screen instructions to download and install any available updates.

4. Factory Reset

Warning: A factory reset will erase all data on your tablet, including apps, photos, and user accounts. Back up important data before proceeding.

- Go to **Settings > System > Reset options**.
- Tap **Erase all data (factory reset)**.
- Confirm your decision and enter your PIN/pattern if prompted.

TROUBLESHOOTING

This section addresses common issues you might encounter with your COOPERS CP10 tablet.

Tablet Does Not Turn On

- Ensure the tablet is sufficiently charged. Connect it to a power source and allow it to charge for at least 30 minutes.
- If the tablet does not turn on after charging, please reboot the tablet by pressing and holding the power button for an extended period (10-15 seconds).
- Try a different charging cable and adapter to rule out faulty accessories.

Slow Performance or Apps Crashing

- Close unused applications running in the background.
- Clear app caches: Go to **Settings > Apps & notifications**, select an app, then **Storage & cache > Clear cache**.
- Ensure you have sufficient free storage space. Delete unnecessary files or apps.
- Restart the tablet regularly to clear temporary data.
- Consider a factory reset as a last resort if performance issues persist after trying other solutions (remember to back up data).

Wi-Fi Connection Issues

- Ensure Wi-Fi is enabled on the tablet.
- Restart your Wi-Fi router.
- Forget the network and reconnect: Go to **Settings > Network & internet > Wi-Fi**, tap the network name, then **Forget**. Reconnect as usual.
- Ensure you are within range of the Wi-Fi signal.

SPECIFICATIONS

Key technical specifications for the COOPERS CP10 Tablet:

Feature	Specification
---------	---------------

Feature	Specification
Model Name	CP10
Screen Size	10 Inches
Screen Resolution	1280 x 800 Pixels (IPS HD Display)
Operating System	Android 15
Processor	Quad-Core, 1.5 GHz
RAM	6GB (2GB + 4GB Expand)
Internal Storage	32GB
Expandable Storage	Up to 1024GB via MicroSD card
Rear Camera	8.0 MP with Flash Light
Front Camera	2.0 MP
Battery Capacity	6000mAh (approx. 8 hours mixed-use)
Connectivity	Wi-Fi 802.11 ac/b/g/n (2.4G), Bluetooth 4.0, Built-in GPS
Dimensions (LxWxH)	9.45 x 6.69 x 0.39 inches
Item Weight	1.1 pounds

WARRANTY AND SUPPORT

Your COOPERS CP10 Tablet is covered by a standard manufacturer's warranty. For specific warranty terms and conditions, please refer to the documentation provided with your purchase or contact the seller directly. For technical support, troubleshooting assistance, or warranty claims, please contact the authorized seller, **Coopers US**, through the platform where you purchased the device. Provide your product model (CP10) and purchase details for efficient service.

For general inquiries or further assistance, you may also visit the COOPERS brand's official support channels if available.

Related Documents




[CP10 Tablet User Guide](#)

User guide for the CP10 tablet, covering setup, basic settings, network connection, Bluetooth pairing, app management, multimedia, and troubleshooting.



[COOPERS CP10 Wireless Presenter User Manual](#)

This document provides user instructions and technical specifications for the COOPERS CP10 2.4G wireless presenter, including setup, operation, and troubleshooting.




[Coopers CP20 Tablet PC User Manual and Support](#)

Comprehensive guide for the Coopers CP20 tablet PC, covering setup, features, and support. Includes technical specifications and troubleshooting.



[Coopers F881 Easy Use Mobile Phone Instruction Manual](#)

Comprehensive instruction manual for the Coopers F881 Easy Use Mobile Phone, covering setup, basic functions, safety guidelines, and troubleshooting.




[pdf] User Manual Instructions

Control Relay easy800 Manual 11 MN04902001Z previously AWB2528 1480GB control relay switching and controller device programmable Eaton Industries GmbH D 53105 Bonn Installation Instruction ETN MFD CP8 NT POWER SUPPLY CPU FOR Cooper Electric media distributordatasolutions csv eaton 2022q1 documents 71ed49d7e92ebf6dd4ac5bbb0a7a96d4a47dbd25 |||

Manual Control Relay 800 11/11 MN04902001Z-EN replaces AWB2528-1423GB All brand and product names ... 806-DC-SWD MFD for the programmable devices, consisting of power supply/CPU module MFD-..-CP8.../CP10... , display/operator unit MFD-80... and optional I/O module. MFD-CP8... for the MFD-CP8.....

lang:en score:21 filesize: 5.79 M page_count: 394 document date: 2011-11-17




[pdf] Declaration of Conformity

Product Equality Declaration Shenzhenshikupeisikejiyouxiangongsi CP10 tablet 2A6O4 2A6O4CP10 cp10

Shenzhenshikupeisikejiyouxiangongsi xixiangjiedaochentianshequbaoxiangongyeyequ 64dong3ceng shenzhensh ... on Branch 7435 Oakland Mills Road Columbia, MD 21046 To Whom It May Concern, Original FCC ID: 2AV6Y-CP10; Model Number: CP10 New FCC ID: 2A6O4-CP10; Model Number: CP10,CP10K,CP10S This is to advise an...

lang:en score:19 filesize: 557.85 K page_count: 1 document date: 2022-06-12



[pdf] User Manual

Aviation band receiver Suite manual V3 N5DUX A simple introduction This suite is dedicated to receive calls between aircraft and tower cooperate with the good performance of antenna VHF yagi open within about 190 km in biggest can various types control n5dux ham kits Airband Receiver |||

Aviation band receiver Suite manual V3.1 A simple introduction This suite is dedicated to receive ca ... C3,C4 2pF C7,C8,C9 43p C10,C14 C11 C12,C15,C18,C19,C20 C29 CP1,CP2,CP5,CP8 CP3,CP4,CP7,CP9,CP10,CP11 0.1uF 104 1000pF 102 27pF 10pF 0.01uF 103 0.47uF 474 100uF /25V 10uF /25V CP6 D1 ...

lang:en score:19 filesize: 1.04 M page_count: 8 document date: 2015-06-16

Product data sheet Characteristics		3108596250 Push button, replacement part, class 2510 motor starter
		
Main		
Terminal in Compartment	Push-button	
Accessories / Tools and equipment	Push-button set	
Complementary		
Compatibility	Motor starter class 2510	
Reference number	3108596250	
Ordering and shipping details		
Category	MOTORPARK PARTS DISCOUNT CDS	
Manufacturer's designation	Industriebrunnen	
Reference code	No.	
Country of origin	No.	
Packing Units		
Unit type / Package 1	PCE	
Number of units in package 1	1	
Package 1 height	0.02 m (68.89 mm)	
Package 1 length	0.10 m (101.6 mm)	
Package 1 width	0.06 m (63.5 mm)	
Package 1 weight	0.03 m (107.7 g)	
Package 1 volume	0.0001 m³ (350.315 in³)	
Other Characteristics		
30 Year Guarantee	Not applicable, not an ISO 9001 certified company	
Contractual warranty		
Warranty	10 months	

Shenzhen Shihua Information Technology Co., Ltd.
Shenzhen Shihua Information Technology Co., Ltd. / Shenzhen Shihua Information Technology Co., Ltd.

Federal Communications Commission

475 Capitol Mall
Columbia, MD 21046

Attorneys: Apple Inc./Lenovo / Huawei Technologies

Subject: Request to change its identification number from 982-1933 of FCC rules

Reference: FCC ID: 2A6604 CPH

Date: 2023-2-28

To The Commission:

The change of identification number requires by a new FCC ID 2A6604 CPH is established in FCC 1933. It has already approved under The application by Shenzhen Shihua Information Technology Co., Ltd. establish a new FCC ID under Shenzhen Shihua Information Technology Co., Ltd. for purposes of marketing. The original case to SHENZHEN FENGCHEN TECHNOLOGY CO., LTD. will remain active.

An affidavit made by SHENZHEN FENGCHEN TECHNOLOGY CO., LTD. attached hereto Part 2(B)(3).

1. The original identification is **FCC ID: 2A6604 CPH**.

2. The original grantee is **(G)SHENHUA**.

3. The request is identical to the original equipment.

4. The original test results are valid and representative of the changed device.

5. Existing photographs are included in this application.

The following files are electronically submitted as attachments:

FCC ID label and label location

External photograph

Letter of Change FCC ID

Authorization Letter for FCC ID

Use Manual

Product Family Declaration

Sincerely,

Signed by [redacted]

Chen's name / signature / stamp/signature
Company: Shenzhen shihua information technology co., ltd.
address: shenzhen shihua information technology co., ltd. 0606hangzhou shenzhen
telephone: 0755-8252-1933 fax: 0755-8252-1939
Email: chen@cooper.com

SHENZHEN PERCHING TECHNOLOGY CO., LTD
5th Floor, Yuhang Building, Shenzhen, Huixian Road, Xixiang Street, Daxue District, Shenzhen China

Dae-2023-515

To
Federal Communication Commission
Arlington and Bethesda Offices
735 National Mall, East
College Park, MD 20740

To Yuhang Li, May Cao, et al.

The letter grants authorization for representation of Shenzhen@shenzhenperching.com to apply for the same FCC identification number **FCC ID: A60454** for the product the title of which is the **SHENZHEN PERCHING TECHNOLOGY CO., LTD, TFC ID: 20085-0208**, previous to **02/28/2024**. The equipment is identical identical. The only change brought about on the device. The original test results, technical information and relevant documents continue to be representative of and applicable to the changed equipment.

Applicant/Grantee (Original Company Name): SHENZHEN PERCHING TECHNOLOGY CO., LTD
Applicant/Grantee (New Company Name): Shenzhen@shenzhenperching.com

New applicant Grants Code (e.g.: 24-044)

New applicant RIN (e.g.: 00323-9049)

Name of Item/Point of Contact to be in SAS Database: shenzhenperching@gmail.com

Email address of Item/Point of Contact to SAS Database: shenzhenperching@gmail.com

Please contact me if you have any questions.



Signature of Yuhang Li, Deputy Sales Representative
Company: SHENZHEN PERCHING TECHNOLOGY CO., LTD
Address: 3rd Floor, Juchang Juepin Street, Section 3rd Rd., Xixiang Street, Daxue District, Shenzhen
Tel: 0086-755-27934470 Fax: 0086-755-2903680
Email: szxclz@shenq.com

[\[pdf\]](#) User Manual Datasheet Documentation Accessories

3108586250 ECAT Product Spec Sheet Square D Manual Starter Powerhead Cooper Electric document
media distributordatasolutions schneider synd 2023q2 documents

7047c1d596948fe7a0c6242581a8835a5b95df68 |||

The information provided in this documentation contains general descriptions and/or technical charac ... ractual warranty Warranty Motor starter class 2510 120 V AC 60 Hz 600 V 18079-SPARE PARTS DISCOUNT **CP10 CP10** 785901008316 No MX PCE 1 4.20 in 10.668 cm 4.10 in 10.414 cm 5.00 in 12.7 cm 14.08 o... lang:en score:19 filesize: 109.75 K page_count: 1 document date: 2023-04-12

[\[pdf\]](#) Agent Authorization

Letter of Change FCC ID Shenzhenshikupeisikejiyouxiangongsi CP10 tablet 2A6O4 2A6O4CP10 cp10
Shenzhenshikupeisikejiyouxiangongsi xixiangjiedaochentianshequbaoxiangongyeyeq
64dong3ceng shenzhensh ... ubject: Request to change in identification per section
2.933 of FCC rules Reference: FCC ID: 2A6O4-**CP10** Date: 2022-5-25 To The
Commission: This change of Identification request applies for a new FCC ...
lang:en score:19 filesize: 333.44 K page_count: 1 document date: 2022-06-12

[\[pdf\]](#) Label Agent Authorization

Authorization Letter for FCC ID Shenzhenshikupeisikejiyouxiangongsi CP10 tablet 2A6O4 2A6O4CP10
cp10

SHENZHEN PEICHENG TECHNOLOGY CO.,LTD 5th floor,B building,Yingxin
factory, Baotian 3rd Rd., Xixiang, ... of Shenzhenshikupeisikejiyouxiangongsi to apply
for its own FCC identification number FCC ID: 2A6O4-**CP10** for the product that is the
subject of the SHENZHEN PEICHENG TECHNOLOGY CO.,LTD , FCC ID: 2AV6Y...
lang:en score:18 filesize: 613.52 K page count: 1 document date: 2022-06-12

Product data sheet Characteristics	GV2E02 Tadyse GV2 - sealing kit - IP55 - operational temperature > -20°C Product assembly: Schneider - Schneider products distribution facility Page: 27/68 SDS	
		
Materials		
Category or family	Conformal coating	
Range	Tadyse	
Product or component	Sealing kit	
Size	GV2E	
Device code name	GV2E	
Accessories/Options	Sealing kit assembly Part of product	
Complementary		
Product assembly	Schneider	
Working voltage	1000V AC	
Operating temp	100°C	
Product length	100 mm (3.94 in)	
End use		
All types of products	IP55	
Under investigation for operation	100°C (212°F)	
Ordering and shipping details		
Category	1000V AC SERVICE PARTS CONTROL ACCESSORIES	
Document Number	1000V AC SERVICE PARTS CONTROL ACCESSORIES	
Size	1000V AC SERVICE PARTS CONTROL ACCESSORIES	
No. of units in pkg	1	
Product assembly	Schneider - Schneider products distribution facility	
Availability	N	
Country of origin	CH	
Contractual warranty		
Warranty period	18 months	

[pdf] User Manual Datasheet Documentation Accessories Catalog

GV2E02 Catalogue Retriever Servlet Product Spec Sheet SQD MANUAL STARTER SEALING K Cooper Electric e2e3758c6a2f503eff5e37ab161fda97bff14f99 media distributordatasolutions schneider 2016q2 ||| The information provided in this documentation contains general descriptions and/or technical charac ... 10 0.03 lb US 0.012 kg IP55 -4...104 F -20...40 C 18402 - WORLD SERVICE PARTS CONTROL ACCESS **CP10** 00785901601074 10 Non-Stock - Not normally stocked in distribution facility N CZ 18 months Apr... lang:en score:18 filesize: 43.71 K page_count: 1 document date: 2016-04-08

Product data sheet
Characteristics

9998ML2

Manual Starter, replacement contact kit, for NEMA size M1 and M1P manual starters, 3 poles

Ordering and shipping data

Category	1000V AC SERVICE PARTS CONTROL ACCESSORIES
Document Number	1000V AC SERVICE PARTS CONTROL ACCESSORIES
Size	1000V AC SERVICE PARTS CONTROL ACCESSORIES
No. of units in pkg.	1
Product assembly	Schneider - Schneider products distribution facility
Availability	N
Country of origin	CH

Packing Units

Unit Type of Package 1	PCS
Package Height	1.00 in (25.40 mm)
Package Width	1.00 in (25.40 mm)
Package Length	1.00 in (25.40 mm)

Other Sustainability

Under investigation	
China RoHS Declaration	Click here for details

Contractual warranty

Warranty	18 months
----------	-----------

2019/05/20

→ [Back to top](#)

Document 9998ML2 - 1000V AC SERVICE PARTS CONTROL ACCESSORIES - 1000V AC SERVICE PARTS

[pdf] User Manual Datasheet Documentation Declaration of Conformity Warranty

9998ML2 ECAT Product Spec Sheet Square D Size M1 3 Pole NEMA Manual Starter Contact Kit Cooper Electric document media distributordatasolutions schneider synd 2022q3 documents 7c64f5cb0938d2f6f1b84fcb0568e39769dbad6b ||| Product data sheet Characteristics Packing Units Unit Type of Package 1 Package 1 Height Package 1 ... 3.302 cm Under investigation China RoHS Declaration 18 months Jul 14, 2022 1 21756-9998 DISCOUNT **CP10 CP10** 785901792406 1 1.92 oz 54.431 g No MX The information provided in this documentat... lang:en score:18 filesize: 56.89 K page_count: 1 document date: 2022-07-14

Product data sheet Characteristics	9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles	
		
Ordering and shipping details		
Link page: 20-100-0000-1000V AC SERVICE PARTS CONTROL ACCESSORIES		
Document Number: 1000V AC SERVICE PARTS CONTROL ACCESSORIES		
Size: 1000V AC SERVICE PARTS CONTROL ACCESSORIES		
No. of units in pkg: 1		
Package assembly: 1. 10 or 1000 g		
Availability: Yes		
Country of origin: MEX		
Packing Units		
Unit Type of Package: 1000V AC SERVICE PARTS CONTROL ACCESSORIES		
Package Height: 1.40 x 100 (mm)		
Package Width: 1.40 x 100 (mm)		
Package Length: 1.00 x 100 (mm)		
Other Sustainability		
Under investigation		
China RoHS Declaration: Click here to find Declaration		
Contractual warranty		
18 months		

9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit, for NEMA size M0 manual starters, 3 poles
9998ML1 Manual Starter, replacement contact kit,

[pdf] User Manual Datasheet Documentation Declaration of Conformity Warranty

9998ML1 ECAT Product Spec Sheet Square D 3 Pole Size M0 NEMA Manual Starter Contact Kit Cooper Electric document media distributordatasolutions schneider synd 2022q3 documents 0176b156de142f7535dad32a484a13a7a79b7ed9 ||| Product data sheet Characteristics Packing Units Unit Type of Package 1 Package 1 Height Package 1 ... 8.1 cm Under investigation China RoHS Declaration 18 months Jul 14, 2022 1 21756-9998 DISCOUNT **CP10 CP10** 785901794127 1 1.76 oz 49.9 g Yes MX The information provided in this documentati... lang:en score:18 filesize: 83.7 K page_count: 1 document date: 2022-07-14



[pdf]


FCC POA Shenzhenshikupeisikejiyouxiangongsi CP10 tablet 2A6O4 2A6O4CP10 cp10

Shenzhenshikupeisikejiyouxiangongsi xixiangjiedaochentianshequbaoxiangongyeyeq

64dong3ceng shenzhen sh ... act on our behalf in all matters relating to applications

for equipment authorization FCC ID: 2A6O4-**CP10** including the signing of all documents related to these matters. Any and all acts carried out b...

lang:en score:18 filesize: 198.86 K page_count: 1 document date: 2022-06-12



[pdf]

User Manual Datasheet Documentation Accessories

GV2MC03 ECAT Product Spec Sheet Square D IP55 Surface Mount Manual Starter Enclosure Cooper

Electric document media distributordatasolutions schneider synd 2022q3 documents

235b40ca78fe15a5e3f3939b43f243007ffcb47 |||

Product data sheet Characteristics GV2MC03 TeSys GV2 - Enclosure for TeSys

GV2ME IP55 for temperatu ... pkg. Package weight Lbs Returnability Country of origin

18402-WORLD SERVICE PARTS CONTROL ACCESS **CP10** 3389110213669 1

10.34 oz 293.0 g Yes CZ Packing Units Unit Type of Package 1 Package 1 Heigh...

lang:en score:17 filesize: 92.53 K page_count: 2 document date: 2022-07-13



[pdf]

User Manual Datasheet Documentation

GV2LE03 ECAT Product Spec Sheet SQD TeSys GV2 Manual Starter Cooper Electric document media

distributordatasolutions schneider synd 2022q3 documents

faa1ca487b3e953d3cb3e0945e92e6b3583bdd28 |||

Product data sheet Characteristics GV2LE03 TeSys GV2 Manual Starter and

Protector, magnetic circuit ... EC 60695-2-11 6561.68 ft 2000 m -4...140 F -20...60 C

18402-WORLD SERVICE PARTS CONTROL ACCESS **CP10** 3389110516869 1

8.18 oz 232.0 g No FR PCE 1.89 in 4.8 cm 3.35 in 8.5 cm 3.66 in 9.3 cm ...

lang:en score:17 filesize: 289.46 K page_count: 12 document date: 2022-07-13

[illegible]

[\[pdf\]](#) User Manual Datasheet Documentation

GV2LE10 ECAT Product Spec Sheet SQUARED TeSys GV2 Manual St Cooper Electric document media
distributordatasolutions schneider synd 2023q2 documents

9a7147ce120d4b426bdae6bc78ee753a40aa3465 |||

Product data sheet Characteristics GV2LE10 TeSys GV2 Manual Starter and Protector, magnetic circuit ... for 11 ms Vibrations 5 Gn, 5...150 Hz 6561.68 ft 2000 m 18402-WORLD SERVICE PARTS CONTROL ACCESS **CP10** 3389110516951 No FR PCE 1 3.35 in 8.500 cm 3.66 in 9.300 cm 1.89 in 4.800 cm 9.56 oz 271... lang:en score:17 filesize: 263.81 K page_count: 12 document date: 2023-04-13

[illegible]

[\[pdf\]](#) User Manual Datasheet Documentation

GV2LE14 ECAT Product Spec Sheet SQD TeSys GV2 Manual Starte Cooper Electric document media
distributordatasolutions schneider synd 2022q3 documents

cba004ce49f5ad8ef349ec7a1378f7311f72327a |||

Product data sheet Characteristics GV2LE14 TeSys GV2 Manual Starter and Protector, magnetic circuit ... EC 60695-2-11 6561.68 ft 2000 m -4...140 F -20...60 C 18402-WORLD SERVICE PARTS CONTROL ACCESS **CP10** 3389110516975 1 9.52 oz 270.0 g Yes FR PCE 1.89 in 4.8 cm 3.35 in 8.5 cm 3.66 in 9.3 cm ... lang:en score:17 filesize: 290.04 K page_count: 12 document date: 2022-07-13

[illegible]

[\[pdf\]](#) User Manual Datasheet Documentation

GV2LE08 ECAT Product Spec Sheet SQUARED TeSys GV2 Manual St Cooper Electric document media
distributordatasolutions schneider synd 2022q3 documents

bed15c24980d28c70a24afdc9ec6db5410dc79e |||

Product data sheet Characteristics GV2LE08 TeSys GV2 Manual Starter and Protector, magnetic circuit ... EC 60695-2-11 6561.68 ft 2000 m -4...140 F -20...60 C 18402-WORLD SERVICE PARTS CONTROL ACCESS **CP10** 3389110516937 1 8.85 oz 251.0 g No FR PCE 1.97 in 5 cm 3.35 in 8.5 cm 3.62 in 9.2 cm S0... lang:en **score:17** filesize: 264.05 K page_count: 12 document date: 2022-07-13

Product data sheet	
Characteristics	
	
GV2LE32 TeSys GV2 Manual Starter and Protector, magnetic circuit protector, toggle switch, 32 A, screw clamp terminals	
	
Main	
Range of Product	TeSys GV2
Range	TeSys Deca
Device short name	GV2LE
Product name	TeSys GV2
Product in Component	Motor circuit breaker
Type	Toggle
Device Application	Motor protection
Top end technology	Magnetic
Complementary	
Price description	3P
Network type	AC
Utilization category	Category A EC 60695-2
Network frequency	50/60 Hz EC 60695-2
Rated current	32 A
Rated power kW	18.0 kW AC 50/60 Hz
Operating condition	18.0 kW AC 50/60 Hz
Breaking capacity	18.0 kW AC 50/60 Hz
Rated current short-circuit breaking capacity	18.0 kW AC 50/60 Hz
Control Type	
Line Rated Current	32 A
Magnetic holding current	32 A
Rated operational voltage	690 V AC 50/60 Hz EC 60695-2
Rated insulation voltage	690 V AC 50/60 Hz EC 60695-2
Rated short-circuit current	25 kA EC 60695-2
Rated short-circuit breaking capacity	25 kA EC 60695-2
Power dissipation per pole	1.8 W
Mechanical durability	10000 cycles AC 3-45 V
Electrical durability	10000 cycles AC 3-45 V
Maximum operating rate	10000 cycles AC 3-45 V
Rated speed	10000 cycles AC 3-45 V
Typing speed	10000 cycles AC 3-45 V
Mechanical robustness	20000 cycles AC 3-45 V
Height	120 mm
Weight	1.8 kg

[pdf] User Manual Datasheet Documentation

GV2LE32 ECAT Product Spec Sheet SQD TeSys GV2 Manual Starter Cooper Electric document media distributordatasolutions schneider synd 2022q3 documents

2eb7b9556863cfc4efca25577711b4ffd3e371d5 |||

Product data sheet Characteristics GV2LE32 TeSys GV2 Manual Starter and Protector, magnetic circuit ... EC 60695-2-11 6561.68 ft 2000 m -4...140 F -20...60 C 18402-WORLD SERVICE PARTS CONTROL ACCESS **CP10** 3389110733181 1 9.63 oz 273.0 g No FR PCE 3.35 in 8.5 cm 3.66 in 9.3 cm 1.89 in 4.8 cm ... lang:en score:17 filesize: 264.02 K page_count: 12 document date: 2022-07-13

Product data sheet	
Characteristics	
	
GV2LE20 TeSys GV2 Manual Starter and Protector, magnetic circuit protector, toggle switch, 18 A, screw clamp terminals	
	
Main	
Range of Product	TeSys GV2
Range	TeSys Deca
Device short name	GV2LE
Product name	TeSys GV2
Product in Component	Motor circuit breaker
Type	Toggle
Device Application	Motor protection
Top end technology	Magnetic
Complementary	
Price description	3P
Network type	AC
Utilization category	Category A EC 60695-2
Network frequency	50/60 Hz EC 60695-2
Rated current	18 A
Rated power kW	11.0 kW AC 50/60 Hz
Operating condition	11.0 kW AC 50/60 Hz
Breaking capacity	11.0 kW AC 50/60 Hz
Rated current short-circuit breaking capacity	11.0 kW AC 50/60 Hz
Control Type	
Line Rated Current	18 A
Magnetic holding current	18 A
Rated operational voltage	690 V AC 50/60 Hz EC 60695-2
Rated insulation voltage	690 V AC 50/60 Hz EC 60695-2
Rated short-circuit current	25 kA EC 60695-2
Rated short-circuit breaking capacity	25 kA EC 60695-2
Power dissipation per pole	1.8 W
Mechanical durability	10000 cycles AC 3-45 V
Electrical durability	10000 cycles AC 3-45 V
Maximum operating rate	10000 cycles AC 3-45 V
Rated speed	10000 cycles AC 3-45 V
Typing speed	10000 cycles AC 3-45 V
Mechanical robustness	20000 cycles AC 3-45 V
Height	120 mm
Weight	1.8 kg

[pdf] User Manual Datasheet Documentation

GV2LE20 ECAT Product Spec Sheet SQD TeSys GV2 Manual Starter Cooper Electric document media distributordatasolutions schneider synd 2022q3 documents 112fae194f5b59f44cafa150140f6bc88f2ad178

|||

Product data sheet Characteristics GV2LE20 TeSys GV2 Manual Starter and Protector, magnetic circuit ... EC 60695-2-11 6561.68 ft 2000 m -4...140 F -20...60 C 18402-WORLD SERVICE PARTS CONTROL ACCESS **CP10** 3389110517019 1 9.98 oz 283.0 g No FR PCE 3.35 in 8.5 cm 3.66 in 9.3 cm 1.81 in 4.6 cm ... lang:en score:17 filesize: 263.99 K page_count: 12 document date: 2022-07-13

Product data sheet	
Characteristics	
	
GV2LE22 TeSys GV2 Manual Starter and Protector, magnetic circuit protector, toggle switch, 25 A, screw clamp terminals	
	
Main	
Range of Product	TeSys GV2
Range	TeSys Deca
Device short name	GV2LE
Product name	TeSys GV2
Product in Component	Motor circuit breaker
Type	Toggle
Device Application	Motor protection
Top end technology	Magnetic
Complementary	
Price description	3P
Network type	AC
Utilization category	Category A EC 60695-2
Network frequency	50/60 Hz EC 60695-2
Rated current	25 A
Rated power kW	15.0 kW AC 50/60 Hz
Operating condition	15.0 kW AC 50/60 Hz
Breaking capacity	15.0 kW AC 50/60 Hz
Rated current short-circuit breaking capacity	15.0 kW AC 50/60 Hz
Control Type	
Line Rated Current	25 A
Magnetic holding current	25 A
Rated operational voltage	690 V AC 50/60 Hz EC 60695-2
Rated insulation voltage	690 V AC 50/60 Hz EC 60695-2
Rated short-circuit current	25 kA EC 60695-2
Rated short-circuit breaking capacity	25 kA EC 60695-2
Power dissipation per pole	1.8 W
Mechanical durability	10000 cycles AC 3-45 V
Electrical durability	10000 cycles AC 3-45 V
Maximum operating rate	10000 cycles AC 3-45 V
Rated speed	10000 cycles AC 3-45 V
Typing speed	10000 cycles AC 3-45 V
Mechanical robustness	20000 cycles AC 3-45 V
Height	120 mm
Weight	1.8 kg

[pdf] User Manual Datasheet Documentation

GV2LE22 ECAT Product Spec Sheet SQD TeSys GV2 Manual Starter Cooper Electric document media distributordatasolutions schneider synd 2022q3 documents

eccb6699ade11a3301a6b66fb6272e5e23c0e281 |||

Product data sheet Characteristics GV2LE22 TeSys GV2 Manual Starter and Protector, magnetic circuit ... EC 60695-2-11 6561.68 ft 2000 m -4...140 F -20...60 C 18402-WORLD SERVICE PARTS CONTROL ACCESS **CP10** 3389110517033 1 10.19 oz 289.0 g No FR PCE 3.35 in 8.5 cm 3.66 in 9.3 cm 1.81 in 4.6 cm ... lang:en score:17 filesize: 263.88 K page_count: 12 document date: 2022-07-13

Antenna to receive signals first enter a band-pass filter, the band-pass filter function is to ensure that the 118 MHz to 136 MHz signal can be put into 2 to 3000 Hz high, other signal is maximum attenuation. After filtering, the signal amplified by the 21st $\times$ 3335 (2), and then enter the N6602 mixing, at the same time N6092 inside a voltage-controlled oscillator, the frequency changes because of the DI junction capacitance, design covers about 128 MHz to 140 MHz.

lang:en score:16 filesize: 704.88 K page_count: 8 document date: 2018-12-02

[illegible]

lang:en score:16 filesize: 264.02 K page_count: 12 document date: 2022-07-13

lang:en score:16 filesize: 1.05 M page count: 16 document date: 2020-12-16



[\[pdf\]](#) User Manual Documentation

Bluetooth Adapter easy800 BLT ADP Manual 07 14 MN04902002Z EN Kommunikation Eaton Industries GmbH 53105 Bonn Deutschland MN049001EN eaton content dam technicaldocumentation mn ||| Manual easyParameter App 07/14 MN049001EN All proprietary names and product designations are bran ... tandard EASY819-..., EASY820-..., EASY821-..., EASY822- ... MFD-Titan MFD-CP8-ME, MFD-CP8-NT MFD-**CP10**-ME and MFD-**CP10**-NT, device version 03-xxxxxxxxxxxx or higher Bluetooth adapter Refers to the ea... lang:en **score:15** filesize: 3.83 M page_count: 71 document date: 2014-10-06




[\[pdf\]](#) User Manual Owner's Manual Instructions Troubleshooting Guide Specifications Warranty

T 3000 Manual Commercial Ambient Air Cleaner CFM Industrial Maid T3000 v 1694450707 cdn shopify s files 1 0737 0588 1887 |||

Owners Manual AZTech Model 3000 INDUSTRIAL AIR CLEANER Contents Safety/Inspection..... ACEMENT PARTS ITEM 1 2 3 4 5 6A 6B 7 8 9A 9B 10 11 PART NUMBER BW10-DD10 MT41-1013 MT34-RSMT MT41-**CP10** ELSW-1012 003500-10PE 003500-11PE FR35-ASSY GR07-0013 FB98-2424 FB68-2424 FP44-2424 ELCD-1415 ...

lang:en **score:14** filesize: 3.18 M page_count: 16 document date: 2021-03-21



[\[pdf\]](#) User Manual Owner's Manual Instructions Troubleshooting Guide Specifications Warranty

Model 2500 Manual2500 Commercial Air Cleaner CFM Industrial Maid2500 Manual 2021 03 21cdn shopify s files 1 0737 0588 1887 21 v 1694553305 |||

Owners Manual AZTech Model 2500 INDUSTRIAL AIR CLEANER Contents Safety/Inspection..... SIDES 250000-10PE 1 POLYETHYLENE PANELS, EXHAUST END HW25-035M 1 RUBBER LATCH ASSEMBLY MT41-**CP10** 1 3/4HP CAPACITOR * FILTER EFFICIENCIES BASED ON ASHRAE TEST METHODS 6 ELECTRICAL WIRING ...

lang:en **score:14** filesize: 1.52 M page_count: 16 document date: 2021-03-21



[pdf] User Manual Owner's Manual Instructions Troubleshooting Guide Specifications Warranty


Model 2000C Manual2000C Commercial Air Cleaner 2000 CFM Industrial Maid2000c Manual 2021 03

21cdn shopify s files 1 0737 0588 1887 2000c 21 v 1695319308 |||

Owners Manual AZTech Model 2000C COMMERCIAL AIR CLEANER Contents Safety/Inspection..... FR25-ASSY FR25-SILR ELCD-1415 FP44-2424


FC02-2424 FB98-2424 ELSW-1012 250000-11PE 250000-10PE MT41-**CP10** QTY 1 1 1 1 1 1 1 1 1 1 4 1 1 DESCRIPTION BLOWER ASSEMBLY 3/4 HP MOTOR, 115V, 3 SPEED EXHAUST...

lang:en score:14 filesize: 1.06 M page_count: 16 document date: 2021-03-21



[pdf] User Manual

CES Press Kit 2014 VENG awayserl Valeo smartwatches In a world first it is launching smartwatch system that allows drivers to lock and unlock their vehicles percentage expected reach 40% in 2020 What more the way people use cars changing According Observatoire suggests shifting from manual driving mode automated 01052015 valeo ces 2015 inblue smartphone 2 compatible smart key pk 2016 11 1 SOMMAIRE Contents I On display at CES 2015: InBlue, the smartphone and smartwatch- 2 compatibl ... cted interface demonstration at the Valeo booth at the Consumer Electronics Show in Las Vegas Booth **CP10** CES Central Plaza The automated driving by Valeo Outdoor demonstration on the CES Gold Lot Cir... lang:en score:13 filesize: 309.74 K page_count: 12 document date: 2014-12-15




[pdf]

cooper 98 energymining sa gov au data assets file 0010 685531 |||

COOPEREROMANGA BASIN EXPLORATION OPPORTUNITIES BLOCKS CO98AK October 1998 COOPER 99 COOPER BASIN E ... CP12 84 CPXX5 85 CP11 85 CP21 85 CPXX1 87 CP21 88 CP01 88 CPXX1 89 CP01 91 CP11 92 CP01 94 CP01 94 **CP10** 94 CP21 95 CP01 95 CP05 96 CP01 96 CP02 97 CP01 No. lines 1 3 4 3 1 4 2 2 7 5 22 1 23 9 9 3 8 ...

lang:en score:12 filesize: 4.37 M page_count: 65 document date: 2002-08-12




[pdf]

cooper 2000 energymining sa gov au data assets file 0009 685530 |||

Acreage release COOPEREROMANGA BASINS SOUTH AUSTRALIA Petroleum Exploration Data Package 3 EXPLORAT1 217.9 7.0 100.1 11.3 152.6 9.5 35.4 90.5 92.9 11.4 201.3 393.8 4.6 20.3 124.8 Survey 90 CP01 91 **CP10** 91 CP11 92 CP01 92 **CP10** 92 CP11 93 CP01 93 CP04 94 CP09 94 CP21 95 CP01 96 CP01 98 CP01 3D Surv...

lang:en score:11 filesize: 5.66 M page_count: 56 document date: 2002-08-12




[pdf] Datasheet Documentation Warranty

Product Spec Sheet SQD 3107141253 COIL Cooper Electric

40cc64ece3868938113b047de63335ba3c1febc8 media distributordatasolutions schneider 2018q1 |||

Product data sheet Characteristics 3107141253 Coil for lighting contactors - 230/250 V DC Product a ... of units in pkg. Package weight Lbs Returnability Country of origin 18079 - SPARE PARTS DISCOUNT **CP10 CP10** 00785901768104 1 1 N MX Contractual warranty Warranty period 18 months Feb 23, 2018 1 ...

lang:en score:11 filesize: 45.69 K page_count: 1 document date: 2018-02-23



[pdf] Datasheet Documentation Warranty

Product Spec Sheet SQD 3109104850 31091 048 50 Cooper Electric

95955f57fb92f068ccd739353b927ce3ab8321db media distributordatasolutions schneider 2018q1 |||

Product data sheet Characteristics 3109104850 Coil cover for NEMA type S contactors Product availab ... of units in pkg. Package weight Lbs Returnability Country of origin 18079 - SPARE PARTS DISCOUNT **CP10 CP10** 00785901768791 1 1 N MX Contractual warranty Warranty period 18 months Feb 22, 2018 1 ...

lang:en score:11 filesize: 45.32 K page_count: 1 document date: 2018-02-22

Product data sheet Characteristics	9998LX58 Replacement unlatch coil, 347VAC 60Hz, 8903L Contactor, 2-12 poles	
	Product availability: Item Check - Not currently checked in distribution facility	
	Price: 119.00 USD	
		
	Ordering and shipping details Category Discount Schedule CTD Size of units in pkg. Package weight (kg) Returnability Country of origin	
	Offer Sustainability RoHS compliance RoHS compliance REACH	
Contractual warranty Warranty period		

[pdf] Datasheet Documentation Warranty

Product Spec Sheet SQD 9998LX58 LIGHTING CONTACTOR COI Cooper Electric

ed7180807e22204e9ce625fb54e3ec68af0ba458 media distributordatasolutions schneider 2018q1 |||

Product data sheet Characteristics 9998LX58 Replacement unlatch coil, 347VAC 60Hz, 8903L Contactor, ... IN Nbr. of units in pkg. Package weight Lbs Returnability

Country of origin 21756 - 9998 DISCOUNT **CP10 CP10** 00785901177548 1

0.40000000000000002 N MX Offer Sustainability RoHS date code: YYWW REA...

lang:en score:11 filesize: 46.76 K page_count: 1 document date: 2018-02-23

Product data sheet

Characteristics

3109641615

Replacement unlatch coil, 208VAC 60Hz, 8903 lighting contactor, 100-600 A

Product availability: Item Check - Not currently checked in distribution facility

Price: 202.00 USD

Main

Product or component type

Accessory (cable and accessories)

Cat

Lighting contactor (class 8903 type 208VAC60Hz8903)

Complementary

System Voltage

Branch power in VA

208 V AC 60 Hz

600 VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

8903 - SQUARE SHAPED DISCOUNT OFFER

CPRO

890300

[pdf] Datasheet Documentation Warranty Accessories

Product Spec Sheet SQD 3109641615 CONTACTOR RELAY COIL Cooper Electric

b068accd43452d5f7fccfa227ac39436fadc03bd media distributordatasolutions schneider 2018q1 |||

Product data sheet Characteristics 3109641615 Replacement unlatch coil, 208VAC 60Hz, 8903 lighting ... of units in pkg. Package weight Lbs Returnability Country of

origin 18079 - SPARE PARTS DISCOUNT **CP10 CP10** 00785901470311 1

0.29999999999999999 N MX Contractual warranty Warranty period 18 months...

lang:en score:11 filesize: 42.46 K page_count: 1 document date: 2018-02-24

Product data sheet

Characteristics

3109641603

Replacement unlatch coil, 24VAC 60Hz, 8903 lighting contactor, 100-600 Amp

Product availability: Item Check - Not currently checked in distribution facility

Price: 202.00 USD



Main

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

Contractual warranty

Warranty period

Product or component type

Accessory (cable and accessories)

Complementary

System Voltage

Branch power in VA

Ordering and shipping details

Category

Discount Schedule

CTD

Size of units in pkg.

Package weight (kg)

Returnability

Country of origin

</

[pdf] Datasheet Documentation Warranty Accessories

Product Spec Sheet SQD 3109641603 CONTACTOR RELAY COIL Cooper Electric

7610250a644e0ebc920d740c81e1b76880d36d68 media distributordatasolutions schneider 2018q1 |||

Product data sheet Characteristics 3109641603 Replacement unlatch coil, 24VAC 60Hz, 8903 lighting c ... of units in pkg. Package weight Lbs Returnability Country of

origin 18079 - SPARE PARTS DISCOUNT **CP10 CP10** 00785901386131 1 2.48 N

MX Contractual warranty Warranty period 18 months Feb 24, 2018 ...

lang:en score:11 filesize: 42.48 K page_count: 1 document date: 2018-02-24

Product data sheet
Characteristics

3109641624

Replacement unlatch coil, 440/480VAC 50/60Hz,
8903 lighting contactor, 100-600 A

Product availability: Item Check - Not currently checked in distribution facility

Price: 202.00 USD

Main

Product or component type	Coil
Accessory (cable and accessories)	Lighting contactor class 8903 type 24253100

[pdf] Datasheet Documentation Warranty Accessories

Product Spec Sheet SQD 3109641624 CONTACTOR RELAY COIL Cooper Electric

18fb24479c6c51e5e05a1b6625d2ba91924ef8ff media distributordatasolutions schneider 2018q1 |||

Product data sheet Characteristics 3109641624 Replacement unlatch coil,

440/480VAC 50/60Hz, 8903 li ... of units in pkg. Package weight Lbs Returnability

Country of origin 18079 - SPARE PARTS DISCOUNT **CP10 CP10** 00785901470359

1 0.59999999999999998 N MX Contractual warranty Warranty period 18 months...

lang:en score:11 filesize: 42.58 K page_count: 1 document date: 2018-02-24

Product data sheet Characteristics	
3110441818 Replacement coil, 220/240VAC 50/60Hz, 8903 mechanically held contactor, 400-800A	
Product availability: Check Stock - Not ready stocked in distribution facility	
Price: 180.00 USD	
	
Main	
Product or component type	COIL
Accessories / features and attributes	Lighting indicator class 8903 spec 2152201
Complementary	
Rated voltage	220 V AC 50/60 Hz
Rated power in VA	60 VA
Rated power in W	60 W
Number of poles	1
Height	145.0 mm
Width	50.0 mm
Depth	40.0 mm
Ordering and shipping details	
Category	8903 - SPARE PARTS DISCOUNT CP10
Discount Schedule	CP10
GTIN	6298980000001
Nbr. of units in pkg.	1
Package weight (kg)	0.000000000000001
Returnability	51
Country of origin	8903
Contract warranty	
Warranty period	18 months
Page 1	

[\[pdf\]](#) Datasheet Documentation Warranty Accessories

Product Spec Sheet SQD 3110441818 CONTACTOR STARTER CO Cooper Electric

34252fd1aa6885870ea890da02826eb27808b2ce media distributordatasolutions schneider 2018q1 |||

Product data sheet Characteristics 3110441818 Replacement coil, 220/240VAC 50/60Hz, 8903 mechanical ... of units in pkg. Package weight Lbs Returnability Country of origin 18079 - SPARE PARTS DISCOUNT **CP10 CP10** 00785901681205

1 2.8100000000000001 N MX Contractual warranty Warranty period 18 months ...

lang:en score:11 filesize: 46.46 K page_count: 1 document date: 2018-02-24

Product data sheet Characteristics	
9998XDL58B NEMA Control Latch Attachment Replacement Coil - 115/125VDC	
Product availability: Check Stock - Not ready stocked in distribution facility	
Price: 218.00 USD	
	
Main	
Range of product	8903X
Rating type	Control relay
Product or component type	Coil
Complementary	
DC control circuit voltage	115/125 V DC
Control circuit voltage (Vdc)	115, 125 operational DC
Rated power in W	60 W
Rated power consumption in W	60 W
Electrical connection	Quick change terminals
AKK group	AKK 10 - AKK 12 copper
Terminating length	1.00 - 1.18 from control circuit terminals
Ordering and shipping details	
Category	CP10 - SPARE PARTS DISCOUNT CP10
Discount Schedule	CP10
GTIN	6298980000001
Nbr. of units in pkg.	1
Package weight (kg)	0.000000000000001
Returnability	51
Country of origin	8903
Offer Sustainability	
RoHS date code YYWW	Compliant - since 10/2 - Schneider Electric declaration of conformity
	☒ Schneider Electric declaration of conformity
Page 1	

[\[pdf\]](#) Datasheet Documentation Decleration of Conformity

Product Spec Sheet SQD 9998XDL58B RELAY COIL 125VDC 85 Cooper Electric

5cfd8c43cb4b9a21b5b85e9c8a0e5af1038bde media distributordatasolutions schneider 2018q1 |||

Product data sheet Characteristics 9998XDL58B NEMA Control Latch Attachment Replacement Coil - 115/ ... IN Nbr. of units in pkg. Package weight Lbs Returnability Country of origin 21756 - 9998 DISCOUNT **CP10 CP10** 00785901773672 1

1.10000000000000001 N MX Offer Sustainability RoHS date code: YYWW Com...

lang:en score:11 filesize: 49.19 K page_count: 2 document date: 2018-02-23

Product data sheet Characteristics	
9998XD46 NEMA Control Relay Replacement Coil - 48VDC	
Product availability: Check Stock - Not ready stocked in distribution facility	
Price: 188.00 USD	
	
Main	
Range of product	8903X
Rating type	Control relay
Product or component type	Coil
Complementary	
DC control circuit voltage	48 VDC
Control circuit voltage (Vdc)	48, 115 operational DC
Rated power in W	60 W
Rated power consumption in W	60 W
Electrical connection	Quick change terminals
AKK group	AKK 10 - AKK 12 copper
Terminating length	1.00 - 1.18 from control circuit terminals
Height	110.0 mm
Width	50.0 mm
Depth	50.0 mm
Ordering and shipping details	
Category	CP10 - SPARE PARTS DISCOUNT CP10
Discount Schedule	CP10
GTIN	6298980000001
Nbr. of units in pkg.	1
Package weight (kg)	0.000000000000001
Returnability	51
Country of origin	8903
Offer Sustainability	
RoHS date code YYWW	Compliant - since 10/2 - Schneider Electric declaration of conformity
	☒ Schneider Electric declaration of conformity
Page 1	

[\[pdf\]](#) Datasheet Documentation Decleration of Conformity Warranty

Product Spec Sheet SQD 9998XD46 RELAY COIL 48VDC 8501X Cooper Electric

47b1576b54e5b0ff857b5c22d5457fc8de7d2c47 media distributordatasolutions schneider 2018q1 |||

Product data sheet Characteristics 9998XD46 NEMA Control Relay Replacement Coil - 48VDC Product ava ... IN Nbr. of units in pkg. Package weight Lbs Returnability Country of origin 21756 - 9998 DISCOUNT **CP10 CP10** 00785901743378 1

1.10000000000000001 N MX Feb 23, 2018 1 Offer Sustainability RoHS date...

lang:en score:11 filesize: 49.04 K page_count: 2 document date: 2018-02-23

Product data sheet Characteristics	
9998XDL37B NEMA Control Latch Attachment Replacement Coil - 24VDC	
Product availability: Check Stock - Not ready stocked in distribution facility	
Price: 218.00 USD	
	
Main	
Range of product	8903X
Rating type	Control relay
Product or component type	Coil
Complementary	
DC control circuit voltage	24 VDC
Control circuit voltage (Vdc)	24, 115 operational DC
Rated power in W	60 W
Rated power consumption in W	60 W
Electrical connection	Quick change terminals
AKK group	AKK 10 - AKK 12 copper
Terminating length	1.00 - 1.18 from control circuit terminals
Ordering and shipping details	
Category	CP10 - SPARE PARTS DISCOUNT CP10
Discount Schedule	CP10
GTIN	6298980000001
Nbr. of units in pkg.	1
Package weight (kg)	0.000000000000001
Returnability	51
Country of origin	8903
Offer Sustainability	
RoHS date code YYWW	Compliant - since 10/2 - Schneider Electric declaration of conformity
	☒ Schneider Electric declaration of conformity
Page 1	

[\[pdf\]](#) Datasheet Documentation Decleration of Conformity

Product Spec Sheet SQD 9998XDL37B RELAY COIL 24VDC 850 Cooper Electric

566ad6cda3ea96bfeef57389f16f705975b3247e media distributordatasolutions schneider 2018q1 |||

Product data sheet Characteristics 9998XDL37B NEMA Control Latch Attachment Replacement Coil - 24VD ... IN Nbr. of units in pkg. Package weight Lbs Returnability Country of origin 21756 - 9998 DISCOUNT **CP10 CP10** 00785901177470 1

1.10000000000000001 N MX Offer Sustainability RoHS date code: YYWW Com...

lang:en score:11 filesize: 49.25 K page_count: 2 document date: 2018-02-23

Product data sheet Characteristics		3108509401 Lever, Type M and T Integral Horsepower Starters, parts for 2510 M manual starter	
		Main Material in comparison: Lever Type: _____ _____	
Complementary		_____	
Quantity in box	1	_____	
Weight	0.40 (0.88 lb)	_____	
Width	1.30 (33.02 mm)	_____	
Depth	1.30 (33.02 mm)	_____	
Ordering and shipping details			
Category	18079-SPARE PARTS DISCOUNT CPD		
Discount/Status	CPD		
QTY	18079-SPARE		
Min. order in pkg	1		
Package weight (kg)	0.40 (0.88 lb)		
Package width	1.30 (33.02 mm)		
Package depth	1.30 (33.02 mm)		
Country of origin	USA		
Shipping Units			
Unit Package Weight	0.40		
Package Weight	0.39 (0.87 lb)		
Package Length	1.30 (33.02 mm)		
Package Width	1.30 (33.02 mm)		
Other Sustainability			
RoHS Directive	Not applicable, not of EU RoHS Reg 1192		
Contractual warranty			
Warranty	36 months		

3108509401

→ [Nagle](#)

18079-SPARE PARTS DISCOUNT CPD

CPD

18079-SPARE

1

0.40 (0.88 lb)

1.30 (33.02 mm)

1.30 (33.02 mm)

USA

0.40

0.39 (0.87 lb)

1.30 (33.02 mm)

1.30 (33.02 mm)

Not applicable, not of EU RoHS Reg 1192

36 months

[pdf] User Manual Datasheet Documentation

3108509401 ECAT Product Spec Sheet SQD Operator lever for Cooper Electric document media

distributordatasolutions schneider synd 2022q3 documents

e6f909f70cbbc635cd45e60b0d342242683a9d88d |||

Product data sheet Characteristics 3108509401 Lever, Type M and T Integral Horsepower Starters, par ... rranty Warranty 1 0.4 in 10.16 mm 1.5 in 38.10 mm 1.0 in 25.40 mm 18079-SPARE PARTS DISCOUNT **CP10 CP10** 785901385998 1 0.32 oz 9.072 g No MX PCE 0.60 in 1.524 cm 1.00 in 2.54 cm 1.50 in 3...

lang:en score:10 filesize: 66 K page_count: 1 document date: 2022-07-14

Product data sheet
Characteristics

9998LX53
Replacement unlatch coil, 220/240VAC
50/60Hz, 800SL Contactor, 2-12 poles

Main

Material in comparison	Coil
Size	
Material in comparison	Coil 800SL Contactor

Package weight (kg)

0.02 (0.04 lb)

Complementary

See other complementary ratings

18079-SPARE

18079-SPARE

18079-SPARE

18079-SPARE

18079-SPARE

18079-SPARE

Ordering and shipping details

Category

18079-SPARE PARTS DISCOUNT CPD

Discount/Status

CPD

QTY

18079-SPARE

Min. order in pkg

1

Package weight (kg)

0.02 (0.04 lb)

Package width

1.30 (33.02 mm)

Package depth

1.30

Length of cable

0.0

Other Sustainability

RoHS Directive

Under investigation

China RoHS Declaration

China RoHS Declaration

Contractual warranty

Warranty

36 months

9998LX53 is a trademark of Schneider Electric. 9998LX53 is a trademark of Schneider Electric

[pdf] Datasheet Documentation Accessories

9998LX53 ECAT Product Spec Sheet SQD LIGHTING CONTACTOR COI Cooper Electric document

media distributordatasolutions schneider2 2020q4 documents

8e7b148d50030e9c4ac196d77bfb95abae47a874 |||

The information provided in this documentation contains general descriptions and/or technical charac ... z 220 V AC 50 Hz 180 VA 1.75 in 44.5 mm 2.46 in 62.5 mm 1.13 in 28.7 mm 21756 - 9998 DISCOUNT **CP10 CP10** 00785901057710 1 0.02 lb US 0.01 kg No MX Under investigation China RoHS Declaration 18...

lang:en score:10 filesize: 85.22 K page_count: 1 document date: 2020-10-08

Product data sheet Characteristics		2959S13W36B Replacement unlatch coil, 440/480VAC 50/60Hz, 800SLM or SP lighting contactor															
		<table><tr><td>Material in comparison</td><td>Coil</td></tr><tr><td>Size</td><td></td></tr><tr><td>Material in comparison</td><td>Coil 800SLM type 800SLM lighting contactor</td></tr><tr><td>Package weight (kg)</td><td>0.02 (0.04 lb)</td></tr></table>		Material in comparison	Coil	Size		Material in comparison	Coil 800SLM type 800SLM lighting contactor	Package weight (kg)	0.02 (0.04 lb)						
Material in comparison	Coil																
Size																	
Material in comparison	Coil 800SLM type 800SLM lighting contactor																
Package weight (kg)	0.02 (0.04 lb)																
Complementary		<table><tr><td>RoHS Directive</td><td>Not applicable, not of EU RoHS Reg 1192</td></tr></table>		RoHS Directive	Not applicable, not of EU RoHS Reg 1192												
RoHS Directive	Not applicable, not of EU RoHS Reg 1192																
Ordering and shipping details		<table><tr><td>Category</td><td>18079-SPARE PARTS DISCOUNT CPD</td></tr><tr><td>Discount/Status</td><td>CPD</td></tr><tr><td>QTY</td><td>18079-SPARE</td></tr><tr><td>Min. order in pkg</td><td>1</td></tr><tr><td>Package weight (kg)</td><td>0.02 (0.04 lb)</td></tr><tr><td>Package width</td><td>1.30 (33.02 mm)</td></tr><tr><td>Package depth</td><td>1.30 (33.02 mm)</td></tr></table>		Category	18079-SPARE PARTS DISCOUNT CPD	Discount/Status	CPD	QTY	18079-SPARE	Min. order in pkg	1	Package weight (kg)	0.02 (0.04 lb)	Package width	1.30 (33.02 mm)	Package depth	1.30 (33.02 mm)
Category	18079-SPARE PARTS DISCOUNT CPD																
Discount/Status	CPD																
QTY	18079-SPARE																
Min. order in pkg	1																
Package weight (kg)	0.02 (0.04 lb)																
Package width	1.30 (33.02 mm)																
Package depth	1.30 (33.02 mm)																
Other Sustainability		<table><tr><td>RoHS Directive</td><td>Under investigation</td></tr><tr><td>China RoHS Declaration</td><td>China RoHS Declaration</td></tr></table>		RoHS Directive	Under investigation	China RoHS Declaration	China RoHS Declaration										
RoHS Directive	Under investigation																
China RoHS Declaration	China RoHS Declaration																
Contractual warranty		<table><tr><td>Warranty</td><td>36 months</td></tr></table>		Warranty	36 months												
Warranty	36 months																

2959S13W36B

--- > **Agilent**

1

2959S13W36B

--- > **Agilent**

1

[pdf] Datasheet Documentation Accessories

2959S13W36B ECAT Product Spec Sheet SQD Replacement unlatch Cooper Electric document media

distributordatasolutions schneider synd 2022q3 documents

7f1144eb9b8b231c8b0172e937410c1b89951641 |||

The information provided in this documentation contains general descriptions and/or technical charac ... ctive Contractual warranty Warranty 480 V AC 60 Hz 440 V AC 50 Hz 80 VA 18079-SPARE PARTS DISCOUNT **CP10 CP10** 785901470274 1 0.31 lb US 0.14 kg No US WARNING: This product can expose you to chemical...

lang:en score:10 filesize: 76.52 K page_count: 1 document date: 2022-07-13

