**Ringke RK-STRP-NECK-ASOR**

# Ringke Lanyard Strap Instruction Manual

Model: RK-STRP-NECK-ASOR

## 1. Product Overview

The Ringke Lanyard Strap is a versatile accessory designed to enhance the portability and security of your devices and personal items. It features an adjustable length and a convenient one-touch buckle system, making it suitable for various uses such as carrying smartphones, cameras, keys, USB flash drives, and ID badges.

### Key Features:

- Universal lanyard neck strap compatible with smartphones and other items.
- Enhances portability and helps prevent accidental drops.
- Constructed from high-density polyester for a soft and comfortable feel.
- Features an innovative one-touch quick-release buckle system.
- Adjustable length for a customized and comfortable fit.




The Ringke Lanyard Strap allows for hands-free carrying of your smartphone, providing convenience and security.

## 2. Setup Instructions

### Attaching the Strap:

1. Identify the attachment point on your device (e.g., phone case loop, camera strap lug, key ring).
2. Thread the thin nylon end strap through the designated attachment point.
3. Pass the buckle base through the loop formed by the nylon end strap to secure it. Ensure the connection is firm and fully seated.




The innovative buckle design allows for secure attachment to various devices. The maximum weight capacity for the Ringke Buckle System is 10 kg.

## Adjusting the Length:

1. Locate the two adjustable sliders on the main polyester strap.
2. Slide these adjusters along the strap to achieve your desired length. The strap can be adjusted from approximately 43cm to 79cm.
3. Ensure both adjusters are evenly positioned for comfortable wear around the neck, shoulder, or across the body.




Adjust the strap length to suit your preference for neck, shoulder, or crossbody wear.

## 3. Operating Instructions

### Using the One-Touch Buckle:

The Ringke Lanyard Strap features a quick-release buckle for easy detachment of your device. To release, press the button on the side of the buckle base. To reattach, align the two parts of the buckle and push them together until you hear a click, indicating a secure connection.

### Wearing the Lanyard:

- **Neck Strap:** Adjust the strap to a shorter length and wear it around your neck for easy access to your device.
- **Shoulder Strap:** Lengthen the strap and wear it over one shoulder.
- **Crossbody Strap:** Extend the strap to its maximum length and wear it across your body for enhanced security and weight distribution.




The lanyard can be used with various items like cameras, providing hands-free convenience.

## 4. Maintenance

### Cleaning:

The polyester strap can be gently hand-washed with mild soap and cold water. Avoid harsh detergents or bleach. Allow it to air dry completely before reattaching to any device.




The high-density polyester material is durable and soft to the touch.

## Storage:

Store the lanyard in a clean, dry place away from direct sunlight when not in use to prolong its lifespan.

## Inspection:

Periodically inspect the strap and buckle for any signs of wear, fraying, or damage. Discontinue use if any significant damage is observed to prevent accidental drops of your device.

## 5. Troubleshooting

### Buckle Not Engaging Securely:

- Ensure both parts of the buckle are clean and free from debris.
- Align the buckle components correctly and push firmly until a distinct click is heard.
- If the buckle still does not engage, inspect for any visible damage to the plastic components.

### Strap Feels Uncomfortable or Itchy:

- Adjust the strap length and position to find a more comfortable fit.
- Ensure the strap is not twisted.
- The high-density polyester is generally soft, but individual skin sensitivity may vary.

### Device Feels Unstable:

- Verify that the nylon end strap is securely attached to your device's attachment point and the buckle base.
- Ensure the device's attachment point itself is robust and not damaged.
- The maximum weight capacity of the buckle system is 10 kg. Do not exceed this limit.

## 6. Specifications

| Feature | Detail |
|---|---|
| Brand Name | Ringke |
| Model Number | RK-STRP-NECK-ASOR |
| Material Type | Polyester / Polycarbonate |
| Item Dimensions | 59.25 x 0.79 x 0.59 inches (approx. 150.5 x 2 x 1.5 cm) |
| Adjustable Length | Min. 430mm - Max. 790mm (approx. 17 - 31 inches) |
| Item Weight | 31.5 Grams |
| Fastener Type | Buckle (One-Touch Quick Release) |
| Color | Ash Orange |
| Max Weight Capacity | 10 kg (Ringke Buckle System) |

# Information



| | |
|---|---|
| **Name** | Ringke Lanyard Strap |
| **Material** | Polyester / Polycarbonate |
| **Size** | 20mm(W) x Min.430 ~ Max.790mm(L) |
| **Country of origin** | Korea |
| **Design** | Ash Orange |

Detailed product information and specifications.

## 7. Warranty Information

Warranty information for the Ringke Lanyard Strap is not explicitly detailed in the provided product specifications. For specific warranty terms and conditions, please refer to the official Ringke website or contact their customer support directly.

## 8. Support

For further assistance, product inquiries, or technical support regarding your Ringke Lanyard Strap, please visit the official Ringke brand store or contact their customer service department.

**Ringke Brand Store:** https://www.amazon.com/stores/Ringke/page/0CE260DE-020A-45E6-B6A8-BF1381EB3A81

Please check the brand store or official website for the most up-to-date contact information and support resources.

© 2023 Ringke. All rights reserved.

## Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

**Name**

Anonymous

**Email**

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

**Question**

Example: How do I reset this device or fix this error?

**Details**

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question