

Moen T2261

Moen Cia Chrome 1-Handle Posi-Temp Pressure Balancing Valve Trim Kit

Model: T2261 | Brand: Moen

1. INTRODUCTION

This instruction manual provides detailed information for the installation, operation, and maintenance of your Moen Cia Chrome 1-Handle Posi-Temp Pressure Balancing Valve Trim Kit. The Cia suite combines modern style with advanced technology, featuring contemporary curves and defined edges for a classic yet fresh aesthetic. This trim kit is designed to complement various bath decors.

2. SAFETY INFORMATION

Always turn off the main water supply before beginning any plumbing installation or repair. Ensure all connections are secure to prevent leaks. If you are unsure about any step, consult a qualified plumber. This product is designed for wall-mounted installation. Proposition 65 Warning: This product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

3. PACKAGE CONTENTS

Your Moen Cia Trim Kit includes the following components:

- Cia 1-Handle Trim Plate
- Cia Lever Handle
- Mounting Hardware

Note: The Moen Posi-Temp valve (models 2510, 2520, 2570, or 2590) is required for installation and is sold separately.



Figure 3.1: Moen Cia Chrome 1-Handle Posi-Temp Pressure Balancing Valve Trim Kit (T2261).



REQUIRED VALVE SOLD SEPARATELY

Figure 3.2: Example of a Moen Posi-Temp Valve, which is required for installation and sold separately.

4. SETUP AND INSTALLATION

This trim kit is designed to be installed with a compatible Moen Posi-Temp valve (not included). Refer to the installation instructions provided with your Moen Posi-Temp valve for detailed rough-in and valve body installation. Once the valve body is installed and water connections are made, proceed with the trim kit installation.

1. Ensure the water supply to the valve is turned off.
2. Align the trim plate over the installed valve body, ensuring it sits flush against the wall.
3. Secure the trim plate using the provided screws. Ensure screws are tightened evenly to prevent warping.
4. Install the handle onto the valve stem. The handle should slide onto the stem and be secured with the set screw (if applicable).
5. Test the installation for leaks and proper operation by slowly turning on the water supply.

For detailed visual guidance, please refer to the official Moen installation videos or consult a professional plumber.

5. OPERATING INSTRUCTIONS

- The Moen Cia 1-Handle Posi-Temp Pressure Balancing Valve Trim Kit provides easy control over water temperature and flow.
- **Temperature Control:** Rotate the lever handle to adjust the water temperature. Typically, rotating counter-clockwise increases hot water, and clockwise increases cold water. The small red and blue dots on the trim plate indicate hot and cold positions, respectively.
 - **Flow Control:** Pull the lever handle outwards to turn on the water and push it inwards to turn off the water.
 - **Posi-Temp Feature:** The Posi-Temp valve is designed to maintain water temperature within a safe range, even when other water sources in the house are in use, preventing sudden temperature changes.

6. MAINTENANCE

- To maintain the appearance and performance of your Moen Cia trim kit, follow these cleaning guidelines:
- Clean regularly with a soft cloth and warm, soapy water.
 - Avoid abrasive cleaners, harsh chemicals, or scouring pads, as these can damage the chrome finish.
 - Rinse thoroughly after cleaning and dry with a soft cloth to prevent water spots.

7. TROUBLESHOOTING

Problem	Possible Cause	Solution
No water flow or low pressure.	Main water supply off; clogged aerator (if applicable); valve issue.	Check main water supply; clean aerator; consult valve manual or plumber.
Water temperature is too hot or too cold.	Temperature limit stop setting; Posi-Temp cartridge issue.	Adjust temperature limit stop (refer to valve manual); replace cartridge if necessary.
Leaking from handle or trim plate.	Loose connections; worn O-rings or cartridge.	Tighten connections; replace O-rings or cartridge.

If issues persist after attempting these solutions, please contact Moen Customer Support.

8. SPECIFICATIONS

- **Brand:** Moen
- **Model Name:** Cia Collection
- **Model Number:** T2261
- **Finish Type:** Chrome

- **Material:** Zinc
- **Mounting Type:** Wall Mount
- **Number of Handles:** 1
- **Handle Type:** Lever
- **Included Components:** Valve trim only
- **Product Dimensions:** 4 x 7 x 7 inches
- **Item Weight:** 1.14 pounds
- **Country of Origin:** USA
- **UPC:** 026508336007

9. WARRANTY AND SUPPORT

This Moen product is backed by Moen's Limited Lifetime Warranty, ensuring quality and durability. For detailed warranty information, please refer to the official Moen website or contact customer support.

For technical assistance, replacement parts, or warranty claims, please contact Moen Customer Support:

- **Website:** www.moen.com
- **Phone:** Refer to Moen's official website for current contact numbers.