

[Manuals.plus](#) /

› [Duotipa](#) /

› Duotipa LCD Display and Touch Screen Assembly User Manual

Duotipa Nexus 6 with Frame

Duotipa LCD Display and Touch Screen Assembly User Manual

Compatible with Moto Google Nexus 6 XT1103, XT1100

1. INTRODUCTION

This manual provides essential information for the installation, maintenance, and troubleshooting of your Duotipa LCD Display and Touch Screen Assembly. This product is designed as a replacement part for the Motorola Google Nexus 6 models XT1103 and XT1100, offering a 5.96-inch AMOLED display with 1440 x 2560 pixels resolution and Corning Gorilla Glass protection.




Image 1.1: Visual comparison of a phone before and after screen replacement, demonstrating the product's purpose.

2. SAFETY INFORMATION

Please read and understand all safety precautions before proceeding with installation. Improper handling can lead to damage to the product or the device.

- Always disconnect the battery cable or power off the phone completely before beginning any installation or repair work. This prevents potential electrical damage to the phone's components.
- Handle all components, especially flex cables, with extreme care. Bending, tearing, or excessive pulling of flex cables can cause permanent damage, leading to display issues such as black screen, blurred screen, or no display.
- Work in a clean, well-lit, and static-free environment. Use anti-static precautions if possible.
- Keep small parts and tools away from children.

3. PACKAGE CONTENTS

Your Duotipa LCD Display and Touch Screen Assembly package includes the following items:

- 1 x LCD Display and Touch Screen Assembly with Frame
- 1 x Repair Tool Kit



Image 3.1: The included repair tool kit, featuring various screwdrivers, prying tools, and a suction cup.


4. SETUP AND INSTALLATION

Replacing a phone screen requires precision and care. Professional installation is recommended. If you choose to proceed yourself, please follow these guidelines carefully:

1. **Preparation:** Before starting, watch a comprehensive instruction video on platforms like YouTube. Search for "Nexus 6 screen replacement" to familiarize yourself with the process. Ensure your phone is completely powered off and the battery cable is disconnected.
2. **Disassembly:** Carefully open the phone using the correct screwdrivers from the provided tool kit. As you remove screws, mark their original locations. Screws often have different sizes and lengths; placing them in the wrong position can damage internal components or the new screen.
3. **Flex Cable Handling:** When disconnecting and reconnecting the flex cables, exercise extreme caution. Do not pull on the cables. Gently unlatch connectors and carefully remove the old screen assembly.
4. **Pre-Installation Test:** Before fully installing the new screen, connect the flex cables to the phone's motherboard and test the display and touch functionality. Do not apply adhesive or fully assemble the phone until you have verified the screen is working correctly.
5. **Installation:** Once tested, carefully align the new Duotipa LCD Display and Touch Screen Assembly with the phone's frame. Ensure all flex cables are properly seated and secured. Reassemble the phone, returning each screw to its correct, marked location.



Image 4.1: The Duotipa LCD Display and Touch Screen Assembly, showing the screen and the integrated frame.






Image 4.2: Rear view of the screen assembly, highlighting the internal components and connection points.



Image 4.3: Detailed view of the flex cables and connectors, crucial for proper installation.

5. OPERATING (POST-INSTALLATION CHECKS)

After successful installation, perform the following checks to ensure full functionality:

- **Power On:** Turn on your device and observe the display. Check for any abnormalities such as dead pixels, lines, or discolored areas.
- **Touch Functionality:** Test the touch screen responsiveness across the entire display. Drag an icon around the screen to ensure there are no dead spots.

- **Brightness and Colors:** Adjust the screen brightness to ensure it functions correctly. Verify that colors appear vibrant and accurate.
- **Sensor Check:** Test proximity sensor (during calls) and ambient light sensor (auto-brightness) if applicable.

6. MAINTENANCE AND PROTECTION

To prolong the life and maintain the clarity of your new screen, follow these protection tips:

- **Avoid Scratches:** Do not place your phone in direct contact with keys, coins, or other metal objects in pockets or bags, as these can scratch the display.
- **Magnetic Interference:** Keep your phone away from strong magnetic materials. Prolonged exposure to magnets can potentially affect the screen's performance.
- **Screen Protector:** Apply a high-quality screen protector to add an extra layer of defense against scratches and minor impacts.
- **Protective Case:** Use a durable phone case that offers raised edges around the screen to protect it from direct impact when dropped.

7. TROUBLESHOOTING

If you encounter issues after installation, consider the following troubleshooting steps:

Problem	Possible Cause	Solution
Black Screen / No Display	Flex cable not properly connected or damaged; battery not reconnected.	Ensure all flex cables are securely connected. Recheck battery connection. If cables are damaged, replacement may be necessary.
Blurred Screen / Lines on Display	Flex cable damage or improper seating; internal component misalignment.	Carefully re-seat flex cables. Inspect cables for any visible damage.
Touch Not Responding	Digitizer flex cable issue; software glitch.	Ensure digitizer flex cable is properly connected. Restart the phone. If issue persists, the digitizer may be faulty.
Screen Damage After Installation	Improper handling during installation; incorrect screw placement.	Review installation steps. Damage due to improper operation is not covered by warranty.

If troubleshooting steps do not resolve the issue, please contact customer support.

8. SPECIFICATIONS

- **Product Name:** Duotipa LCD Display and Touch Screen Assembly
- **Compatibility:** Motorola Google Nexus 6 XT1103, XT1100
- **Color:** Black
- **Size:** 5.96 inches
- **Material:** AMOLED
- **Glass Type:** Corning Gorilla Glass
- **Resolution:** 1440 x 2560 pixels
- **Package Dimensions:** 7.28 x 4.06 x 1.14 inches
- **Item Weight:** 5.3 ounces

9. WARRANTY AND SUPPORT

All screens undergo strict quality control tests before shipping. This product is intended for repair/replacement of old, broken, cracked, or damaged faulty LCD and touch screens.

Customer Service: If you have any questions or problems using our products, please send us a message. We are committed to providing a satisfactory solution and will respond within 24 hours.

Please note that we are not responsible for any damage due to improper operation during installation.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B0991LBCP3>

More documents and user manuals: <https://manuals.plus/>