

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Hulkman](#) /

› [Hulkman SC1.0 65W Wall Charger Instruction Manual](#)

Hulkman ZD065A168380US

Hulkman SC1.0 65W Wall Charger Instruction Manual

Model: ZD065A168380US

PRODUCT OVERVIEW

The Hulkman SC1.0 65W Wall Charger is designed to provide rapid charging for Hulkman Alpha Series jump starters, as well as other compatible Type-C devices. This charger incorporates advanced technology to ensure efficient and safe power delivery.




Image: The Hulkman SC1.0 65W Wall Charger unit with its integrated USB-C cable, showcasing its compact black design.

- **65W Speed Charge:** Automatically detects and charges Alpha Jump Starters at 65W, offering charging speeds up to 3.7 times faster than standard 18W chargers.
- **Fireproof Material:** Constructed with V-0 Certified fireproof polycarbonate material, ensuring enhanced safety. The 1-meter long cable is designed to stop burning within 10 seconds in case of fire.
- **Multi-Power Output:** Supports an input of 100-240V 50/60HZ 1.2A MAX. Provides an output of 65W (16.8V 3.8A) for Alpha Series devices and 10W (5.0V 2.0A) for other devices compatible with a Type-C port.
- **HULKMAN Safety & Quality:** Equipped with three essential safety protections: over-charging, over-currents, and over-heating, to safeguard your devices and the charger itself.

SETUP INSTRUCTIONS

Follow these steps to set up your Hulkman SC1.0 65W Wall Charger:

1. **Unpack the Charger:** Carefully remove the charger and its integrated USB-C cable from the packaging.
2. **Connect to Power Outlet:** Plug the charger directly into a standard wall power outlet (100-240V, 50/60Hz). Ensure the outlet is easily accessible.

HULKMAN 65W* SPEED CHARGE

Made for Alpha Series

1.5^{HR}

Full
Charge*

6.5^X

Faster than
10W Typical Chargers

*10W Charge for non-HULKMAN USB-C devices.

1.5HR full charge for 20,000 mAh Alpha 85/85S device.

Image: The Hulkman 65W charger securely plugged into a wall socket, demonstrating its compact design while charging a Hulkman Alpha jump starter.

3. **Connect to Device:** Insert the USB Type-C connector of the charger's cable into the charging port of your Hulkman Alpha Series jump starter or other compatible Type-C device.

UNIVERSAL TYPE-C COMPATIBILITY



*10W Charge for non-HULKMAN USB-C devices.

Image: A detailed view of the universal USB Type-C connector, highlighting its robust construction and compatibility.

ANTI-SLIP GRIP

Easy to Plug



Image: A close-up of the USB-C connector, showing the anti-slip grip design for easy and secure plugging and unplugging.

OPERATING INSTRUCTIONS

Once connected, the Hulkman SC1.0 charger will automatically begin charging your device.

- **For Hulkman Alpha Series Jump Starters:** The charger will automatically detect the device and deliver 65W fast charging. The charging status will typically be displayed on your jump starter's screen.
- **For Other Type-C Devices:** The charger will provide 10W (5.0V 2.0A) output for other compatible devices with a Type-C port. Charging speed may vary depending on the device's charging capabilities.

- **Charging Completion:** Disconnect the charger from your device once it is fully charged. Then, unplug the charger from the wall outlet.

DESIGNED FOR HULKMAN ALPHA SERIES



Image: The Hulkman SC1.0 charger actively charging a Hulkman Alpha Series jump starter, demonstrating its intended use.

MAINTENANCE

Proper maintenance ensures the longevity and optimal performance of your charger:

- **Cleaning:** Disconnect the charger from all power sources and devices before cleaning. Use a soft, dry cloth to wipe the surface. Do not use liquid cleaners or abrasive materials.
- **Storage:** When not in use, store the charger in a cool, dry place, away from direct sunlight and extreme temperatures. The integrated cable can be neatly coiled for storage.

SLEEK STORAGE

Magic Storage Tape



Image: The Hulkman USB-C cable coiled and secured with a branded storage strap, illustrating its sleek storage capability.

- **Handling:** Avoid dropping the charger or subjecting it to strong impacts. Do not pull the cable forcefully to disconnect it from the wall or device; always grasp the plug.
- **Safety Check:** Periodically inspect the charger and cable for any signs of damage, such as frayed wires, cracks, or loose connections. If damage is found, discontinue use immediately and contact customer support.

TROUBLESHOOTING

If you encounter issues with your Hulkman SC1.0 Wall Charger, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Charger not charging device.	<ul style="list-style-type: none">Charger not properly plugged into outlet.Device not properly connected to charger.Outlet is not active.Device is not compatible.	<ul style="list-style-type: none">Ensure the charger is firmly plugged into a working wall outlet.Verify the USB Type-C cable is securely inserted into the device's charging port.Test the outlet with another device to confirm it is active.Confirm your device is compatible with Type-C charging.
Slow charging speed.	<ul style="list-style-type: none">Device is not a Hulkman Alpha Series jump starter.Device's charging port or cable is damaged.Background apps consuming power.	<ul style="list-style-type: none">Note that 65W fast charging is specifically for Hulkman Alpha Series jump starters. Other Type-C devices will charge at 10W.Inspect the device's charging port and cable for damage. Try a different cable if possible (though this charger has an integrated cable, this applies to the device's port).Close unnecessary applications on your device.
Charger feels warm during use.	<ul style="list-style-type: none">Normal operation.Overload or poor ventilation.	<ul style="list-style-type: none">It is normal for chargers to become slightly warm during operation.Ensure the charger is in a well-ventilated area and not covered. If it becomes excessively hot, disconnect it immediately and contact customer support. The charger has over-heating protection.

If the problem persists after trying these solutions, please contact Hulkman customer support for further assistance.

PRODUCT SPECIFICATIONS

Feature	Detail
Brand	Hulkman
Model Number	ZD065A168380US
Product Dimensions	3.94 x 2.05 x 2.05 inches
Item Weight	10.2 ounces
Input Voltage	100-240V 50/60HZ 1.2A MAX
Output (Alpha Series)	65W (16.8V 3.8A)
Output (Other Type-C Devices)	10W (5.0V 2.0A)

Feature	Detail
Connectivity Technology	SC 1.0
Connector Type	USB Type C
Compatible Devices	Alpha Ultra/ Alpha 85/ Alpha 85S/ Alpha 100/ Alpha Max/ Alpha Pro Jump Starter, and other Type-C compatible devices.
Special Feature	Fast Charging, Fireproof Material, Over-charging Protection, Over-currents Protection, Over-heating Protection.
Color	Black
Included Components	1 x USB Cable (integrated with charger)

WARRANTY AND CUSTOMER SUPPORT

Hulkman is committed to providing high-quality products and excellent customer service. While specific warranty terms may vary by region and purchase date, Hulkman stands behind its products.

For any questions, concerns, or technical assistance regarding your Hulkman SC1.0 65W Wall Charger, please do not hesitate to contact our customer support department. We are here to help you.

Contact Information: Please refer to the contact details provided on the official Hulkman website or your purchase documentation for the most up-to-date support channels.

"WE GOT YOU BACK: Our customer support department will always be there for any consultation. Please contact us with any questions."