

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [NOUUI](#) /

› [NOUUI 63W PD 3.0 & QC 3.0 5-Port USB C Charging Station User Manual](#)

NOUUI NU-PC010

NOUUI 63W PD 3.0 & QC 3.0 5-Port USB C Charging Station User Manual

Model: NU-PC010

1. INTRODUCTION

This manual provides essential information for the safe and efficient operation of your NOUUI 63W PD 3.0 & QC 3.0 5-Port USB C Charging Station. Please read these instructions thoroughly before use and retain them for future reference.



Figure 1: NOUUI 63W 5-Port USB C Charging Station

2. PRODUCT OVERVIEW

The NOUUI 63W PD 3.0 & QC 3.0 5-Port USB C Charging Station is designed to provide efficient and simultaneous charging for multiple devices. It features one USB-C Power Delivery (PD 3.0) port and four USB-A Quick Charge (QC 3.0) ports, delivering a total output of 63W. Its compact design makes it suitable for various environments, from home to office or travel.

5-port Charging Station



Figure 2: Simultaneous Charging with NOUUI 5-Port Station

5 in 1

63W Charging Station



USB-C



USB-A



Max output



PD 3.0



QC 3.0



Figure 3: NOUUI 5-in-1 63W Charging Station Features

3. WHAT'S IN THE BOX

- NOUUI PowerPort 5 (63W 5-Port USB Charging Station)
- 5ft Detachable Power Cord
- User Manual

Video 1: Official product video demonstrating the NOUUI 5-port Desktop USB Charging Station, highlighting its features and use cases.

4. SETUP INSTRUCTIONS

1. Unpack the NOUUI 63W PD 3.0 & QC 3.0 5-Port USB C Charging Station and its accessories.
2. Connect the provided 5ft detachable power cord to the power input port on the charging station.
3. Plug the other end of the power cord into a standard wall outlet.
4. The charging station is now ready for use.

NOUUI

Others

63W



2Hours

100%

1 > 5

2Hours

65%

Figure 4: Connecting the Charging Station to Devices

5. OPERATING INSTRUCTIONS

To charge your devices, connect them to the appropriate ports on the NOUUI Charging Station using compatible USB cables (not included).

5.1 USB-C PD 3.0 Port

Use the USB-C port (labeled 'C1') for devices that support Power Delivery (PD 3.0) for fast charging, such as laptops, tablets, and compatible smartphones. This port can deliver up to 30W max output.

5.2 USB-A QC 3.0 Ports

Use the four USB-A ports (labeled 'A1' through 'A4') for devices that support Quick Charge (QC 3.0) or standard USB charging. These ports are suitable for smartphones, smartwatches, and other USB-powered accessories. Each QC 3.0 port can deliver up to 18W max output.

The charging station intelligently detects the connected device and delivers the optimal charging current for efficient and safe charging.

Fast Charging

PD 3.0& DC 3.0

iPhone 13
Save up to
30 Min

Galaxy S21
Save up to
1 Hour

Macbook Pro
Save up to
50 Min



Figure 5: Fast Charging Performance

Superior Compatible



Figure 6: Efficiency and Space-Saving Design

6. COMPATIBILITY

The NOUUI 63W PD 3.0 & QC 3.0 5-Port USB C Charging Station is compatible with a wide range of devices, including but not limited to:

- **Laptops:** MacBook Pro/Air, and other USB-C powered laptops.
- **Tablets:** iPad Pro/Mini, and other USB-C/USB-A powered tablets.
- **Smartphones:** iPhone 13 Pro, iPhone 13, iPhone 12, Samsung Galaxy S21, Samsung Note 21, and other USB-C and USB-A enabled smartphones.
- **Gaming Consoles:** Nintendo Switch.
- **Accessories:** AirPods, Smartwatches, and other USB-powered devices.

Safety Protection



Overtemperature
Control



Overcharge
Protection



Overvoltage
Protection



Overcurrent
Protection



Short Circuit
Protection




Figure 7: Broad Device Compatibility



Figure 8: Incredible Compatibility Overview

7. SAFETY PROTECTION

The NOUUI Charging Station incorporates multiple safety features to protect your devices and the charger itself:

- **Overtemperature Control:** Prevents overheating during operation.
- **Overcharge Protection:** Safeguards devices from being overcharged.
- **Overvoltage Protection:** Protects against excessive voltage input.
- **Overcurrent Protection:** Prevents damage from excessive current flow.
- **Short Circuit Protection:** Automatically shuts down in case of a short circuit.




Figure 9: Integrated Safety Protections

8. SPECIFICATIONS

Parameter	Value
Model Number	NU-PC010
Brand	NOUUI
Total USB Ports	5 (1x USB-C, 4x USB-A)
Wattage	63W (Total Output)
USB-C Output	PD 3.0 (Up to 30W Max)
USB-A Output	QC 3.0 (Up to 18W Max per port)
Input Voltage	240 Volts
Amperage	0.26 Amps
Special Feature	Fast Charging
Item Weight	10.8 ounces
Package Dimensions	4.84 x 4.33 x 1.42 inches

9. TROUBLESHOOTING

- Device not charging:** Ensure the charging station is properly plugged into a live wall outlet. Verify that the charging cable is securely connected to both the device and the charging station. Try a different port or cable to rule out cable or port issues.

- **Slow charging:** Confirm that your device and cable support fast charging protocols (PD 3.0 for USB-C, QC 3.0 for USB-A) if you expect rapid charging. Ensure you are using the correct port for fast charging (USB-C for PD, specific USB-A for QC). Charging multiple devices simultaneously may distribute the total wattage, potentially affecting individual port speeds.
- **Charging station feels warm:** It is normal for the charging station to become warm during operation, especially when charging multiple devices or high-power devices. If it becomes excessively hot, disconnect it from the power source and devices, and allow it to cool down.

10. MAINTENANCE

- Keep the charging station dry and away from moisture.
- Clean the device with a soft, dry cloth. Do not use abrasive cleaners or solvents.
- Avoid exposing the charging station to extreme temperatures or direct sunlight.
- Store in a cool, dry place when not in use.

11. WARRANTY AND SUPPORT

For warranty information or technical support, please refer to the contact details provided with your purchase or visit the official NOUUI website. Keep your proof of purchase for warranty claims.