

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Easymaxx](#) /

› [Easymaxx 1500LM LED Rechargeable Work Light \(Model YIAN-0083-US\) - Instruction Manual](#)

Easymaxx YIAN-0083-US

Easymaxx 1500LM LED Rechargeable Work Light (Model YIAN-0083-US)

Instruction Manual

INTRODUCTION

This manual provides detailed instructions for the safe and efficient operation of your Easymaxx 1500LM LED Rechargeable Work Light, Model YIAN-0083-US. Please read this manual thoroughly before use and retain it for future reference.



Image: Easymaxx 1500LM LED Rechargeable Work Light, showing its compact design and dual light sources.

PRODUCT FEATURES

- 1500LM Brightness & 3 Light Modes:** Features a powerful COB LED light with three distinct modes: LED focus light, COB flood light, and a combined LED COB double light mode.
- Magnetic Base & 360° Rotatable Stand:** Equipped with a strong built-in magnet for attachment to metallic surfaces and a stand that rotates 360 degrees for multi-angle illumination.

- **Hidden Hook:** Includes a retractable hook for versatile hanging options.
- **Fast Charging & Long Runtime:** Built-in high-capacity rechargeable battery provides 3.5-7 hours of operation and recharges in approximately 2.5 hours via a Type-C interface.
- **Durable & IPX4 Waterproof:** Constructed from high-quality ABS, PC, and nylon materials, designed to withstand impacts up to 3 meters (9.84 feet) and is IPX4 weatherproof for use in various conditions.
- **Portable Design:** Lightweight and compact, making it easy to carry for home, outdoor, automotive, and emergency use.



Image: Illustration of the three distinct light modes: COB Flood Light, LED Focus Light, and Double Light Mode.

WHAT'S IN THE BOX

- 1 x Easymaxx Magnetic Work Light
- 1 x Type-C Charging Cable
- 1 x Instruction Manual

SETUP

- Initial Charge:** Before first use, fully charge the work light using the provided Type-C cable. Refer to the "Charging Instructions" section for details.
- Familiarize Yourself:** Identify the power button, charging port, magnetic base, and hidden hook.

OPERATING INSTRUCTIONS

1. Power On/Off and Light Modes

The work light features a single power button to control its functions.

- Press the power button once to activate the **LED Focus Light Mode**.
- Press the power button a second time to switch to **COB Flood Light Mode**.
- Press the power button a third time to activate **LED COB Double Light Mode** (both lights on).
- Press the power button a fourth time to turn the light **Off**.

Your browser does not support the video tag.

Video: Demonstration of the LED Rechargeable Work Light's three light modes and magnetic functionality.

2. 360° Rotatable Stand

The integrated stand allows the light head to rotate 360 degrees, providing flexible illumination angles. Adjust the light head to direct illumination precisely where needed.




Image: The work light's stand rotating 360 degrees to adjust the light direction.

3. Magnetic Base

The powerful magnets located on the base allow the work light to be securely attached to any ferrous metal surface, such as car hoods, metal shelving, or machinery. This provides hands-free lighting.

IPX4 WATERPROOF & IMPACT RESISTANCE

ABS & PC & Nylon



Image: The work light demonstrating its strong magnetic attachment to a car's undercarriage for hands-free use.

4. Hidden Hook

For additional mounting flexibility, a hidden hook is integrated into the base. Gently pull out the hook to hang the light from non-magnetic surfaces like tent poles, branches, or tool racks.



Image: Close-up of the work light showing the hidden hook extended from its base.

CHARGING INSTRUCTIONS

The Easymaxx Work Light is equipped with a rechargeable battery and a Type-C charging port.

1. Locate the Type-C charging port on the back of the light, protected by a silicone cover.
2. Open the silicone cover and insert the provided Type-C charging cable into the port.
3. Connect the other end of the USB cable to a compatible USB power source (e.g., wall adapter, computer USB port, power bank).
4. The charging indicator light will illuminate **red** during charging.
5. Once fully charged (approximately 2.5 hours), the indicator light will turn **green**.
6. Disconnect the charging cable and close the silicone cover to protect the port from dust and moisture.

RECHARGEABLE



Image: The work light connected to a charging cable, showing the red indicator light for charging status.

MAINTENANCE

- Cleaning:** Wipe the light with a soft, damp cloth. Do not use abrasive cleaners or solvents.
- Storage:** Store the light in a cool, dry place away from direct sunlight when not in use.
- Battery Care:** To prolong battery life, avoid fully discharging the battery frequently. Recharge the light regularly, even if not in active use.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Light does not turn on.	Battery is depleted.	Charge the work light fully.
Light does not charge.	Charging cable or adapter is faulty; charging port is obstructed.	Try a different Type-C cable and USB adapter. Ensure the charging port is clean and free of debris.
Light output is dim.	Low battery level.	Recharge the work light.

SPECIFICATIONS

Feature	Detail
Brand	Easymaxx
Model Number	YIAN-0083-US
Brightness	1500 Lumens (Max)
Light Source Type	LED, COB
Light Modes	LED Focus, COB Flood, Double Light
Power Source	Battery Powered (1 Lithium Polymer battery included)
Charging Time	Approx. 2.5 hours
Runtime	3.5-7 hours (depending on mode)
Waterproof Rating	IPX4

Feature	Detail
Impact Resistance	3m / 9.84ft
Material	ABS, PC, Nylon
Mounting Type	Magnetic Mount, Tabletop Mount, Hook Mount
Item Weight	4.8 ounces (approx. 138g)
Color Temperature	6000 Kelvin

SAFETY INFORMATION



- Do not look directly into the LED light when it is on, as it may cause eye strain or temporary vision impairment.
- Keep out of reach of children.
- Do not attempt to disassemble or modify the product. This will void the warranty and may cause damage or injury.
- Use only the provided charging cable or a certified Type-C cable for charging.
- Avoid exposing the product to extreme temperatures or direct sunlight for prolonged periods.

WARRANTY AND SUPPORT

For warranty information or technical support, please refer to the contact details provided with your purchase or visit the official Easymaxx website. Keep your proof of purchase for warranty claims.

Manufacturer: lightingtree

Related Documents - YIAN-0083-US

	<p>EASYmaxx 12899 Mobile Work Light - Operating Instructions</p> <p>Operating instructions for the EASYmaxx 12899 Mobile Work Light, covering features, safety, charging, usage, cleaning, troubleshooting, and disposal. This portable, rechargeable work light features LED illumination, solar charging, and USB output.</p>
	<p>EASYmaxx PVC & Vinyl Repair Kit - User Manual and Instructions</p> <p>Detailed operating instructions for the EASYmaxx PVC & Vinyl Repair Kit (Model 11232). Learn how to easily repair scratches and dents on plastic surfaces, including safety precautions, usage steps, and disposal guidelines.</p>
	<p>EASYmaxx Digitaler Heizkörperthermostat 01477 Bedienungsanleitung</p> <p>Entdecken Sie die Bedienungsanleitung für den EASYmaxx digitalen Heizkörperthermostat (Artikelnummer 01477). Erfahren Sie, wie Sie das Gerät einfach installieren, konfigurieren und bedienen, um Ihre Raumtemperatur effizient zu regulieren und Komfort zu maximieren.</p>
	<p>EASYMAXX LED Solar Spotlight with Motion Sensor - Model 07839</p> <p>Operating instructions and technical specifications for the EASYMAXX LED Solar Spotlight (Model 07839). Learn about its features, installation, operation, safety, and disposal.</p>



[EASYmaxx Wellness Shower Head - Operating Instructions and Features](#)

This document provides comprehensive operating instructions for the EASYmaxx Wellness Shower Head. It details intended use, safety precautions, installation, usage modes, cleaning procedures, product specifications, and disposal information.