



[Manuals.plus](#) /

› [Maxi-Cosi](#) /

› Maxi-Cosi Jasper Car Seat Instruction Manual

Maxi-Cosi IMP01982

Maxi-Cosi Jasper Car Seat Instruction Manual

Model: IMP01982

INTRODUCTION

The Maxi-Cosi Jasper Car Seat is designed to provide safety and comfort for children from birth up to 12 years of age (0-36 kg). This versatile car seat offers two installation methods: using the vehicle's seat belt or the ISOFIX system, ensuring compatibility with various automobiles. It features enhanced side impact protection, making it a secure choice for your child's journey.

This manual provides essential information for the correct installation, operation, and maintenance of your Maxi-Cosi Jasper Car Seat. Please read it thoroughly before use to ensure maximum safety and proper functionality.

KEY FEATURES

- **Versatile Installation:** Can be installed using the vehicle's 3-point seat belt or the ISOFIX system (for Group 1 onwards).
- **Simultaneous Adjustments:** Headrest and 5-point harness adjust simultaneously for ease of use and proper fit.
- **Installation Indicators:** Visual indicators confirm correct installation, minimizing the risk of improper setup.
- **Comfort for Newborns:** Includes a padded reducer with extra foam, providing a snug and ergonomic fit for infants.
- **Enhanced Safety:** Equipped with extra side impact protection for superior safety.
- **Easy Maintenance:** The seat cover is removable and machine-washable for convenient cleaning.
- **Multiple Recline Positions:** Offers an excellent recline for newborns and 3 additional recline positions when forward-facing.

Uso do nascimento aos 36kg



Image: The Maxi-Cosi Jasper Car Seat is suitable for use from birth up to 36kg, adapting to your child's growth.

SETUP AND INSTALLATION

The Maxi-Cosi Jasper Car Seat offers two primary installation methods: using the vehicle's 3-point seat belt or the ISOFIX system. Always refer to your vehicle's owner's manual for specific car seat installation guidelines.

1. ISOFIX Installation (Group 1 onwards)

The ISOFIX system provides a secure and modern installation method, reducing the risk of incorrect fitting. It uses rigid connectors that attach directly to anchor points in your vehicle.

1. **Locate ISOFIX Anchor Points:** Identify the ISOFIX anchor points in your vehicle. These are usually located between the seat back and seat cushion.
2. **Extend ISOFIX Connectors:** Extend the ISOFIX connectors from the base of the car seat.
3. **Attach to Anchor Points:** Push the car seat's ISOFIX connectors onto the vehicle's anchor points until you hear an audible click and the indicators turn green, confirming a secure connection.

4. **Engage Top Tether:** If your vehicle and the car seat support it, attach the top tether strap to the designated anchor point in your vehicle and tighten it to remove any slack.
5. **Check Security:** Firmly pull the car seat to ensure it is securely attached and does not move excessively.



Image: Side view of the car seat with ISOFIX connectors extended, ready for installation.



Image: Close-up showing the ISOFIX indicators, which turn green when correctly installed.



Image: Diagram illustrating the two installation options: vehicle seat belt or ISOFIX system.

2. Vehicle Seat Belt Installation

This method allows installation in vehicles without ISOFIX anchor points.

1. **Position Car Seat:** Place the car seat on the vehicle seat.
2. **Route Seat Belt:** Follow the designated belt guides on the car seat to correctly route the vehicle's 3-point seat belt. Ensure the lap belt is low across the child's hips and the shoulder belt crosses the child's shoulder and chest.
3. **Buckle and Tighten:** Buckle the vehicle's seat belt and pull it tight to remove all slack. The car seat should be firmly secured against the vehicle seat.
4. **Check Security:** Ensure the car seat does not move more than 1 inch (2.5 cm) from side to side or front to back at the belt path.

OPERATING INSTRUCTIONS

Securing Your Child

1. **Open Harness:** Press the red button on the harness buckle to release the harness straps.
2. **Place Child:** Position your child in the car seat.
3. **Fasten Harness:** Bring the two harness buckles together and insert them into the main buckle until you hear a click.
4. **Tighten Harness:** Pull the harness adjustment strap to tighten the harness until it is snug against your child's body. Ensure you cannot pinch any slack at the child's collarbone.
5. **Adjust Headrest and Harness Height:** The headrest and harness straps adjust simultaneously. Use the adjustment lever (usually located at the top of the headrest) to raise or lower them so the harness straps are at or just below your child's shoulders when rear-facing, and at or just above their shoulders when forward-facing.

Ajuste simultâneo de altura e cintos



Image: Illustration demonstrating the simultaneous adjustment of the headrest and harness for a perfect fit as your child grows.

Recline Positions

The Jasper Car Seat offers multiple recline positions for optimal comfort and safety, especially for newborns.

1. **Newborn Recline:** For infants, ensure the car seat is in its most reclined position to provide proper head and neck support.
2. **Forward-Facing Recline:** When forward-facing, the car seat offers 3 additional recline positions. Use the recline lever (typically located at the front or side of the base) to select the desired angle.

Diferentes níveis de inclinação



Image: Visual representation of the various recline positions available on the Jasper Car Seat.

Infant Reducer Cushion

For newborns and smaller infants, use the included padded reducer cushion. This provides extra comfort and proper positioning. As your child grows, the extra foam can be removed, and eventually, the entire reducer can be taken out.



Image: Components of the infant reducer cushion, designed for comfort and support of smaller children.



Image: The car seat equipped with padded reducers, ideal for newborns.

MAINTENANCE AND CLEANING

Regular maintenance ensures the longevity and hygiene of your car seat.

- **Seat Cover:** The seat cover is removable and machine-washable. Please refer to the care label on the cover for specific washing instructions. Typically, a gentle cycle with cold water is recommended. Do not tumble dry.
- **Harness Straps:** Wipe harness straps with a damp cloth and mild soap. Do not machine wash or submerge harness straps in water, as this can weaken the webbing.
- **Plastic Parts:** Clean plastic parts with a damp cloth and mild soap. Avoid abrasive cleaners or solvents.
- **Metal Parts:** Wipe metal parts with a damp cloth and dry thoroughly to prevent rust.

TROUBLESHOOTING

If you encounter any issues with your Maxi-Cosi Jasper Car Seat, please consult the following common solutions:

Problem	Possible Cause	Solution
Car seat feels loose after installation.	Incorrect belt routing or insufficient tightening.	Re-read the installation instructions carefully. Ensure the vehicle seat belt or ISOFIX connectors are properly engaged and tightened. Check for green indicators on ISOFIX.
Harness straps are difficult to tighten or loosen.	Harness straps may be twisted or caught.	Check that the harness straps are not twisted. Ensure the harness adjustment strap is free from obstructions.
Child's head slumps forward when sleeping.	Insufficient recline or incorrect headrest height.	Adjust the car seat to a more reclined position. Ensure the headrest is at the correct height for your child's shoulders.
Infant reducer does not fit correctly.	Incorrect placement or child has outgrown part of the reducer.	Ensure the reducer is placed correctly. If your child is older, consider removing the extra foam or the entire reducer as per the instructions.

If the problem persists, please contact Maxi-Cosi customer support.

PRODUCT SPECIFICATIONS

Feature	Detail
Model Number	IMP01982
Certification	003711/2019
Target Gender	Unisex
Maximum Recommended Weight	36 Kilograms
Material Type	Poly foam
Composition	Polypropylene, Steel, Polyester
Care Instructions	Machine wash (removable cover)
Style	Jasper Car Seat
Number of Recline Positions	3 (forward-facing) + newborn recline
Harness Type	5-point
Color	Authentic Black
Manufacturer	Dorel Juvenile
Product Dimensions (L x W x H)	45.5 x 51 x 62 cm
Product Weight	13.2 Kilograms
Recommended Age	0 - 11 years
Installation Type	Vehicle Seat Belt, ISOFIX

Dimensões da cadeirinha Jasper



45,5 cm

59 cm <> 62 cm



51 cm <> 57 cm



13.20 kg

Image: Front view of the Maxi-Cosi Jasper Car Seat, showcasing its design and features.



Image: The Maxi-Cosi Jasper Car Seat with the infant reducer installed, suitable for newborns.



Image: The Maxi-Cosi Jasper Car Seat without the infant reducer, suitable for older children.

WARRANTY AND SUPPORT

For warranty information and customer support, please refer to the official Maxi-Cosi website or the documentation included with your product. You may also contact the seller, Alô Bebê, for assistance.

Protection Plan: An extended warranty against failures and defects for 24 months is available for purchase.

Manufacturer: Dorel Juvenile

Brand Store: [Visit the Maxi-Cosi Store on Amazon](#)

