



[Manuals.plus](#) /

> [kleankin](#) /

> kleankin Over The Toilet Storage Cabinet User Manual

## **kleankin CA834-3260231**

# **kleankin Over The Toilet Storage Cabinet User Manual**

Model: CA834-3260231 | Brand: kleankin

## **INTRODUCTION**

---

This manual provides essential information for the assembly, operation, and maintenance of your kleankin Over The Toilet Storage Cabinet. Please read these instructions carefully before assembly and retain them for future reference.



*Image: The kleankin Over The Toilet Storage Cabinet.*

## **SAFETY INFORMATION**

---

**WARNING:**

Always secure the cabinet to the wall using the provided anti-tipping hardware to prevent tipping and ensure safety. Failure to do so may result in serious injury or property damage.

## PACKAGE CONTENTS

---


Verify that all components are present before beginning assembly. If any parts are missing or damaged, please contact customer support.

- Cabinet panels (various sizes)
- Hardware kit (screws, dowels, cam locks, anti-tipping hardware)
- Adjustable shelves
- Door hinges and handles
- Instruction manual

## SPECIFICATIONS

---

Feature	Detail
Brand	kleankin
Model Number	CA834-3260231
Colour	White
Overall Dimensions	99 cm (W) x 19 cm (D) x 103.5 cm (H) / 39"W x 7.5"D x 40.75"H
Maximum Weight Capacity	51 lbs (total), 6 lbs (each shelf), 7 lbs (middle cupboard)
Material	Engineered Wood
Special Features	Adjustable Shelf, Painted, Flip Up Door, Anti-tipping design
Item Weight	16.5 kg
Toilet Clearance (Internal)	Approximately 24.5" (W) x 32.75" (H)



*Image: Detailed dimensions of the kleankin over-the-toilet storage cabinet.*

## SETUP AND ASSEMBLY

Follow these steps for proper assembly and installation of your storage cabinet. It is recommended to have two people for assembly.

1. **Unpack and Identify Parts:** Carefully unpack all components and hardware. Refer to the parts list (if provided in the physical manual) to ensure all pieces are present and undamaged.
2. **Assemble Side Panels:** Attach the bottom and top crossbars to the side panels using the provided hardware. Ensure all connections are secure.
3. **Install Back Panel:** Secure the back panel to the assembled frame.
4. **Attach Doors:** Mount the doors to the side panels using the hinges. Adjust as necessary for proper alignment.
5. **Install Adjustable Shelves:** Insert the shelf pins into the desired holes within the side compartments. Place the adjustable shelves on these pins.

6. **Position Cabinet:** Carefully lift and position the assembled cabinet over your toilet. Ensure the toilet fits within the internal clearance of approximately 24.5 inches wide and 32.75 inches high.

## OVER-THE-TOILET DESIGN



Check the size carefully before buying to see if it matches the height of your toilet



*Image: Over-the-toilet design with clearance dimensions.*

## ATTENTION PLEASE

**7.5"** must be reserved on both sides of the cabinet to prevent the cupboard door from hitting the washbasin/bathtub



*Image: Important note on side clearance for door operation.*

- Secure Anti-Tipping Hardware:** Attach the anti-tipping hardware to the back of the cabinet and securely fasten it to the wall. This step is crucial for stability and safety.



Image: Detail of the anti-tipping hardware.

## OPERATING INSTRUCTIONS

Your Kleankin Over The Toilet Storage Cabinet is designed for convenient organization in your bathroom or laundry room.

- **Adjustable Shelves:** The side compartments feature adjustable shelves. To change the shelf height, remove the shelf, reposition the shelf pins to the desired level, and then place the shelf back on the pins. This allows customization for items of various sizes.
- **Flip Up Door:** The middle cabinet features a flip-up door for easy access to stored items.
- **Roll Paper Bar:** The design includes a dedicated bar for roll paper, typically located within the top portion of the side shelves, as shown in the product images.
- **Magnetic Catches:** Doors are equipped with magnetic catches to ensure they remain securely closed.



*Image: Magnetic door catch.*

## MAINTENANCE

---

- **Cleaning:** Wipe the cabinet surfaces with a soft, damp cloth. Avoid using abrasive cleaners or harsh chemicals, as these can damage the painted finish.
- **Spills:** Promptly wipe up any spills to prevent water damage to the engineered wood.
- **Hardware:** Periodically check all screws and fasteners to ensure they remain tight. Tighten if necessary.
- **Stability:** Regularly verify that the anti-tipping hardware is securely attached to both the cabinet and the wall.

## TROUBLESHOOTING

---

Problem	Possible Cause	Solution
---------	----------------	----------

Cabinet is wobbly or unstable.	Loose fasteners; uneven floor; anti-tipping hardware not installed or loose.	Ensure all assembly screws are tightened. Place shims under the feet if the floor is uneven. Verify anti-tipping hardware is correctly installed and secured to a wall stud or appropriate anchor.
Doors do not close properly or are misaligned.	Hinges are loose or improperly adjusted; magnetic catch misaligned.	Tighten hinge screws. Adjust hinges for proper door alignment. Realign magnetic catches if necessary.
Cabinet does not fit over the toilet.	Toilet dimensions exceed cabinet clearance.	Verify your toilet's dimensions against the cabinet's internal clearance (24.5" W x 32.75" H). This cabinet may not be suitable for all toilet sizes.

## WARRANTY AND SUPPORT

---

This product is manufactured by Aosom Canada. For warranty information, missing parts, or technical support, please contact Aosom Canada directly.

- **Manufacturer:** Aosom Canada
- **Place of Business:** Markham, Ontario, CA
- **Telephone:** 1-416-792-6088