

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

> [EYETOO](#) /

> [Baby Monitor with camera 3.5 inch HD Screen, Video Baby Monitor with Camera and Audio, Infrared Night Vision, Two Way Talk, VOX Mode, Temperature Monitor, Long Battery Life, Lullaby](#)

EYETOO AM30

EYETOO Baby Monitor User Manual

Model: AM30

1. INTRODUCTION

Thank you for purchasing the EYETOO Baby Monitor. This 3.5-inch HD screen video baby monitor provides a secure and private way to monitor your baby, featuring 2.4GHz wireless transmission, two-way talk, infrared night vision, VOX mode, temperature monitoring, and lullabies. Please read this manual carefully before use to ensure proper operation and safety.



Image: The EYETOO Baby Monitor system, showing the camera unit and the parent monitor unit.

2. PRODUCT OVERVIEW

2.1 Package Contents

Ensure all items are present in the package:

- Parent Unit (Monitor)
- Baby Unit (Camera)
- Power Adapter for Parent Unit
- Power Adapter for Baby Unit
- Instruction Manual
- Mounting Screws and Wall Plugs (if applicable)



Image: Contents of the product package, including the monitor, camera, power adapters, and manual.

2.2 Key Features

- **3.5-inch HD Screen:** Clear video display.
- **2.4GHz Wireless Transmission:** Secure and private connection up to 1000ft (barrier-free).
- **Two-Way Talk:** Communicate with your baby remotely.
- **Infrared Night Vision:** Clear view in low light conditions without disturbing the baby.
- **VOX Mode:** Automatic screen activation upon detecting baby's sounds.
- **Temperature Monitor:** Displays room temperature for baby's comfort.
- **Long Battery Life:** Up to 15 hours of continuous operation on a full charge (parent unit).
- **Lullabies:** Built-in melodies to soothe your baby.
- **Feeding Clock:** Reminders for feeding schedules.
- **Multi-Camera Support:** Connect up to 4 cameras (additional cameras sold separately).

3. SETUP GUIDE

3.1 Charging the Parent Unit

1. Connect the smaller end of one power adapter to the charging port on the Parent Unit.
2. Plug the other end of the power adapter into a wall outlet.
3. Charge the unit fully before first use (approximately 8 hours). The battery indicator will show charging status.



Image: The parent unit connected to its power adapter, illustrating its long battery life.

3.2 Positioning the Baby Unit (Camera)

1. Place the Baby Unit in a location that provides a clear view of your baby, such as on a dresser or shelf.
2. Ensure the camera is at least 3 feet (1 meter) away from the baby to prevent entanglement with the power cord.
3. Connect the smaller end of the second power adapter to the Baby Unit and plug the other end into a wall outlet.
4. The Baby Unit must remain plugged in during operation.
5. For optimal night vision, ensure no direct light sources are pointing at the camera lens.

High Resolution Night Vision

Room Temperature Monitor



Image: The baby unit camera demonstrating its high-resolution night vision and integrated room temperature monitor.

3.3 Pairing (If Necessary)

The units are pre-paired at the factory. If you need to re-pair or add additional cameras (up to 4), follow these steps:

1. Turn on both the Parent Unit and the Baby Unit.
2. On the Parent Unit, navigate to the "Camera" or "Pairing" menu.
3. Select an available camera slot (e.g., Camera 1, Camera 2).
4. Press and hold the pairing button on the back of the Baby Unit until the Parent Unit indicates successful pairing.

4 In 1 connection

One monitor can connect up to 4 cameras at the same time and the screen can be switch to different screen at any time.



Image: A diagram illustrating how one parent monitor can connect to and switch between up to four baby camera units in different rooms.


4. OPERATING INSTRUCTIONS

4.1 Basic Operation

- **Power On/Off:** Press and hold the Power button on both units.
- **Volume Control:** Use the volume buttons on the Parent Unit to adjust audio level.
- **Brightness Control:** Adjust screen brightness via the menu settings.
- **Zoom:** Use the zoom function on the Parent Unit to get a closer view of your baby.

4.2 Two-Way Talk

To speak to your baby, press and hold the Talk button on the Parent Unit. Release the button to hear your baby.



1000ft TWO-WAY AUDIO TALK

Talk with your baby anywhere and anytime, as if stay with him all the time.



Image: A visual representation of the two-way audio talk feature, showing a baby and a parent communicating through the monitor.

4.3 VOX (Voice Operated Exchange) Mode

In VOX mode, the Parent Unit screen will automatically turn off to save power and reduce light disturbance. It will activate and display video when the baby unit detects sound above a certain threshold (e.g., baby crying).

- To enable/disable VOX mode, navigate to the VOX settings in the Parent Unit menu.
- Adjust the VOX sensitivity level to suit your environment.

VOX (VOICE CONTROL)/ AUTO WAKE UP FUNCTION



The volume from baby's end reach a certain level, the monitor will be triggered to inform parents.



Image: A comparison showing the monitor screen in sleep mode and then automatically waking up when the baby makes a sound, demonstrating the VOX function.

4.4 Lullabies

The Baby Unit has built-in lullabies to help soothe your baby. You can play them remotely from the Parent Unit.

- Access the Lullaby menu on the Parent Unit.
- Select a lullaby to play or stop playback.



Image: A baby sleeping peacefully with musical notes, illustrating the lullaby feature.

4.5 Feeding Clock

Set reminders for your baby's feeding schedule.

- Go to the Feeding Clock settings in the Parent Unit menu.
- Choose reminder intervals (e.g., 2H, 4H, 6H) or turn off the feature.



Image: A parent feeding a baby, accompanied by a clock icon, signifying the feeding reminder function.

5. MAINTENANCE AND CARE

- Clean the units with a dry, soft cloth. Do not use abrasive cleaners or solvents.
- Keep the units away from water and moisture.
- Avoid dropping the units or exposing them to extreme temperatures.
- Ensure the camera lens is clean for optimal image quality.

6. TROUBLESHOOTING

Problem	Possible Cause	Solution
No picture/sound on Parent Unit.	Units are not powered on or not paired. Out of range.	Ensure both units are powered on and charged. Re-pair units if necessary. Move Parent Unit closer to Baby Unit.
Picture is blurry or dark.	Camera lens is dirty. Insufficient light for night vision.	Clean the camera lens. Ensure no direct light interferes with night vision.
Static or interference.	Other 2.4GHz devices nearby. Out of range.	Move the monitor away from other wireless devices (Wi-Fi routers, microwaves). Move Parent Unit closer to Baby Unit.

Problem	Possible Cause	Solution
VOX mode not activating.	VOX sensitivity set too low.	Increase VOX sensitivity in the Parent Unit settings.
Short battery life.	Battery not fully charged. Battery degradation over time.	Ensure Parent Unit is fully charged. Consider replacing battery if significantly degraded (contact support).

7. SPECIFICATIONS

Feature	Detail
Screen Size	3.5 inches
Wireless Technology	2.4GHz FHSS
Wireless Range	Up to 1000 feet (barrier-free)
Night Vision	Infrared LEDs
Battery Life (Parent Unit)	Up to 15 hours (VOX mode)
Power Input	5V DC
Video Capture Resolution	720p
Number of Channels	2
Operating Temperature	0°C - 40°C (32°F - 104°F)

8. WARRANTY AND SUPPORT

The EYETOO Baby Monitor comes with a 24-month warranty from the date of purchase. This warranty covers manufacturing defects and malfunctions under normal use. It does not cover damage caused by misuse, accidents, unauthorized repairs, or normal wear and tear.

For technical support, warranty claims, or any questions regarding your product, please contact EYETOO customer service through the retailer's platform or the contact information provided with your purchase. Please have your purchase receipt and product model number ready when contacting support.