

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Polaris](#) /

› [Polaris 2885075 Zip Window Front Canvas Doors User Manual for 2022 Ranger SP 570 and Crew SP 570 Models](#)

Polaris 2885075

Polaris 2885075 Zip Window Front Canvas Doors User Manual

Model: 2885075

INTRODUCTION

This manual provides comprehensive instructions for the installation, operation, and maintenance of your Polaris 2885075 Front Zip Window Canvas Doors. Please read this manual thoroughly before installation and use to ensure proper function and safety.

SAFETY INFORMATION

WARNING:

- Always wear appropriate safety gear during installation and operation.
- Ensure all components are securely fastened before operating the vehicle.
- Do not modify the product in any way not specified in this manual.
- Consult your vehicle's owner's manual for additional safety guidelines.

PACKAGE CONTENTS

Verify that all items are present in your package:

- Two (2) Canvas Front Doors (Left and Right)
- Door Frames (components for assembly)
- Mounting Hardware (screws, nuts, brackets)
- Installation Instructions (this manual)



Image: Exploded view of door components, including metal frames and fabric panels.

COMPATIBILITY

These Front Zip Window Canvas Doors (Part Number: 2885075) are compatible with the following Polaris Ranger models:

- 2022-2023 Pro XD Mid-Size Crew Gas
- 2022-2023 Pro XD Mid-Size Gas
- 2022 Ranger Crew SP 570 EPS NorthStar
- 2022-2023 Ranger Crew SP 570 EPS Premium
- 2022-2023 Ranger Crew SP 570 EPS
- 2022 Ranger SP 570 EPS NorthStar
- 2022-2023 Ranger SP 570 EPS Premium
- 2022-2023 Ranger SP 570 EPS

SETUP AND INSTALLATION

Follow these steps carefully to install your new canvas doors. It is recommended to have a helper for certain steps.

Step 1: Assemble the Door Frame and Fabric Door

1. Unpack all frame components and fabric door panels.
2. Carefully insert the metal frame pieces into the designated sleeves and pockets of the fabric door. Ensure all zippers are open initially to facilitate fitting.
3. Zip up the fabric around the frame, ensuring a snug fit.
4. Secure any hook-and-loop fasteners to hold the fabric to the frame.
5. Attach the door latch mechanism to the frame using the provided screws.

Your browser does not support the video tag.

Video: Detailed guide on assembling the door frame and attaching the fabric door panels. This video demonstrates the process of fitting the fabric over the metal frame and securing it with zippers and fasteners.

Step 2: Prepare the UTV for Door Installation

1. Identify the mounting points on your UTV's frame for the door hinges and latches.
2. Attach the hinge brackets to the UTV frame using the provided hardware **IMPORTANT: Do not overtighten the screws at this stage.** This allows for minor adjustments later.
3. Attach the latch strike plates to the UTV frame. **IMPORTANT: Do not overtighten the screws at this stage.**



Image: Polaris Ranger SP 570 with the Front Zip Window Canvas Doors installed, providing a visual reference for the final product.

Step 3: Install the Assembled Door to the UTV

1. Carefully align the assembled door with the hinge brackets on the UTV.
2. Secure the door to the hinge brackets using the remaining hardware.
3. Close the door and check the alignment with the latch strike plate. Adjust the hinge brackets and strike plate as needed to ensure smooth closing and a secure latch.
4. Once satisfied with the fit, fully tighten all screws on the hinge brackets and latch strike plates.



Image: Side view of the Polaris Ranger SP 570 with the canvas doors, illustrating the installed product.

OPERATING INSTRUCTIONS

Opening and Closing the Doors

The doors feature a robust latch system for secure closure. To open, simply operate the exterior or interior handle. To close, gently push the door until the latch engages securely.

Utilizing the Zip Windows

The integrated zip windows allow for adjustable ventilation. Unzip the windows to allow airflow into the cabin. For maximum airflow, the windows can be rolled up and secured with the integrated straps.



Image: Interior view of the canvas door, highlighting the zip window feature for ventilation.

MAINTENANCE

- **Cleaning:** Clean the canvas material with mild soap and water. Avoid harsh chemicals or abrasive

cleaners that could damage the fabric or clear vinyl windows.

- **Window Care:** The clear vinyl windows can be cleaned with a soft cloth and a plastic cleaner/polish designed for vinyl. Avoid wiping dry, as this can cause scratches.
- **Storage:** When not in use, the doors can be easily removed and stored. Ensure they are clean and dry before storage to prevent mold or mildew. Store in a cool, dry place away from direct sunlight.
- **Hardware:** Periodically check all mounting hardware for tightness and wear. Tighten any loose fasteners.

TROUBLESHOOTING

- **Difficulty Closing/Latching:** Check the alignment of the door with the hinge brackets and latch strike plate. Adjust as necessary (refer to Step 3 of Installation).
- **Excessive Air Leakage:** Ensure all zippers are fully closed and hook-and-loop fasteners are securely attached. Check for any gaps between the door and the UTV frame.
- **Wrinkles in Vinyl Windows:** Minor wrinkles may appear due to packaging or temperature changes. These often smooth out with exposure to warm sunlight. A hairdryer on a low setting can also be used carefully to gently warm and smooth out wrinkles (do not apply excessive heat).

SPECIFICATIONS

Feature	Detail
Part Number	2885075
Material	Heavy-duty 23-oz Canvas, Clear Vinyl Windows, Powder-coated Steel Rod Frames
Item Weight	38 pounds
Product Dimensions	60 x 44 x 4 inches
Features	Adjustable zipper ventilation, see-through bottom panel, premium-quality paddle latches

WARRANTY AND SUPPORT

For warranty information or technical support, please refer to the documentation included with your purchase or contact Polaris customer service directly. Keep your proof of purchase for warranty claims.

Polaris Customer Service: Please visit the official Polaris website or refer to your product packaging for contact details.