



[Manuals.plus](#) /

› [UpBright](#) /

› UpBright 19V AC/DC Adapter User Manual for XGIMI Projectors

UpBright UpBright 19V AC/DC Adapter (HKA06519034-6J)

UpBright 19V AC/DC Adapter User Manual

For XGIMI Halo, MoGo, MoGo Pro, MoGo Pro+, and Z6 Projectors

1. INTRODUCTION

This manual provides essential instructions for the safe and effective use of your UpBright 19V AC/DC Adapter. This power supply is designed to provide reliable power to compatible XGIMI portable LED projectors, including models such as XGIMI Halo WK03A, MoGo XJ03W, MoGo Pro XK03S, MoGo Pro+ XK13S, and Z6 XH20L. Please read this manual thoroughly before using the product and retain it for future reference.

2. IMPORTANT SAFETY INFORMATION

To ensure safe operation and prevent damage, observe the following precautions:

- **Indoor Use Only:** This adapter is designed for indoor use. Do not expose it to rain, moisture, or extreme temperatures.
- **Proper Voltage:** Ensure the wall outlet voltage matches the adapter's input voltage range (100-240VAC).
- **Protection Features:** The adapter includes Over Voltage Protection (OVP), Over Current Protection (OCP), and Short Circuit Protection (SCP) to safeguard your devices.
- **Avoid Overheating:** While some warmth during operation is normal, discontinue use immediately if the adapter or connected cables become excessively hot, emit smoke, or produce unusual odors. Check all connections.
- **Handle with Care:** Do not drop, disassemble, or attempt to repair the adapter. Refer servicing to qualified personnel.
- **Keep Away from Children:** Store the adapter and cables out of reach of children.

3. PACKAGE CONTENTS

Verify that all items are present in your package:


- UpBright 19V AC/DC Adapter
- AC Power Cord (suitable for your region)
- Limited Warranty Certificate (may be included)



Image: The UpBright 19V AC/DC Adapter, showing the main unit, attached DC output cable with a barrel connector, and the detachable AC input cable.

Come With A Suitable AC Power Cord (Only One)

to Fit Your Country/Area



THIS PRODUCT COMES WITH A UPBRIGHT®

LIMITED WARRANTY CERTIFICATE
+ UPBRIGHT® LIMITED WARRANTY




Image: A visual representation of different regional AC power cords (US, EU, UK, AU) that may be supplied with the adapter, alongside a document labeled 'Limited Warranty Certificate'.

4. SETUP INSTRUCTIONS

Follow these steps to connect your UpBright AC/DC Adapter to your XGIMI projector:

1. **Connect DC Output:** Insert the barrel connector of the adapter's DC output cable firmly into the power input port of your XGIMI projector.
2. **Connect AC Input:** Attach the appropriate AC power cord to the adapter's AC input socket.
3. **Plug into Outlet:** Plug the other end of the AC power cord into a standard wall electrical outlet.
4. **Power On:** Once connected, your projector should receive power. Refer to your projector's manual for specific power-on procedures.



Image: The UpBright AC/DC Adapter connected to its AC power cord, which is then plugged into a standard wall electrical outlet. A framed certificate is visible in the background.

5. OPERATING THE ADAPTER

The UpBright 19V AC/DC Adapter operates automatically once connected to a power source and a compatible device. It provides a stable 19V DC output to power or charge your XGIMI projector. No user interaction is required for its operation beyond proper connection.

6. CARE AND MAINTENANCE

To ensure the longevity and optimal performance of your adapter:

- **Cleaning:** Disconnect the adapter from the power outlet and projector before cleaning. Use a soft, dry cloth to wipe the surface. Do not use liquid cleaners or solvents.
- **Storage:** When not in use, store the adapter in a cool, dry place, away from direct sunlight and moisture. Avoid tightly

winding the cables to prevent damage.

- **Cable Integrity:** Regularly inspect the power cords and connectors for any signs of damage, fraying, or bending. Do not use if damaged.

7. TROUBLESHOOTING

If you encounter issues with your adapter, refer to the following common problems and solutions:

- **No Power to Projector:**

- Ensure the AC power cord is securely plugged into both the wall outlet and the adapter.
- Verify the barrel connector is fully inserted into the projector's power port.
- Test the wall outlet with another device to confirm it is functional.
- Check for any visible damage to the adapter or cables.

- **Adapter or Cable Getting Hot:**

- A slight warmth during operation is normal.
- If the adapter or cable becomes excessively hot, disconnect it immediately. This could indicate an issue with the adapter, the projector, or the power source.
- Ensure adequate ventilation around the adapter; do not cover it.
- If excessive heat or power interruptions persist, discontinue use and contact customer support.

- **Intermittent Power Connection:**

- Check that all connections are tight and not loose.
- Inspect the barrel connector and the projector's power port for debris or damage.

8. PRODUCT SPECIFICATIONS

Parameter	Value
Model	UpBright 19V AC/DC Adapter (HKA06519034-6J compatible)
Input Voltage	100-240VAC, 50/60Hz
Output Voltage	19V DC
Output Current	3.42A / 3.46A
Power Output	65W
Connector Type	Barrel Connector
Protection Features	OVP, OCP, SCP
Dimensions (Adapter Unit)	Approx. 15.24 x 10.16 x 5.08 cm
Weight	Approx. 240 g
Compatible Projectors	XGIMI Halo WK03A, MoGo XJ03W, MoGo Pro XK03S, MoGo Pro+ XK13S, Z6 XH20L

9. WARRANTY INFORMATION

Your UpBright AC/DC Adapter comes with a warranty to ensure your satisfaction:

- **Refund Period:** 30 Days Refund
- **Exchange Period:** 24 Months Exchange

Please retain your proof of purchase and any included warranty certificates for claims. The warranty covers defects in materials and workmanship under normal use. It does not cover damage caused by misuse, accidents, unauthorized modifications, or external factors.

10. CUSTOMER SUPPORT

If you have any questions, require assistance, or encounter issues not covered in this manual, please contact UpBright customer support. For the most current support information, please visit the official UpBright website or refer to your purchase documentation.