

[Manuals.plus](#) /

> [Merax](#) /

> Merax Twin Size Low Loft Wood House Bed Instruction Manual

Merax Twin Size Low Loft Bed Wood House Bed

Merax Twin Size Low Loft Wood House Bed

Model: Twin Size Low Loft Bed Wood House Bed

IMPORTANT SAFETY INFORMATION

Please read and understand all instructions before beginning assembly and use. Keep this manual for future reference.

- **Adult Assembly Required:** This product must be assembled by adults.
- **Small Parts Warning:** Keep all small parts and packaging materials away from children during assembly to prevent choking hazards.
- **Weight Limit:** Do not exceed the maximum weight capacity of **275 lbs.**
- **Mattress Thickness:** Use a mattress with a recommended thickness of **8 inches.**
- **Regular Inspection:** Periodically check and tighten all bolts, screws, and fasteners to ensure the bed remains stable and secure.
- **No Jumping:** Do not allow children to jump on the bed.
- **Level Surface:** Ensure the bed is placed on a flat, level surface to prevent tipping.
- **Proper Use of Ladder:** Always use the provided ladder for safe access to and from the bed.

PACKAGE CONTENTS

Before assembly, verify that all components listed below are present. If any parts are missing or damaged, contact customer service immediately.

- Wood panels for bed frame, roof, and side windows
- Ladder components
- 10 wooden slats
- Hardware pack (screws, bolts, nuts, Allen wrench)
- Instruction manual

SETUP AND ASSEMBLY INSTRUCTIONS

Follow these steps carefully for proper assembly. It is recommended to have two adults for assembly.

1. **Unpack and Identify Parts:** Carefully unpack all components and lay them out. Refer to the parts list to identify each piece.
2. **Assemble Main Bed Frame:** Begin by connecting the main side rails and end panels using the provided hardware. Ensure all connections are finger-tight initially.
3. **Attach Side Panels with Windows:** Secure the house-shaped side panels, including those with windows, to the main bed frame.
4. **Install Roof Panels:** Attach the brown roof panels to the top frame structure.
5. **Secure the Ladder:** Attach the two-step ladder to the designated position on the bed frame. Ensure it is firmly secured.
6. **Place Wooden Slats:** Distribute and secure the 10 wooden slats across the bed frame to support the mattress.
7. **Final Tightening:** Once all components are in place, systematically tighten all bolts and screws using the provided Allen wrench. Do not overtighten.



Image: Overview of the assembled Merax Twin Size Low Loft Wood House Bed, showing its house-like structure, windows, and ladder.



Image: Angled view of the bed, highlighting the wooden slats for mattress support and the two-step ladder for access.



Image: Detailed view showing how the ladder attaches to the bed frame and the arrangement of the wooden slats.



Image: Close-up of the wooden slats, demonstrating their sturdy construction and spacing for mattress ventilation.

OPERATING INSTRUCTIONS

To ensure safe and proper use of your Merax Low Loft Bed, please observe the following guidelines:

- **Mattress Placement:** Place a twin-size mattress on the wooden slats. The recommended mattress thickness is 8 inches.
- **Access:** Always use the integrated two-step ladder for entering and exiting the bed.
- **Under-Bed Space:** The clearance under the bed provides space for storage or play. Ensure the area remains clear of obstructions that could impede safe movement.



Image: The Merax Low Loft Bed shown in a room with a mattress and pillows, illustrating its intended use and appearance.

MAINTENANCE

Regular maintenance will help prolong the life and safety of your bed.

- **Cleaning:** Wipe the bed frame with a soft, damp cloth. Avoid using abrasive cleaners or harsh chemicals, as these can damage the wood finish.
- **Fastener Check:** Periodically (e.g., every 3 months) inspect all bolts, screws, and connections. Tighten any that have become loose.
- **Damage Inspection:** Regularly check for any signs of wear, damage, or loose parts. Do not use the bed if any component is broken or missing.

TROUBLESHOOTING

If you encounter any issues with your Merax Low Loft Bed, refer to the following common solutions:

- **Bed Feels Wobbly:** Ensure all assembly bolts and screws are securely tightened. Re-tighten any loose fasteners.
- **Missing Parts:** If you find any parts missing from the package, refer to the 'Package Contents' section and contact Merax customer service for assistance.
- **Difficulty Assembling:** Review the 'Setup and Assembly Instructions' carefully. Ensure all parts are oriented correctly as shown in the diagrams. Sometimes, loosening all bolts slightly before final tightening can help align components.

SPECIFICATIONS

Feature	Detail
Product Dimensions (L x W x H)	80.6" x 42.5" x 76.5"
Size	Twin
Material	Wood (Pinewood)
Weight Capacity	275 lbs
Recommended Mattress Thickness	8 inches
Included Components	Slats
Color	Antique Gray + White

