

[Manuals.plus](#) /

› [AQUAPARX](#) /

› AQUAPARX 330PRO MKIII Inflatable Boat User Manual

AQUAPARX 330PRO MKIII

AQUAPARX 330PRO MKIII Inflatable Boat User Manual

Model: 330PRO MKIII | Brand: AQUAPARX

1. INTRODUCTION

Thank you for choosing the AQUAPARX 330PRO MKIII Inflatable Boat. This professional-grade dinghy is designed for safety, stability, and durability, suitable for various water activities including fishing and recreational boating. Constructed with high-quality, three-layer 1000 denier PVC, it offers exceptional resistance to tears, dents, and damage, as well as oil, gasoline, and UV rays. This manual provides essential information for the proper setup, operation, maintenance, and care of your inflatable boat.



Image: The AQUAPARX 330PRO MKIII inflatable boat shown with its complete set of accessories, including oars, a foot pump, a repair kit, and the instruction manual.



Professional Quality

-  Max. 5 pers.
-  Very high quality
-  Safe and stabilized
-  Compact
-  Any weather conditions

Image: Diagram highlighting the professional quality features of the boat, including capacity for up to 5 persons, high quality construction, safety and stability, compact design, and suitability for all weather conditions.

2. INCLUDED COMPONENTS

Your AQUAPARX 330PRO MKIII Inflatable Boat package includes the following items:

- AQUAPARX 330PRO MKIII Inflatable Boat (Grey)
- Adjustable Aluminum Seat Boards (2)
- Aluminum Oars (2)
- Oar Holders

- Reinforced PVC Floor with Plywood Boards
- Foot Pump
- Holding Rope
- Handles
- Repair Kit
- Instruction Manual



Image: A visual representation of all components included with the AQUAPARX 330PRO MKIII inflatable boat, laid out for easy identification.

3. SETUP INSTRUCTIONS

3.1 Inflation

1. Unfold the boat on a clean, flat surface, free from sharp objects.
2. Locate the air valves on each chamber.
3. Using the provided foot pump, inflate each air chamber evenly until firm. Do not overinflate. The boat should be firm to the touch but not rigid.
4. Ensure all valve caps are securely closed after inflation to prevent air leakage.

3.2 Floor and Seat Board Installation

1. Insert the reinforced PVC floor panels into the designated slots on the boat's bottom. Ensure they fit snugly.
2. Slide the adjustable aluminum seat boards into their mounting brackets. Adjust their position for comfort and balance.

3.3 Oar Assembly

1. Assemble the aluminum oars by connecting the sections.
2. Secure the assembled oars into the oar holders on the side of the boat.



Image: A top-down view and a bottom-up view of the inflatable boat, illustrating the structure and the reinforced PVC floor, which is installed

during setup.



Image: A collage of close-up images showing the boat's construction details, including the textured aluminum seat board, the durable PVC material with water droplets, the secure oar holder mechanism, and the robust reinforced floor material.

4. OPERATING GUIDELINES

4.1 Safety Precautions

- Always wear a personal flotation device (PFD) when on the water.
- Do not exceed the maximum weight capacity of 450 kg (992 lbs) or the maximum passenger capacity of 5 persons.
- Distribute weight evenly within the boat to maintain stability.
- Be aware of weather conditions and water currents. Do not operate in severe weather.

- Familiarize yourself with local boating regulations.

4.2 Outboard Motor Use

The AQUAPARX 330PRO MKIII is designed to be compatible with an outboard motor. It is recommended to use an outboard motor with a maximum power of 6.5 HP for optimal performance and safety.

4.3 Water Conditions

This inflatable boat is suitable for use in both fresh and saltwater environments. Always rinse the boat thoroughly with fresh water after use in saltwater to prevent corrosion and material degradation.



Image: A diagram illustrating the dimensions of the AQUAPARX 330PRO MKIII inflatable boat: 330 cm in length, 148 cm in width, and 38 cm tube diameter, with a human figure for scale.



Suitable for an outboard motor
with a maximum of 15 hp



Image: The inflatable boat viewed from an angle, with an annotation indicating its suitability for an outboard motor, highlighting the transom area where the motor would attach.

5. MAINTENANCE AND STORAGE

5.1 Cleaning

- After each use, especially in saltwater, rinse the boat thoroughly with fresh water.
- Use mild soap and water to clean any dirt or grime. Avoid harsh chemicals or abrasive cleaners.
- Ensure the boat is completely dry before deflating and storing to prevent mold and mildew.

5.2 Storage

- Deflate the boat by opening the air valves.
- Remove the floor panels and seat boards. Clean and dry them separately.
- Fold the boat compactly. Its lightweight and compact design make it easy to transport and store in any car or small

space.

- Store the boat in a cool, dry place, away from direct sunlight and extreme temperatures.

5.3 Repair Kit Use

The included repair kit can be used for minor punctures or tears. Follow the instructions provided with the repair kit for proper application. For larger damages, professional repair is recommended.

6. TROUBLESHOOTING

Problem	Possible Cause	Solution
Boat slowly deflates	Loose valve cap, small puncture, temperature change	Ensure valve caps are tight. Check for small leaks using soapy water and repair with the kit. Air pressure naturally decreases in colder temperatures; re-inflate as needed.
Difficulty inflating	Valve obstruction, pump malfunction	Check valves for debris. Ensure pump hose is securely attached and pump is functioning correctly.
Boat feels unstable	Uneven inflation, improper weight distribution	Ensure all chambers are inflated evenly. Redistribute passengers and gear to balance the boat.

7. SPECIFICATIONS

Feature	Detail
Model	330PRO MKIII
Color	Grey
Material Type	1000 Denier Three-Layer Polyvinyl Chloride (PVC)
Maximum Persons	5 (Note: Feature bullets also mention 4 persons)
Maximum Weight Capacity	450 kg (992 lbs)
Recommended Outboard Motor	Max 6.5 HP
Length (Inflated)	330 cm (10.8 ft)
Width (Inflated)	148 cm (4.8 ft)
Tube Diameter	38 cm (1.2 ft)



Image: An angled view of the AQUAPARX 330PRO MKIII inflatable boat, showcasing its robust design and two installed seat boards.

8. WARRANTY AND SUPPORT

AQUAPARX products are manufactured to high-quality standards. For any questions regarding warranty, product support, or service, please refer to the contact information provided at the point of purchase or visit the official AQUAPARX website. Please retain your proof of purchase for warranty claims.

© 2023 AQUAPARX. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question