

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

Modway EEI-5393-WAL-BLK

Modway Transmit Wall-Mount 36" Bathroom Vanity

Model: EEI-5393-WAL-BLK

INTRODUCTION

This manual provides comprehensive instructions for the assembly, installation, operation, and maintenance of your Modway Transmit 36" Wall-Mount Bathroom Vanity. Please read this manual thoroughly before beginning installation to ensure proper setup and safe use of the product. Retain this manual for future reference.

The Modway Transmit 36" Bathroom Vanity is designed to bring mid-century modern aesthetics into your bathroom. It features a durable particleboard and walnut grain veneer construction with ample storage space behind two white lacquered soft-close hinged doors. It includes a ceramic sink with an integrated countertop, 8" centerset faucet holes, and a rectangular sink basin. This wall-mount vanity saves substantial floor space.

SAFETY INFORMATION

- Always ensure all components are present and undamaged before beginning assembly.
- Assembly requires two people. Do not attempt to assemble alone.
- Use appropriate tools and follow all steps in the correct order.
- Ensure the wall structure is capable of supporting the weight of the vanity (80 pounds) plus any contents. Consult a professional if unsure.
- Do not overtighten screws, as this may damage the material.
- Keep small parts away from children during assembly.
- Faucet and sink fixtures are not included and must be purchased separately. Ensure proper installation of these components by a qualified professional if necessary.
- This product contains wood dust, a chemical known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov/wood.

PARTS LIST

Please verify that all parts are included before proceeding with assembly.

Part	Description	Quantity
A	Vanity Cabinet (Walnut Black)	1
B	Ceramic Sink with Integrated Countertop	1
C	Soft-Close Hinged Doors (White Lacquered)	2

Part	Description	Quantity
D	Chrome Knobs	2
E	Assembly Hardware Kit	1

SETUP AND INSTALLATION

This vanity is designed for wall-mount installation. Professional installation is recommended for secure mounting and plumbing connections.

- Unpack and Inspect:** Carefully remove all components from the packaging. Inspect for any damage. Report any damage immediately to the retailer.
- Prepare the Area:** Clear the installation area. Ensure the wall is clean, dry, and structurally sound to support the vanity. Locate wall studs for secure mounting.
- Mark Mounting Points:** Hold the vanity cabinet (Part A) against the wall at the desired height. Use a level to ensure it is straight. Mark the locations for the mounting screws on the wall.
- Drill Pilot Holes:** Drill pilot holes at the marked locations. If mounting into drywall without studs, use appropriate wall anchors (not included) suitable for the vanity's weight.
- Mount the Cabinet:** Secure the vanity cabinet (Part A) to the wall using appropriate screws (from Part E) and tools. Ensure it is firmly attached and level.
- Install Sink and Countertop:** Carefully place the ceramic sink with integrated countertop (Part B) onto the top of the vanity cabinet. Ensure it aligns correctly with the cabinet and any pre-drilled holes for plumbing. Apply a bead of silicone sealant (not included) around the edges for a watertight seal, if desired.
- Install Doors and Knobs:** Attach the soft-close hinged doors (Part C) to the cabinet using the provided hinges and screws (from Part E). Adjust hinges as needed for proper alignment. Install the chrome knobs (Part D) onto the doors.
- Plumbing Connections:** Connect the faucet (not included) and drain (not included) to the sink according to their respective manufacturer's instructions. It is highly recommended to have a qualified plumber perform these connections to prevent leaks.
- Final Check:** Open and close the doors to ensure smooth operation. Check all connections for leaks. Wipe down the vanity to remove any dust or debris from installation.



Image: Dimensions of the Modway Transmit 36" Bathroom Vanity. The vanity measures 36 inches in width, 18 inches in depth, and 20.5 inches in height.



Image: The Modway Transmit 36" Bathroom Vanity with its two white lacquered doors open, revealing the spacious interior storage compartment. The vanity is wall-mounted, showcasing its space-saving design.

OPERATING INSTRUCTIONS

The Modway Transmit Bathroom Vanity is designed for straightforward use in a bathroom environment.

- **Storage:** Utilize the interior compartment behind the two soft-close doors for storing bathroom essentials such as towels, toiletries, and cleaning supplies. The soft-close hinges ensure quiet and gentle closing of the doors.
- **Sink Usage:** The integrated ceramic sink is designed for daily washing and hygiene. Ensure the faucet (not included) is properly installed and connected to water lines before use.
- **Wall-Mount Design:** The wall-mounted design provides ample floor space underneath, making cleaning the bathroom floor easier.



Image: The Modway Transmit 36" Bathroom Vanity in Walnut Black, showcasing its mid-century modern design with a dark countertop and white lacquered doors.

MAINTENANCE

Proper care and maintenance will extend the life and appearance of your vanity.

- **Cleaning:** Wipe the vanity surfaces, including the wood veneer and lacquered doors, with a soft, damp cloth. For stubborn spots, use a mild, non-abrasive cleaner. Avoid harsh chemicals or abrasive materials that could damage the finish.
- **Spills:** Immediately wipe up any water spills or splashes on the wood surfaces to prevent water damage.
- **Sink Cleaning:** Clean the ceramic sink regularly with standard bathroom cleaners. Rinse thoroughly after cleaning.
- **Hardware:** Periodically check and tighten any loose screws on the hinges or knobs to ensure smooth operation and stability.
- **Ventilation:** Ensure adequate ventilation in the bathroom to prevent excessive moisture buildup, which can affect wood products.

TROUBLESHOOTING

If you encounter any issues with your Modway Transmit Vanity, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Doors do not close properly or are misaligned.	Loose hinges or improper hinge adjustment.	Tighten hinge screws. Adjust hinge screws to align doors. Refer to hinge manufacturer's instructions for specific adjustment methods.
Vanity feels unstable or wobbly.	Improper wall mounting or loose mounting screws.	Ensure the vanity is securely fastened to wall studs or appropriate wall anchors. Tighten all mounting screws. If necessary, re-mount the vanity.

Problem	Possible Cause	Solution
Water leaks from sink or faucet area.	Improper plumbing connections or sealant application.	Check all plumbing connections for tightness. Ensure proper use of plumber's tape or sealant. Reapply silicone sealant around the sink if needed. Consult a qualified plumber if leaks persist.
Knobs are loose.	Screws holding knobs are loose.	Tighten the screws on the back of the doors that secure the knobs.

SPECIFICATIONS

- Brand:** Modway
- Model Number:** EEI-5393-WAL-BLK
- Product Dimensions:** 36"W x 18"D x 20.5"H
- Color:** Walnut Black
- Material:** Particleboard, Walnut Grain Veneer, Ceramic (sink)
- Finish Type:** Wood (cabinet), Lacquered (doors)
- Mounting Type:** Wall Mount
- Item Weight:** 80 Pounds
- Number of Doors:** 2 (Soft-close)
- Handle Material:** Chrome
- Assembly Required:** Yes
- Included Components:** 1 Vanity Cabinet, 1 Ceramic Sink with Integrated Countertop
- Care Instructions:** Wipe with Damp Cloth

WARRANTY AND SUPPORT

For warranty information or technical support, please contact Modway customer service. Keep your purchase receipt and model number (EEI-5393-WAL-BLK) readily available when contacting support.

Visit the official Modway website for the most up-to-date warranty details and contact information: www.modway.com

You can also find additional support and product information by visiting the Modway Store on Amazon: [Modway Amazon Store](https://www.amazon.com/s?k=Modway)