HOROW HR-T05S

HOROW Luxury Smart Toilet User Manual

Model: HR-T05S

Introduction

This manual provides comprehensive instructions for the installation, operation, and maintenance of your HOROW Luxury Smart Toilet, Model HR-T05S. Designed for modern bathrooms, this smart toilet integrates advanced features such as a bidet function, automatic lid operation, and efficient flushing, ensuring comfort and hygiene. Please read this manual thoroughly before installation and use to ensure proper function and longevity of your product.



Image: The HOROW Luxury Smart Toilet, Model HR-T05S, showcasing its sleek, modern design in a bathroom setting.

Key Features

- **Powerful Flush System:** Equipped with a built-in tank and powerful water pump, ensuring efficient flushing even with low water pressure (1.03 gpf).
- **Automatic Lid Operation:** The lid automatically opens and closes as you approach or leave, providing a hands-free experience. Foot-kick button and remote control options are also available.
- **Instant Warm Water Bidet:** Features a ceramic heater for instant warm water, with adjustable temperature, pressure, and cleaning position. Includes Rear Wash, Front Wash, Lady Care Wash, and Strong Wash modes.
- **Heated Seat:** The elongated seat provides consistent warmth for enhanced comfort.
- **UV Sterilization Nozzle:** An integrated UV light ensures the hygiene of the bidet nozzle.
- **Auto Deodorization:** Integrated system to neutralize odors.
- **Soft Night Light:** Provides subtle illumination for nighttime use.
- **Emergency Flush:** Manual flush option available in case of power outage.

Setup

For detailed installation instructions, please refer to the officialInstallation Manual (PDF). A professional plumber is recommended for installation to ensure proper water and electrical connections.

Pre-Installation Checklist:

- Ensure adequate water pressure and a dedicated electrical outlet (AC power source) are available near the installation site.
- Verify rough-in dimensions (12 inches) to ensure compatibility with your bathroom layout.
- Confirm all included components are present: manual, screws, flange, wax ring, T-valve, remote control, and mounting brackets.



Image: Diagram illustrating the product dimensions (26.97"D x 15.75"W x 18.5"H) and included components for installation, such as the manual, screws, flange, wax ring, T-valve, remote control, and mounting brackets.

Operating Instructions

Automatic Lid Operation:

The toilet lid is designed to open automatically when a user approaches and close when they leave. For manual control, use the foot-kick button located at the base of the toilet or the dedicated buttons on the remote control.



Image: A person approaching the smart toilet, demonstrating the automatic lid opening feature.

Flushing:

The toilet features an automatic flush system. It also includes a powerful pump-assisted flushing mechanism for effective cleaning, especially in areas with low water pressure. The toilet uses 1.03 gallons per flush (gpf).



Image: An internal diagram illustrating the pump-assisted flushing system and built-in water tank, highlighting its efficiency for low water pressure environments.

In case of a power outage, an emergency flush function is available. Consult the full Installation Manual for details on activating this feature.



Image: A diagram showing the internal components related to the emergency flush function.

Bidet Functions:

The integrated bidet offers a personalized cleansing experience. Use the remote control to adjust water pressure, water temperature (heated by a ceramic heating tube), and nozzle position. Available modes include Rear Wash, Front Wash, Lady Care Wash, and Strong Wash.




Image: An internal diagram highlighting the ceramic heating tube responsible for providing instant warm water for the bidet function.



Image: A visual representation of the bidet nozzle with water spraying, emphasizing adjustable water temperature and pressure for a comfortable and water-saving experience.

Heated Seat:

The elongated toilet seat provides warmth for added comfort, especially in colder environments. The temperature can be adjusted via the remote control.

Controls:

The smart toilet can be controlled via the included remote control or a knob on the side of the unit. The remote provides comprehensive control over all features, while the knob offers quick access to essential functions.



Image: A depiction of the remote control and the side knob, highlighting their ease of use for controlling the toilet's functions.

Maintenance

Cleaning:

Regular cleaning is essential to maintain hygiene and performance. Use only water for cleaning the toilet, especially around electronic components and heating wires, to prevent discoloration or damage. Avoid abrasive cleaners or harsh chemicals.

Nozzle Hygiene:

The bidet nozzle features an integrated UV light for sterilization, ensuring its cleanliness after each use. Periodically inspect the nozzle for any debris and clean as needed with a soft cloth and water.




Image: A detailed view of the bidet nozzle with a purple glow, indicating the UV sterilization process for enhanced hygiene.

Water Filter:

The toilet includes a built-in water filter. Refer to the Installation Manual for instructions on inspecting and replacing the filter to ensure optimal water quality for the bidet function.

Troubleshooting

If you encounter any issues with your HOROW Smart Toilet, please refer to the official Troubleshooting Guide (PDF) for detailed solutions. Common issues and their potential remedies are often covered in this guide.
If the problem persists, please contact HOROW customer support for assistance. Do not attempt to repair complex internal components yourself, as this may void your warranty and pose a safety risk.

Specifications

Feature	Detail
Model	HR-T05S
Color	White Skirted Toilet
Product Dimensions	26.97"D x 15.75"W x 18.5"H

Material	Ceramic (Toilet), Polypropylene (Seat)
Installation Type	Floor Mounted
Shape	Elongated (Oval)
Item Weight	105.6 pounds
Power Source	AC
Water Consumption	1.03 Gallons per Flush (gpf)
Sound Level	55 dB
Cord Length	71 Inches
Flush Type	Automatic
Rough-In	12 Inches
Special Features	Temperature adjustment, Water pressure adjustment, Heated seat, Quiet close, UV sterilization, Auto deodorization, Night light, Emergency flush
Included Components	Built-In Water Filter, Remote Control
Certification	UL

Warranty and Support

HOROW is committed to providing high-quality products and excellent customer service. Your HOROW Luxury Smart Toilet is backed by comprehensive support.

- **Returns:** Enjoy 30-day easy returns.
- **Troubleshooting Guidance:** Lifetime troubleshooting guidance is available for your product.
- **Customer Service:** Professional technical and service teams are available 24 hours a day to assist you with any inquiries or issues.
- **Contact:** For support, please visit the official HOROW Store on Amazon or refer to the contact information provided in your product packaging.



Image: A visual representation of the HOROW customer support team, emphasizing their readiness to assist customers.

© 2025 HOROW. All rights reserved.