EXCELFU RAS097790

EXCELFU RV Awning Sun Shade Screen with Zipper (Model RAS097790) - Instruction Manual

Introduction

This manual provides detailed instructions for the proper installation, operation, and maintenance of your EXCELFU RV Awning Sun Shade Screen with Zipper. Please read this manual thoroughly before use to ensure safe and efficient operation.

Safety Information

Always ensure proper anchoring according to the provided instructions. Be aware of the load-bearing capacity and wind resistance of the awning. Keep clear of moving parts and never exceed the recommended weight limit. Failure to follow these safety guidelines may result in property damage or personal injury.

Package Contents

Verify that all components are present before beginning installation:

- RV Awning Sun Shade Screen (14'x9' for 15ft Awning)
- Storage Bag
- Metal Ground Nails (or stakes)
- Ground Bungee Cords
- Instruction Manual



Image: Package Contents

The package includes the main awning screen, a storage bag for convenient transport, metal ground stakes, bungee cords for securing the screen, and this instruction manual.

Setup Instructions

Follow these steps for proper installation of your RV awning sun shade screen:

Step 1: Extend Awning and Lower Pitch

Fully extend your RV awning and lower its pitch to a comfortable height for easy access. This allows for easier handling during installation.

Step 2: Slide Top Panel into Awning Slot

Locate the empty slot on your RV's awning roller tube. Carefully slide the poly-cord edge of the upper shade panel into this slot. Ensure it slides smoothly across the entire length of the awning. This step may require two people for easier alignment and feeding.



Image: Sliding the Awning Shade into the Roller Tube

A person carefully feeds the poly-cord edge of the black mesh shade into the designated slot on the RV's awning roller tube. This action secures the top portion of the sun shade to the awning structure.

Video: SHADEPLUS RV Awning Shade Screen with Zipper Installation

This video demonstrates the process of installing the RV awning shade screen, including sliding the poly-cord into the awning slot and zipping the sections together.

Video: RVingPro RV Awning Shade Screen Installation Guide

A step-by-step guide on how to install the RV awning shade screen, showing the attachment to the awning and securing it to the ground.

Step 3: Connect Lower Panel with Zipper

Once the upper panel is securely in place, unfold the lower shade panel. Align the zipper of the lower panel with the zipper on the upper panel and carefully zip them together. This creates a complete sun shade wall.



Image: Zipping the Shade Panels Together

Two hands are shown connecting the upper and lower sections of the RV awning sun shade using the heavy-duty zipper. This creates a seamless and secure barrier.

Step 4: Secure Lower Panel to Ground

Use the provided bungee cords and ground stakes to secure the bottom edge of the sun shade to the ground. Thread the bungee cords through the grommets located along the bottom edge of the shade and then attach them to the ground stakes. Drive the stakes firmly into the ground to ensure stability, especially in windy conditions.

FITS MOST BRANDS OF AWNINGS




Image: Securing the Shade with Bungee and Stake

A bungee cord is looped through a grommet on the sun shade and attached to a ground stake, demonstrating how to firmly anchor the shade to prevent movement.



Image: Complete Awning Shade Setup

The RV awning sun shade screen is fully installed, extending from the RV awning and secured to the ground, creating a shaded outdoor living space.

Operating Instructions

Using the Zipper Feature

The integrated zipper allows for quick and easy detachment of the lower shade panel. In case of strong winds or when you need to retract the awning quickly, simply unzip the lower section. This eliminates the need for a ladder to remove the entire shade.

Retracting the Awning

The upper portion of the sun shade is designed to remain attached to the awning roller tube. When retracting your RV awning, the upper shade panel will roll up directly with the awning fabric. This convenient feature means you do not need to disassemble the top section every time you move your RV.

Maintenance

- **Cleaning:** Clean the mesh fabric with mild soap and water. Rinse thoroughly and allow to air dry completely before storage.

- **Storage:** When not in use, ensure the lower panel is detached and both panels are clean and dry. Store them in the provided storage bag in a cool, dry place to prevent mildew and damage.
- **Inspection:** Regularly inspect the fabric, zippers, bungee cords, and grommets for any signs of wear or damage. Replace any damaged components to maintain optimal performance and safety.

Troubleshooting

- **Difficulty Sliding into Awning Slot:** Ensure the awning slot is clean and free of debris. Apply a silicone-based lubricant if necessary. Gently wiggle the poly-cord while feeding it through.
- **Shade Not Taut:** Adjust the tension of the bungee cords and reposition the ground stakes as needed to achieve desired tautness.
- **Zipper Sticking:** Clean the zipper teeth with a small brush and apply a zipper lubricant.

Specifications

Feature	Detail
Model Number	RAS097790
Dimensions	14'x9' (fits 15ft RV awning)
Material	High-density vinyl coated mesh
Color	Black
UV Blockage	86%
Zipper Type	Heavy-duty #10 zipper
UPC	755419019067

Warranty and Support

For warranty information or technical support, please refer to the product packaging or contact EXCELFU customer service directly. Keep your purchase receipt for warranty claims.