

[Manuals.plus](#) /

› [LITFAD](#) /

› LITFAD 47-inch Oblong LED Flushmount Ceiling Light User Manual

LITFAD LT722176CXLN

LITFAD 47-inch Oblong LED Flushmount Ceiling Light User Manual

Model: LT722176CXLN

INTRODUCTION

Thank you for purchasing the LITFAD 47-inch Oblong LED Flushmount Ceiling Light. This manual provides essential information for the safe installation, operation, and maintenance of your new lighting fixture. Please read these instructions thoroughly before installation and retain them for future reference.



Image: The LITFAD 47-inch Oblong LED Flushmount Ceiling Light, featuring a sleek coffee-colored base and warm LED illumination, installed flush against a ceiling in a modern living space.

SAFETY INFORMATION

To ensure safe installation and operation, please observe the following precautions:

- For a safe and secure installation, ensure that the electrical box to which this fixture will be mounted is properly attached to a structural member of the building.
- All wires are connected. When unpacking, be careful not to pull with wires as a bad connection may result.
- Do not connect electricity until your fixture is fully assembled.
- To reduce the risk of fire, electrical shock, or personal injury, always turn off and unplug the fixture and allow it to cool prior to replacing the light bulb (though this fixture uses integrated LEDs, this general safety rule applies to any electrical work).
- Do not touch the bulb when the fixture is turned on or look directly at the lit bulb. Keep flammable materials away from the lit bulb.
- Consult a qualified electrician if you are unsure about any part of the installation process.

PACKAGE CONTENTS

Verify that all components are present and undamaged before beginning installation. If any parts are missing or damaged, contact customer support.

- LITFAD 47-inch Oblong LED Flushmount Ceiling Light Fixture (with integrated LED)
- Mounting Hardware (screws, wire nuts, mounting bracket)
- User Manual

SPECIFICATIONS

Brand	LITFAD
Model Number	LT722176CXLN
Fixture Type	Close to Ceiling Light / Flushmount
Style	Modern / Simple / Creative
Dimensions (L x W x H)	47" (120 cm) x 3.5" (9 cm) x 1.5" (4 cm)
Material	Metal + Acrylic
Color	Coffee
Light Source Type	Integrated LED
Bulb Base	SMD
Wattage	46W
Voltage	AC110-120V
Light Color	Warm Light
Room Type	Bedroom, Dining Room, Living Room, Hotel, Corridor
Indoor/Outdoor Usage	Indoor
Power Source	Corded Electric
Control Method	Touch (Implies standard wall switch control)

Mounting Type	Ceiling Mount
---------------	---------------

SETUP AND INSTALLATION

Before You Begin:

- Turn off power at the circuit breaker or fuse box to avoid electrical shock.
- Ensure you have all necessary tools (screwdriver, wire strippers, electrical tape, ladder).
- Review the safety information section.

Installation Steps:

1. **Prepare the Mounting Surface:** Ensure the electrical box is securely mounted to a structural member of the ceiling.
2. **Attach Mounting Bracket:** Secure the fixture's mounting bracket to the electrical box using the provided screws.
3. **Make Electrical Connections:**
 - Connect the **black** wire from the fixture to the **black** (hot) wire from the electrical box using a wire nut.
 - Connect the **white** wire from the fixture to the **white** (neutral) wire from the electrical box using a wire nut.
 - Connect the **ground** wire (bare copper or green) from the fixture to the **ground** wire from the electrical box and to the mounting bracket using a ground screw.
 - Carefully tuck all wires into the electrical box.
4. **Secure the Fixture:** Align the fixture with the mounting bracket and secure it in place using the provided screws. Ensure the fixture is flush against the ceiling.
5. **Restore Power:** Once the fixture is securely installed, restore power at the circuit breaker.



Image: A detailed view of the ceiling light's design, showing the acrylic diffuser and the coffee-colored metal frame, indicating its flush-mount nature.

OPERATING INSTRUCTIONS

This LITFAD LED Flushmount Ceiling Light is designed for simple operation via a standard wall switch.

1. Ensure the light fixture is correctly installed and power is restored to the circuit.
2. Use the wall switch connected to the fixture to turn the light ON or OFF.

The integrated LED provides a consistent warm light output.



Image: The ceiling light installed in a hallway, demonstrating its ability to provide ambient lighting in a narrow space, complementing contemporary decor.

MAINTENANCE

The LITFAD LED Flushmount Ceiling Light requires minimal maintenance.

- **Cleaning:** Before cleaning, ensure the power to the fixture is turned off at the circuit breaker. Use a soft, dry, or slightly damp cloth to wipe the surface of the fixture. Do not use abrasive cleaners, solvents, or polishes as they may damage the finish or acrylic.
- **LEDs:** The LED light source is integrated and designed for a long lifespan. It is not user-replaceable. If the LED fails, the entire fixture may need to be replaced.



Image: A close-up shot revealing the smooth acrylic diffuser and the precise fit of the coffee-colored metal housing, emphasizing the quality of materials and construction.

TROUBLESHOOTING

If you encounter issues with your ceiling light, refer to the following common problems and solutions:

Problem	Possible Cause / Solution
Light does not turn on.	◦ Ensure power is ON at the circuit breaker. ◦ Check wall switch is in the ON position. ◦ Verify electrical connections are secure (consult a qualified electrician if unsure). ◦ Confirm the fixture is receiving proper voltage (AC110-120V).
Light flickers or dims.	◦ Check for loose wire connections. Turn off power before inspecting. ◦ Ensure the fixture is not connected to a dimmer switch unless explicitly rated for dimming (this model is not specified as dimmable). ◦ Voltage fluctuations in your electrical system.
Fixture is damaged.	◦ If damage occurred during shipping or installation, contact customer support immediately.

WARRANTY AND SUPPORT

This LITFAD ceiling light comes with a **2-year warranty** from the date of purchase, covering manufacturing defects.

For any questions, suggestions, or assistance regarding your product, please do not hesitate to contact LITFAD customer support. We are committed to providing prompt assistance.

You can find more information or contact support by visiting the [LITFAD Store on Amazon](#).

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question