

Manuals.plus /

› West Biking /

› West Biking Compact Folding Bike Lock User Manual

West Biking Rivets Folding Lock combination

West Biking Compact Folding Bike Lock User Manual

Model: Rivets Folding Lock combination

INTRODUCTION

Thank you for choosing the West Biking Compact Folding Bike Lock. This high-security bicycle lock is designed to provide robust protection for your bike, scooter, or motorcycle. Featuring an 8-joint alloy steel construction and a 4-digit resettable combination, it offers both strength and convenience. This manual provides detailed instructions for setup, operation, and maintenance to ensure optimal performance and longevity of your lock.



Image: West Biking Compact Folding Bike Lock, highlighting its foldable design and 4-digit combination.

SETUP

Setting Your Combination

The lock comes with a preset combination (usually 0000). Follow these steps to set your personalized 4-digit combination:

1. Ensure the lock is open and set to the current combination.
2. Locate the reset button (often a small pin or lever) on the side or bottom of the lock mechanism.
3. Using a pen or a pointed object, press and hold the reset button.
4. While holding the reset button, rotate the number dials to your desired 4-digit combination.
5. Release the reset button. Your new combination is now set. Test it immediately to ensure it works before locking the device.

HOW TO CHANGE THE PASSWORD



1

Press the unlock button A and don't release it, pull out the lock plate

Press button B without releasing it, and turn any number to set the password. Release to complete the setting



2



3

Press switch A, insert the lock piece, and disrupt the password to complete the lock

The code wheel rotates to the set code number, press switch A to unlock

4



Image: Step-by-step visual guide on how to change the 4-digit combination password for the lock.

Mounting the Lock on Your Bicycle

The West Biking lock includes a mounting bracket for convenient transport. There are typically two installation methods:

- **Method 1: Screw Mount (using bottle cage holes)**

- a. Place the gasket on the screw holes of your bike's bottle cage mount.
- b. Align the mounting bracket with the holes and use the included hex wrench to tighten the screws securely.
- c. Insert the folded bike lock into the bracket until it clicks into place.

- **Method 2: Strap Mount (for various frame tubes)**


- a. Pass the adjustable straps through the rear buckle of the lock bracket.
- b. Fasten the bracket to your bike frame tube, ensuring it is tight and stable.
- c. Insert the folded bike lock into the bracket until it clicks into place.




Image: Mounting the lock bracket using screws on a bicycle frame.

MULTIPLE INSTALLATION METHODS

Suitable for many occasions, strong compatibility



Road Bike



Motorcycle



Scooter



Electric Bicycle

Image: Multiple installation methods for the lock, suitable for various vehicle types.

OPERATING THE LOCK

Locking Your Bicycle

1. Remove the folded lock from its mounting bracket.
2. Unfold the lock's 8 jointed bars to extend its length.
3. Wrap the lock around your bicycle frame and a secure, immovable object (e.g., a bike rack, lamppost).
4. Insert the locking bar into the main lock body.
5. Scramble the 4-digit combination dials to secure the lock.

Unlocking Your Bicycle

1. Align the 4-digit combination dials to your preset code.
2. Press the release button or pull the locking bar to disengage the lock.

3. Remove the lock from your bicycle and fold it for storage in the mounting bracket.



Image: The folding bike lock in use, securing a bicycle to a fixed object.

MAINTENANCE

- **Cleaning:** Wipe the lock regularly with a damp cloth to remove dirt and grime. Avoid harsh chemicals that may damage the finish or internal mechanisms.
- **Lubrication:** Periodically apply a small amount of silicone-based lubricant to the moving parts, such as the joint pins and the combination dials, to ensure smooth operation. Do not over-lubricate.
- **Storage:** When not in use, store the lock in a dry place to prevent rust and corrosion, especially if it has been exposed to moisture.
- **Inspection:** Regularly inspect the lock for any signs of wear, damage, or loose components. Address any issues promptly to maintain security.



Image: The lock demonstrating its water-resistant properties.

TROUBLESHOOTING

Combination Dials Are Stiff or Stuck

- **Cause:** Dirt, grime, or lack of lubrication can cause the dials to become stiff or stuck, making it difficult to rotate them or set the combination.
- **Solution:**
 - a. Clean the dials thoroughly with a soft brush and a damp cloth.
 - b. Apply a small amount of silicone-based lubricant to the dial mechanism. Work the dials back and forth to distribute the lubricant.
 - c. Ensure you are pressing the reset button firmly and correctly when attempting to change the combination. Sometimes insufficient pressure can prevent the dials from moving freely.
 - d. If the issue persists, contact customer support for further assistance.

Lock Does Not Engage/Disengage Smoothly

- **Cause:** Misalignment, debris in the locking mechanism, or wear and tear.
- **Solution:**
 - a. Check for any obstructions in the locking mechanism.
 - b. Ensure the locking bar is inserted straight and fully into the lock body.
 - c. Apply lubricant to the locking mechanism if it feels dry.

SPECIFICATIONS

| | |
|------------------------------------|--|
| Brand | West Biking |
| Model Number | Rivets Folding Lock combination |
| Lock Type | Combination Lock |
| Material | Alloy Steel |
| Special Features | Anti-theft, Compact, Heavy Duty, Portable, Resettable |
| Item Dimensions (L x W x H) | 47.24 x 2.76 x 0.91 inches (Unfolded Length: 120cm / 47.2in) |
| Item Weight | 3.24 pounds (approx. 1470g) |
| Color | Black, Silver |




Image: Detailed dimensions, weight, and key features of the lock.

FULL SOLID ALLOY THICK LOCK BODY

Strengthening Rivet Technology

Stainless Steel Rivet



Alloy Materials



47.2in\120cm



Image: Construction details of the lock, highlighting alloy materials and strengthening rivet technology.



Image: Security features and resistance to common attack methods.

WARRANTY INFORMATION

Specific warranty details for the West Biking Compact Folding Bike Lock are not provided in this manual. Please refer to the product packaging or the retailer's website for information regarding warranty coverage and terms. Keep your purchase receipt as proof of purchase for any warranty claims.

CUSTOMER SUPPORT

For further assistance, technical support, or inquiries regarding your West Biking Compact Folding Bike Lock, please contact the retailer where you purchased the product or visit the official West Biking website for customer service contact information.