

[manuals.plus](#) /

› [JSAUX](#) /

› [JSAUX 25ft/7.5M Aux to RCA Audio Cable Instruction Manual](#)

JSAUX VC-a4-29332

JSAUX 25ft/7.5M Aux to RCA Audio Cable Instruction Manual

Model: VC-a4-29332

INTRODUCTION

This manual provides essential information for the proper setup, operation, and maintenance of your JSAUX 25ft/7.5M Aux to RCA Audio Cable. Please read these instructions carefully before use to ensure optimal performance and longevity of your product.



Image: The JSAUX 25ft/7.5M Aux to RCA Audio Cable, featuring a braided grey cable with gold-plated 3.5mm and RCA connectors.

KEY FEATURES

- **Excellent Sound Quality:** Dual-shielding, gold-plated connectors, and oxygen copper wire core minimize interference for premium stereo audio.
- **Bi-Directional:** Supports audio transmission in both directions. Red/white color-marked RCA connectors for easy left-and-right channel identification.
- **Superb Fit:** Designed for compatibility with various devices, including smartphones, MP3 players, tablets, stereo receivers, speakers, amplifiers, and HDTVs.
- **Incredibly Durable:** Features a 10000+ bend lifespan and a double-braided nylon exterior for enhanced durability and tangle-free use.

SETUP INSTRUCTIONS

Follow these steps to connect your JSAUX Aux to RCA Audio Cable:

1. **Identify Connectors:** Locate the 3.5mm male connector (single plug) and the two RCA male connectors (red for right channel, white for left channel).
2. **Connect 3.5mm End:** Insert the 3.5mm male connector into the audio output jack of your source device (e.g., smartphone, MP3 player, tablet, laptop).
3. **Connect RCA Ends:** Insert the red RCA connector into the right audio input (R) of your receiving device (e.g., stereo receiver, speaker, amplifier, TV). Insert the white RCA connector into the left audio input (L) of your receiving device.
4. **Secure Connection:** Ensure all connectors are firmly seated to prevent signal loss or interference.

Multiple Usage



Image: A close-up view demonstrating the connection of the 3.5mm jack to a smartphone and the RCA connectors to a speaker system, illustrating the cable's application.

Wide Compatibility



Image: A visual representation of the cable's wide compatibility, showing various input devices (laptop, tablet, car stereo, MP3, smartphone) connecting to output devices (speaker, amplifier, DVD, TV) via the 3.5mm and RCA ends.

OPERATING INSTRUCTIONS

Once connected, operate your audio devices as usual. The JSAUX Aux to RCA Audio Cable will transmit the audio signal.

between your source and receiving devices. Adjust volume and audio settings on your connected devices for desired sound output.

Your browser does not support the video tag.

Video: An official JSAUX video demonstrating the premium audio cable in use, highlighting its features and ease of connection for various audio setups.

MAINTENANCE AND CARE

- **Cleaning:** Use a soft, dry cloth to clean the cable and connectors. Avoid using liquid cleaners or abrasive materials.
- **Storage:** When not in use, coil the cable loosely. Avoid sharp bends or kinks, especially near the connectors, to prevent internal wire damage. The braided design helps prevent tangling.
- **Handling:** Always grasp the connector housing when plugging or unplugging the cable. Do not pull on the cable itself.
- **Environment:** Store the cable in a cool, dry place away from direct sunlight and extreme temperatures.


Other

Noise producer



JSAUX

escape into pure sound



stunning clarity and detail

Image: A close-up of the cable's braided nylon exterior, emphasizing its durability and resistance to tangling and bending, which contributes to its long lifespan.

TROUBLESHOOTING

Problem	Possible Cause	Solution
No audio output	Loose connection, incorrect input/output selection, device volume too low.	Ensure all connectors are firmly plugged in. Verify the correct audio input is selected on the receiving device. Increase volume on both source and receiving devices.
Static or distorted sound	Interference, damaged cable, loose connection.	Check for nearby electronic devices causing interference. Ensure connections are secure. Inspect the cable for visible damage; replace if necessary.
Only one channel (left or right) has sound	Incorrect RCA connection, damaged RCA connector or cable.	Verify the red and white RCA connectors are plugged into the correct corresponding inputs (Red to R, White to L). Test with another cable if possible to rule out device issues.

SPECIFICATIONS

Brand: JSAUX

Model Number: VC-a4-29332

Cable Type: AUX, Composite (3.5mm to 2RCA)

Connector Type: Auxiliary (3.5mm Male), RCA (Male, Red/White)

Connector Gender: Male-to-Male

Length: 25ft / 7.5M

Color: Grey

Outer Material: Nylon (Braided)

Special Features: Braided, Tangle Free, Gold-Plated Connectors, Dual-Shielding, Oxygen Copper Wire Core

Compatible Devices: Smartphones, MP3 Players, Tablets, Stereo Receivers, Speakers, Amplifiers, HDTVs, DVD Players, Gaming Consoles

Item Weight: 7.4 ounces

Product Dimensions: 295.28 x 0.39 x 0.39 inches

WARRANTY INFORMATION

JSAUX products typically come with a manufacturer's warranty. For specific warranty terms and conditions, please refer to the product packaging or contact JSAUX customer support directly. Keep your purchase receipt for warranty claims.

CUSTOMER SUPPORT

If you encounter any issues or have questions regarding your JSAUX Aux to RCA Audio Cable, please visit the official JSAUX website or contact their customer service department for assistance. You can often find support contact information on the product packaging or on the brand's Amazon store page.

For more information, visit the [JSAUX Store on Amazon](#).



