

[Manuals.plus](#) /

› [Graywind](#) /

› Graywind Motorized Vertical Blinds with Remote Control - Alexa/Google/Siri Compatible, 100% Blackout, UV Cut, Thermal Insulation, White (Width 150cm x Height 165cm)

Graywind Motorized Vertical Blind 150x165cm White

Graywind Motorized Vertical Blinds Instruction Manual

Model: Motorized Vertical Blind 150x165cm White

1. PRODUCT OVERVIEW

The Graywind Motorized Vertical Blind offers a sophisticated and convenient solution for light control and privacy in your home or office. This model features a 3-layer 100% blackout fabric in white, providing excellent UV protection and thermal insulation. It is designed for smart home integration, compatible with Alexa, Google, and Siri for voice control, alongside remote and app control options.



Image: Graywind Motorized Vertical Blind installed in a living room, showcasing its sleek design and functionality.


2. SAFETY INFORMATION

- Always ensure the power supply is disconnected before installation or maintenance.
- Keep children and pets away from the blinds during operation to prevent entanglement.
- Do not attempt to disassemble or repair the motor or control unit yourself. Contact qualified personnel for service.
- Ensure proper installation to prevent the blinds from falling, which could cause injury or damage.
- Avoid exposing the motor or electrical components to water or excessive moisture.

3. PACKAGE CONTENTS

Your Graywind Motorized Vertical Blind package includes the following components:

- Motorized Vertical Blind Unit (with 3-layer blackout fabric and valance)
- Hardwired Motor (AC100-240V, power cord approx. 1.5 meters)
- Remote Control (one remote included for up to 5 blinds; additional remotes available upon request)
- Installation Brackets and Hardware
- User Manual (Japanese version included in package; English version available upon request)



カーテンバランス（上飾り）付き



カーテンバランス（上飾り）無し



生地



バランスウェイト

Image: Detailed view of the vertical blind fabric, showing the bottom chain for stability and the decorative valance.

スマートトラック (180°回転スライドランナー付き)

モーターの置き方向 オプション



入力：AC100-240V-50/60HZ

周波数：433.92MHZ

定格出力：54W

定格荷重：35KG

ワイヤ長さ：150CM

IP20保護



対応品として



Alexa



Google home



IFTTT



Mobile APP

Image: Illustration of the smart track, motor placement options (left/right), power input (AC100-240V), frequency (433.92MHz), rated output (54W), rated load (35KG), wire length (150CM), IP20 protection, UL certification, and compatibility with Alexa, Google Home, IFTTT, and mobile app.

4. INSTALLATION & SETUP

Proper installation is crucial for optimal performance. Please refer to the detailed measurement manual and consider watching the installation videos available on the official Graywind YouTube channels for visual guidance.


4.1 Measurement Guidelines

Refer to the diagram below for accurate measurements based on your mounting type (ceiling mount or face mount).

測定マニュアル


天井付け

取付けブラケットの間隔：約50cm



正面付け


取付けブラケットの間隔：約50cm



商品高さ (丈)
= 注文高さ - 3cm

生地幅
= 注文幅


生地高さ (丈)
= 商品高さ - 9.5cm



商品高さ (丈)
= 注文高さ - 2cm

生地幅
= 注文幅

生地高さ (丈)
= 商品高さ - 8.5cm



注意事項：壁の近くに設置する場合は、少なくとも各側幅0.3cmのスペースを残す必要があります。
覆いたい面積によってサイズをカスタマイズしてください。

Image: Measurement manual illustrating calculations for product height, fabric height, and fabric width for both ceiling mount and face mount installations. Note: A minimum 0.3cm space on each side is required when installing near a wall.

4.2 Installation Steps

- 1. Prepare the Mounting Surface:** Ensure the surface is clean, level, and strong enough to support the blind's weight.
- 2. Mark Drill Holes:** Use the provided brackets as a template to mark the drill holes according to your chosen mounting type (ceiling or face mount).
- 3. Install Brackets:** Drill pilot holes and securely attach the mounting brackets using appropriate screws and anchors.
- 4. Attach the Headrail:** Carefully attach the blind's headrail to the installed brackets.
- 5. Connect Power:** Connect the hardwired motor to your home's AC100-240V electrical circuit. Professional installation is recommended for electrical wiring.
- 6. Initial Testing:** Once installed and powered, perform an initial test using the remote control to ensure basic open/close functionality.

For detailed visual instructions, please search for "Graywind Official Channel" or "Graywind Japan Official Channel" on

5. OPERATING INSTRUCTIONS

Your Graywind Motorized Vertical Blinds can be operated via remote control, mobile app, or voice commands through compatible smart home assistants.

5.1 Remote Control Operation

- **Open/Close:** Press the UP/DOWN buttons to open or close the blinds.
- **Stop:** Press the STOP button to halt the blinds at any desired position.
- **Adjust Slat Angle:** Use the angle adjustment buttons to rotate the vertical slats for light filtering.
- **Group Control:** If you have multiple blinds paired to one remote, you can control them individually or as a group.

5.2 Smart Features & Control

Leverage the smart capabilities of your Graywind blinds for enhanced convenience:

- **Limit Position Setting:** Set precise upper, lower, and intermediate stop positions for your blinds.
- **Rotation Direction Switching:** Easily change the direction of slat rotation.
- **Inching/Continuous Movement:** Switch between precise incremental adjustments and continuous movement.
- **Group Control:** Manage multiple blinds simultaneously through the app or remote.
- **Timing Settings:** Schedule automatic opening and closing times for your blinds.
- **Control Methods (WiFi 2.4G):**
 - Remote Control
 - Mobile App Control
 - Voice Control (Alexa, Google, Siri compatible)

Your browser does not support the video tag.

Video: Demonstration of Graywind Motorized Vertical Blinds responding to voice commands via Alexa, showing smooth opening and closing, and slat rotation. This video highlights the smart home integration and ease of use.



出荷：**5-7** 営業日

標準配送：**5-7** 営業日

至急配送：**3-5** 営業日

ファブリック層

シールド層

ファブリック層




Image: A living room scene with Graywind vertical blinds, illustrating voice control functionality with an Alexa device.




Image: Visual representation of the vertical blinds in various states: fully open, fully closed (100% blackout), and demonstrating 180-degree slat rotation for light adjustment.



Image: Illustration of the center open function for vertical blinds, detailing motor positions for left, right, and center opening configurations.

6. MAINTENANCE & CLEANING

Regular maintenance helps prolong the life and appearance of your Graywind Vertical Blinds. Always handle with care.

6.1 General Dusting

For routine cleaning, gently remove dust using a feather duster or a handheld vacuum with a soft brush attachment. Ensure the blinds are fully extended when dusting.

Your browser does not support the video tag.

Video: A cleaning guide for Graywind blinds, demonstrating how to gently dust roller shades, cellular shades, and Venetian blinds with a feather duster and handheld vacuum. It also shows spot cleaning for Shangri-la blinds using mild detergent and a soft cloth.

6.2 Spot Cleaning

For partial cleaning or stains, use a well-wrung cloth or sponge dipped in a solution of mild dish-washing detergent and lukewarm water. Gently blot the stained area. Avoid harsh detergents or excessive scrubbing, as this may damage the fabric.

- **Important:** Do not iron vinyl fabrics or foam-coated fabrics directly.
- For wrinkled parts on non-vinyl/foam-coated fabrics, gently stretch the fabric by hand and iron at a low temperature.

7. TROUBLESHOOTING

If you encounter any issues with your Graywind Motorized Vertical Blinds, please refer to the following common troubleshooting tips:

- **Blinds not responding to remote/app/voice:**
 - Check if the power supply is connected and active.
 - Ensure the remote control batteries are not depleted.
 - Verify that the blinds are properly paired with the remote/app/smart assistant. Refer to the pairing instructions in the full manual.
 - Check your Wi-Fi connection (2.4G) if using app or voice control.
- **Motor not moving:**
 - Confirm the power connection.
 - If the motor is making a sound but not moving, check for any obstructions in the track or fabric.
 - If the motor is completely unresponsive, contact customer support for assistance.
- **Blinds not stopping at desired limits:**
 - Recalibrate the limit positions using the remote or app settings.

If the issue persists after attempting these steps, please contact Graywind customer support.

8. SPECIFICATIONS

Feature	Detail
Product Dimensions (L x W)	165cm (Length) x 150cm (Width)
Brand	Graywind
Color	White
Room Type	Office, Bedroom, Restaurant, Conference Room, Villa
Special Features	UV Protection, Smart, Dimmable, Breathable, Electric
Motor Type	Hardwired (AC100-240V)
Control Methods	Remote, App (WiFi 2.4G), Voice (Alexa/Google/Siri)
Blackout Rate	100% (3-layer fabric)
Slat Width	9cm / 3.54 inches
Slat Rotation	180 degrees

9. WARRANTY & SUPPORT

Graywind products are designed for durability and performance. We stand by the quality of our products.

- **Manufacturer's Warranty:** This product comes with a 2-year manufacturer's warranty.
- **Custom Orders:** For custom-sized products, production takes approximately 5-8 business days after order confirmation, and delivery takes approximately 5-7 business days. There may be a 3mm error in the actual width compared to the order. A customization confirmation sheet will be sent via Amazon message after order confirmation;

please contact us if any changes are needed.

- **Returns/Exchanges:** Once custom order specifications are confirmed, changes, returns, or exchanges are generally not accepted unless there is a quality issue. In case of product defects, we will replace it with a good product of the same specifications (size, color, etc. cannot be changed) instead of cancellation or refund.
- **Contact Support:** If you have any questions, require additional remotes (for purchases of 5 vertical blinds or less), or need assistance, please contact us via Amazon message or email at opm-jp@graywindhome.com. We aim to respond within 12 hours.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question