

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [OLIGHT](#) /

› [OLIGHT Swivel 400 Lumens Rechargeable COB Work Light User Manual](#)

OLIGHT O-Swivel-MG#US-FBA

OLIGHT Swivel 400 Lumens Rechargeable COB Work Light User Manual

Brand: OLIGHT

Model: O-Swivel-MG#US-FBA

1. SETUP

1.1 Initial Inspection

Upon unboxing your OLIGHT Swivel work light, inspect the device for any visible damage. Ensure all components are present as listed in the packaging. The sturdy ABS body is designed to withstand corrosion, heat, impact, and water splash, ensuring durability.

1.2 Charging the Device

The OLIGHT Swivel features a built-in rechargeable battery. Before first use, fully charge the device. Connect the included USB-A to Type-C charging cable to the Type-C port on the device. A full charge takes approximately 3.7 hours. The battery level indicator lights will illuminate to show charging progress and current battery status. A full charge ensures a maximum runtime of 90 hours.

HEAVY-GRIP MAGNETIC BASE

Three strong magnets insides the stand can firmly attach onto any iron surfaces.

To meet your multi hands-free uses.



The OLIGHT Swivel charging via its USB-C port, indicated by the illuminated battery level lights.

Official video demonstrating the OLIGHT Swivel's compact size, spotlight and floodlight modes, friendly hanging experience, adjustable stand, magnetic base, IPX4 water resistance, and USB-C recharging capability.

2. OPERATING INSTRUCTIONS

2.1 Power On/Off and Mode Selection

The OLIGHT Swivel features a COB (Chip-on-Board) light for area illumination and an LED light for a focused beam. It offers 5 light modes for versatile use.

- **COB Light Modes:** Press the power button to cycle through the COB light modes (e.g., Medium, High, Low).
- **LED Light Modes:** Press and hold the power button to switch to the LED spotlight. Release and press again to cycle through its two light levels.



MORPH INTO AN FLASHLIGHT

High-performance LED generates two light levels for a focused and fatter beam.
Helps you light up the path at night.

The OLIGHT Swivel providing smooth and broad floodlight illumination from its COB emitter, ideal for wide area lighting.



SMOOTH AND BROAD FLOODLIGHT

High-performance COB emitter, ideal for area illumination.
Fits comfortably in the palm of your hand, allowing you
to light up hard-to-get-to spaces.

The OLIGHT Swivel in flashlight mode, utilizing its high-performance LED for a focused and farther beam.

User review video showcasing the Olight Swivel's magnetic base, 90-hour runtime, multiple light modes (COB and LED), and glow-in-the-dark feature.

2.2 Adjustable Stand and Magnetic Base

The OLIGHT Swivel is designed for hands-free use with its versatile stand and magnetic base.

- **180° Adjustable Stand:** The integrated stand can be precisely adjusted up to 180 degrees, allowing you to direct the beam angle to suit various needs.
- **Heavy-Grip Magnetic Base:** Three strong magnets are embedded within the stand, enabling the light to firmly attach to any iron surface. This is ideal for car repair, working on appliances, or any situation requiring stable, hands-free illumination.



MAX RUNTIME
90 HOURS

MAX OUTPUT
400 LUMENS


LONG-LASTING POWER

Enjoying the 90 hours max run time,
the swivel will be your reliable companion in the dark.

The OLIGHT Swivel demonstrating its 180-degree adjustable stand, allowing for precise beam angle adjustments.

180° ADJUSTABLE STAND

Precisely adjusts the beam angle,
Prefect to match your various needs.



The OLIGHT Swivel utilizing its heavy-grip magnetic base to firmly attach to a metal surface, providing hands-free lighting.

2.3 Hanging Options

For additional versatility, the OLIGHT Swivel includes a clip-style hook. This allows for easy carrying or hanging on various objects such as backpacks, tents, branches, or other suitable fixtures, providing overhead or elevated lighting.



REVEAL ITSELF IN THE DARKNESS

Glow-in-the-dark Strip around the panel,
allows you to quickly locate the swivel in the dark.

The OLIGHT Swivel showcasing its friendly hanging experience, easily clipped to a tent for illumination.

2.4 Glow-in-the-Dark Feature

A glow-in-the-dark strip is integrated around the COB panel. This feature allows you to quickly locate the Swivel in low-light conditions or complete darkness, enhancing convenience and safety.

FRIENDLY HANGING EXPERIENCE

Clip-style Hook, easy to carry or hang on a backpack, tent, branch, or more.



The OLIGHT Swivel's glow-in-the-dark strip around the COB panel, making it easy to locate in dark environments.

3. MAINTENANCE

3.1 Cleaning

To maintain optimal performance and appearance, regularly clean your OLIGHT Swivel. Use a soft, damp cloth to wipe down the exterior. Avoid using abrasive cleaners or solvents that could damage the ABS body or the light's components.

3.2 Storage

When not in use for extended periods, store the OLIGHT Swivel in a cool, dry place away from direct sunlight and extreme temperatures. Ensure the device is fully charged before storing to preserve battery health.

3.3 Battery Care

The integrated rechargeable battery is designed for long-lasting performance. To maximize battery lifespan, avoid

completely draining the battery frequently. Recharge the device when the battery indicator shows low power. Do not attempt to replace the internal battery yourself.

4. TROUBLESHOOTING

4.1 Common Issues

- **Light not turning on:** Ensure the battery is charged. Connect the USB-C cable and check the battery indicator lights.
- **Dim light output:** The battery may be low. Recharge the device.
- **Charging issues:** Verify the USB-C cable is properly connected to both the device and a power source. Try a different cable or power adapter if necessary.

4.2 Contact Support

If you encounter issues not resolved by the troubleshooting steps, please refer to the Warranty and Support section for contact information.

5. SPECIFICATIONS

Feature	Specification
Brand	OLIGHT
Model Number	O-Swivel-MG#US-FBA
Brightness	400 Lumens (Max)
Power Source	Battery Powered (1 Lithium Ion battery included)
Battery Type	Customized Rechargeable Battery (Lithium Polymer)
Max Runtime	90 hours
Charging Port	USB Type-C
Material	Acrylonitrile Butadiene Styrene (ABS)
Water Resistance	IPX4
Dimensions (L x W x H)	2.16" L x 4.84" W x 1.25" H
Item Weight	8.8 ounces
Light Source Type	Light Emitting Diode (COB and LED)
Adjustable Stand	180 Degrees
Mounting Type	Clip-style hook and magnetic

6. WARRANTY AND SUPPORT

6.1 Warranty Information

The OLIGHT Swivel comes with a Lifetime warranty for products purchased after January 1st, 2023. Please retain your proof of purchase for warranty claims.

6.2 User Manual (PDF)

For a downloadable PDF version of the user manual, please visit:[OLIGHT Swivel User Manual PDF](#)

6.3 Contact Information

For further assistance, technical support, or warranty inquiries, please visit the official OLIGHT Store or contact their customer service through the details provided on their website.

[Visit the OLIGHT Store](#)