

Manuals.plus /

- › MAV AquaDoc /
- › MAV AquaDoc Pool Flocculant 32oz Instruction Manual

## MAV AquaDoc B09FR2JMVV

# MAV AquaDoc Pool Flocculant 32oz Instruction Manual

Model: B09FR2JMVV

## INTRODUCTION

---

The MAV AquaDoc Pool Flocculant is designed to clarify cloudy swimming pool water by clumping together small, suspended particles. These larger clumps then settle to the bottom of the pool, allowing for easier removal via vacuuming. This product aids in maintaining clean and clear pool water.





Image: MAV AquaDoc Pool Flocculant 32oz bottle, clearly showing the product label and branding.

## SAFETY INFORMATION

---

**DANGER:** Causes serious eye irritation. Keep out of reach of children. Always read and follow all precautionary statements on the product label before use. Wear appropriate personal protective equipment, such as gloves and eye protection, when handling this product.

In case of contact with eyes, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists, get medical advice/attention.

## PREPARATION AND APPLICATION

---

Before applying the flocculant, ensure your pool water is properly prepared for optimal results.

- 1. Test Pool Water pH:** Use a reliable test kit to check your pool's pH level. Adjust the pH to 7.2 or greater if necessary. Proper pH balance is crucial for the flocculant to work effectively.
- 2. Turn Off Pump for Turbid Water:** For highly turbid (cloudy) pool water, turn off the pool pump before application. This allows the water to become still, aiding in the settling process.

3. **Dispense Product:** Dispense approximately 4 fluid ounces of MAV AquaDoc Pool Flocculant per 5,000 gallons of water. Distribute the product evenly over the water surface.
4. **Brush Pool Surfaces:** Immediately after dispensing, brush the pool walls and steps. This helps to distribute the product and dislodge any clinging particles.
5. **Allow Settling Time:** Wait 24 to 72 hours to allow organic and inorganic particles to clump together and settle to the pool floor. The exact time may vary depending on the level of cloudiness and water conditions.




Image: Visual guide illustrating the five steps for applying MAV AquaDoc Pool Flocculant, including pH testing, turning off the pump, dispensing, brushing, and waiting for settling.

## POST-APPLICATION AND MAINTENANCE

After the settling period, the flocculated particles will be at the bottom of your pool, ready for removal.

- **Vacuum to Waste:** Carefully vacuum the settled debris from the pool bottom directly to waste, bypassing your filter. This prevents the large clumps from clogging your filter system.
- **Monitor Water Clarity:** After vacuuming, monitor your pool's water clarity. If cloudiness persists, repeat the application process if necessary, ensuring all steps are followed.
- **Regular Pool Care:** For ongoing clear water, maintain proper chemical balance, regularly clean your filter, and ensure adequate circulation. This product is a part of a comprehensive pool care regimen.

# BENEFITS

Clarifies Cloudy Water

Clumps Dirt & Makes it Drop for Easy Vacuuming

Improves Filter Efficiency



Image: A person enjoying a clear pool, visually representing the benefits of using the flocculant, such as clarified water and improved filter efficiency.

## TROUBLESHOOTING

Problem	Possible Cause	Solution
Pool remains cloudy after treatment.	Incorrect pH level, insufficient settling time, or very heavy debris load.	Re-test and adjust pH to 7.2 or higher. Ensure pump is off during settling. Allow full 72 hours for settling. If necessary, repeat treatment with proper dosage.
Flocculant not clumping particles effectively.	Low pH, inadequate brushing, or particles too fine for flocculation.	Verify pH is above 7.2. Ensure thorough brushing after application. For extremely fine particles, a clarifier might be more suitable as it guides particles to the filter rather than settling them.
Green pool water persists.	Algae bloom, requiring pre-treatment.	For green pools, first brush and net out large debris. Apply an algaecide without clarifier. Over-shock the pool and raise pH. Once levels are good, then apply flocculant as directed. Always vacuum to waste.

## SPECIFICATIONS

- **Brand:** MAV AquaDoc
- **Model:** B09FR2JMVV
- **Item Form:** Liquid
- **Unit Count:** 32.0 Fluid Ounces (946 mL)
- **Item Weight:** 2 pounds
- **UPC:** 850026022872

- **Product Benefits:** Maintains Clean Sanitized Water, Prevents Stains, Rapidly Removes Dirt from Pool Surfaces.

## WARRANTY AND SUPPORT

---

Specific warranty information for the MAV AquaDoc Pool Flocculant 32oz is not provided in the product details. For any product-related inquiries, technical support, or to obtain warranty details, please contact MAV AquaDoc directly through their official website or customer service channels.

You can visit the MAV AquaDoc Store on Amazon for more information and contact options.