

EGLO 900115

EGLO Connect.Z Fueva-Z Smart-Home LED Ceiling Light Instruction Manual

Model: 900115

1. INTRODUCTION

This manual provides essential information for the safe installation, operation, and maintenance of your EGLO Connect.Z Fueva-Z Smart-Home LED Ceiling Light. Please read these instructions carefully before installation and retain them for future reference.

Product Overview

The EGLO Connect.Z Fueva-Z is a square Smart-Home LED ceiling light designed for bathrooms, featuring a nickel-matte metal frame and a plastic lighting surface. It offers advanced control options through Bluetooth, ZigBee 3.0, and compatible voice assistants.



Figure 1: EGLO Connect.Z Fueva-Z Smart-Home LED Ceiling Light

Key Features

- **Smart Control:** Bluetooth, ZigBee 3.0, AwoX Home Control app, EGLO Connect.Z remote control (EGLO 99099, sold separately), and voice assistants (e.g., Amazon Echo, Echo Plus).
- **Adjustable Lighting:** Dimmable and adjustable color temperature from warm white (2700K) to cold white (6500K).
- **Easy Installation:** Special ceiling bracket for straightforward mounting, no side screw connections required.
- **Versatile Placement:** Installation height less than 30 mm allows use as a wall lamp.
- **Integrated LED:** 16.5 Watt, 2100 lumens for pleasant illumination.
- **Durable Design:** Metal construction with IP44 rating, suitable for bathrooms.
- **Dimensions:** 21 cm (Length) x 21 cm (Width) x 2.8 cm (Height).

2. SAFETY INSTRUCTIONS

Please observe the following safety precautions to prevent injury or damage:

- **Electrical Safety:** Installation must be performed by a qualified electrician in accordance with local wiring regulations. Always switch off the main power supply before installation, maintenance, or

cleaning.

- **Voltage:** Ensure the supply voltage matches the product's specified voltage (220-240V~50/60Hz).
- **IP44 Rating:** This product is rated IP44, meaning it is protected against solid objects over 1mm and splashing water from any direction. It is suitable for bathroom zones 2 and outside zones. Do not install in areas where it will be directly exposed to water jets.
- **Heat:** Do not cover the light fixture with insulating material. Ensure adequate ventilation.
- **Cleaning:** Use a soft, dry cloth for cleaning. Do not use abrasive cleaners or solvents.
- **Light Source:** The LED light source is integrated and not user-replaceable.

3. PACKAGE CONTENTS

Verify that all components are present before beginning installation:

- EGLO Connect.Z Fueva-Z LED Ceiling Light
- Installation Instructions
- Mounting Bracket
- Screws and Wall Plugs (if applicable)




Figure 2: Mounting bracket and hardware

4. SETUP AND INSTALLATION

Follow these steps for proper installation:

1. **Turn Off Power:** Before starting any electrical work, ensure the main power supply to the installation area is switched off at the circuit breaker.
2. **Mark Drilling Points:** Position the mounting bracket on the ceiling at the desired location. Use a pencil to mark the drilling points for the screws.
3. **Drill Holes:** Drill holes at the marked points. Insert appropriate wall plugs if necessary.
4. **Attach Mounting Bracket:** Secure the mounting bracket to the ceiling using the provided screws.
5. **Electrical Connection:** Connect the household electrical wires to the terminal block inside the light fixture. Ensure correct polarity (Live, Neutral, Earth) according to local wiring standards.

6. **Mount the Light Fixture:** Carefully align the light fixture with the mounting bracket. The special design allows for easy attachment without external screws. Secure the fixture to the bracket.
7. **Restore Power:** Once the light is securely installed and all connections are checked, restore power at the circuit breaker.



Figure 3: Product dimensions




Figure 4: Installation diagram

5. OPERATING INSTRUCTIONS

Your EGLO Connect.Z Fueva-Z light offers multiple control methods.

5.1. AwoX Home Control App

The free AwoX Home Control app provides comprehensive control over your light. It is available for iOS 13 and above, and Android 8 and above.

1. **Download App:** Search for "AwoX Home Control" in your device's app store and install it.
2. **Pairing:** Follow the in-app instructions to pair your EGLO Connect.Z light. Ensure Bluetooth is enabled on your device.
3. **Control Functions:** Once paired, you can:
 - Dim the light intensity.
 - Change the color temperature (warm white to cold white, 2700K - 6500K).
 - Save favorite light settings.
 - Create and manage light groups.
 - Utilize timer functions (night light, twilight simulation, luminous alarm clock, presence simulation, disco function).

5.2. EGLO Connect.Z Remote Control (Optional)

The EGLO Connect.Z remote control (model 99099, sold separately) can also be used to control your light. Refer to the remote control's manual for pairing and operation instructions.

5.3. Voice Control

For voice control, you will need a compatible voice assistant with an integrated ZigBee 3.0 bridge (e.g., Amazon Echo or Echo Plus). Follow the voice assistant's setup instructions to connect ZigBee devices.

- **Pairing:** Initiate device discovery through your voice assistant's app or voice command.
- **Commands:** Once connected, you can use voice commands to turn the light on/off, dim it, or change its color temperature.

5.4. ZigBee 3.0 Compatibility

EGLO Connect.Z products are designed to be compatible with ZigBee 3.0 technology from other manufacturers. Existing Connect-C products can also be integrated into the Connect.Z system.



Figure 5: Light installed on a ceiling

6. MAINTENANCE

To ensure the longevity and optimal performance of your EGLO Connect.Z Fueva-Z light:

- **Cleaning:** Disconnect power before cleaning. Wipe the fixture with a soft, dry, or slightly damp cloth. Do not use harsh chemicals, abrasive cleaners, or scouring pads, as these can damage the finish.
- **Inspection:** Periodically check the fixture for any signs of damage or loose connections. If any issues

are found, consult a qualified electrician.

- **Light Source:** The integrated LED light source is designed for long life and does not require replacement.

7. TROUBLESHOOTING

If you encounter issues with your EGLO Connect.Z Fueva-Z light, refer to the following common problems and solutions:

- **Light does not turn on:**
 - Check if the main power supply is on.
 - Verify electrical connections are secure.
 - Ensure the light is properly paired with the app or remote control.
- **Light flickers or dims unexpectedly:**
 - Check for stable power supply.
 - Ensure no interference with wireless signals (Bluetooth/ZigBee).
 - Reset the light by turning off power for 10 seconds and then turning it back on.
- **Cannot connect to app or remote control:**
 - Ensure Bluetooth is enabled on your device.
 - Make sure the light is within range of your device or remote.
 - Try re-pairing the device according to the app or remote control instructions.
 - Check if the app is updated to the latest version.
- **Voice control not responding:**
 - Verify your voice assistant device is online and connected to the internet.
 - Ensure the light is properly linked to your voice assistant's platform via the ZigBee bridge.
 - Check for correct voice commands.

If the problem persists, please contact EGLO customer support or visit the support website.

8. SPECIFICATIONS

Feature	Specification
Brand	EGLO
Model Name	FUEVA-Z
Item Model Number	900115
Material	Metal
Color	Nickel - matt
Room Type	Bathroom
Power Source	AC
Voltage	220-240 Volts
Wattage	16.5 Watts

Brightness	2100 Lumens
Color Temperature	2700K - 6500K (Warm White - Cold White)
Special Feature	Dimmable
Connectivity	Bluetooth, ZigBee 3.0
Area Lighting Classification	IP44
Product Dimensions (L x W x H)	21 cm x 21 cm x 2.8 cm (8.27 x 8.27 x 1.1 inches)
Item Weight	1.45 pounds
Assembly Required	Yes

9. WARRANTY AND SUPPORT

EGLO products are manufactured to high-quality standards and come with a warranty. For specific warranty details, please refer to the documentation included with your purchase or visit the official EGLO website.




For further assistance, technical support, or to find answers to frequently asked questions, please visit the EGLO Connect.Z support page:

- EGLO Connect.Z Support: <https://www.eglo.com/en/connect-z-support>
- Product Information (QR Code): [eglo.com/qr/900115](https://www.eglo.com/qr/900115)

© EGLO. All rights reserved.

Related Documents - 900115

	EGLO connect.z User Guide: Smart Lighting System Setup and Control Comprehensive user guide for the EGLO connect.z smart lighting system. Learn how to set up and control lights via remote, AwoX HomeControl app, Amazon Alexa, and Google Assistant. Includes troubleshooting and feature explanations.
	EGLO FUEVA 5 LED Ceiling Light Installation Guide (Models 900183, 900184) Comprehensive installation guide for the EGLO FUEVA 5 LED ceiling light, covering mounting, wiring, and connection steps for models 900183 and 900184. Includes detailed textual descriptions of diagrams.
	Guide de l'utilisateur EGLO crosslink.2 : Installation, Contrôle Vocal et Application Manuel complet pour le système d'éclairage intelligent EGLO crosslink.2. Découvrez l'installation, le contrôle à distance, l'application AwoX HomeControl, la commande vocale avec Alexa et Google Assistant, et le détecteur de mouvement.

	EGLO FUEVA 6 LED Recessed Light Installation Guide Comprehensive installation instructions for EGLO FUEVA 6 LED recessed light fixtures, covering wiring, mounting, and model-specific dimensions. Includes safety guidelines and connection details.
	EGLO FUEVA 6 LED Recessed Downlight Installation Guide & Specifications Detailed installation instructions and specifications for EGLO FUEVA 6 LED recessed downlights, covering dimensions, wiring, color temperature selection, and mounting for models 901391, 901392, 901393 series.
	EGLO GIANELLA LED Ceiling Lamp - Installation and Operation Guide Detailed instructions for installing and operating the EGLO GIANELLA LED ceiling lamp, including wiring diagrams, assembly steps, and dimming control features. Article number 900947.


Documents - EGLO – 900115

	
Yleistietoa	
Materiaalnumero	900115
Tyyppi	prima-essence-voit
Tuotesegmentti	Sisätilä
Teema	EGLO connect 2
Mitat	
Tuotteen korkeus (mm)	28
Tuotteen leveys (mm)	210
Tuotteen pituus (mm)	210
Nettopaino (kg)	0,75 Kilogrammi
Materiaali & Väri	
Kotelon materiaali	teräs
Kotelon väri	harjattu teräs
Lasin/varjostimen materiaali	muovi
Lasin/varjostimen väri	valkoinen
Toiminnallisuus	
Kytkintyyppi	40 Kytkintä
Teho	40W APP:n + lasinvarjostimen kautta CCT
Akkuperäisy	ei
1/2	

[pdf]

EGLO MIDAS Tuotekortti teräs LED Plafondi Eglo connect z Fueva Z 21x21cm 16 5W eri värejä Netrauta fi 900115 tuotekortti netrauta attachments products eglo EGL900115 |||

900115 FUEVA-Z Yleistietoa Materiaalinumero Tyyppi Tuotesegmentti Teema Mitat
Tuotteen korkeus mm Tuotteen leveys mm Tuotteen pituus mm Nettopaino kg
Materiaali Vri Kotelon materiaali Kotelon vri Lasin/varjostimen materiaali
Lasin/varjostimen vri Toiminnallisuus Kytkintyyppi Toiminto Akku...
lang:fi score:28 filesize: 1.37 M page_count: 2 document date: 2022-07-28

	
Allgemeine Informationen	
Materiainummr	900115
Type	Außenleuchte
Produktsegment	Wohnraumleuchte
Thema	EGLO connect 2
Abmessungen	
Artikel Höhe (in mm)	28
Artikel Breite (in mm)	210
Artikel Länge (in mm)	210
Nettogewicht (in kg)	0,75 Kilogramm
Material & Farbe	
Gehäusematerial	Stahl
Gehäusefarbe	mattschwarz
Glas-/Schirmmaterial	Kunststoff
Glas-/Schirmfarbe	weiß
Funktionalität	
Schalterart	ohne Schalter
Funktion	Steuerung über APP + Funkfernbedienung CCT
Batterie	kein
1/2	

[pdf] Datasheet

EGLO MIDAS FUEVA Z Jun 16 2022 — Fassungsart 1 LED Leuchtmitteltyp Leuchtmittel im Lieferumfang enthalten Lumen Gesamt 2250 Kelvin 2700 6500K Lichtfarbe 900115 datasheet eglo tds ger DE |||


900115 FUEVA-Z Allgemeine Informationen Materialnummer Type Produktsegment
Thema Abmessungen Artikel Hhe in mm Artikel Breite in mm Artikel Lnge in mm
Nettogewicht in kg Material Farbe Gehusematerial Gehusefarbe Glas-/Schirmmaterial
Glas-/Schirmfarbe Funktionalitt Schalterart Funktion Bat...
lang:de score:27 filesize: 1.37 M page_count: 2 document date: 2022-06-26



[pdf]

EGLO connect z 2022 23 eglo kober ws dokumentis manuals |||

2022/23 EGLO CONNECT.Z EGLO CONNECT.Z CONTENTS NOVELTIES* P.010-031 CURRENT ASSORTMENT P.032-091 ... 28, 285 19,5 W 2500 lm Remote, IP44 App , 0AC7F9-jiiedc 285 EGLO CONNECT.Z 67 900114 98845 **900115** 900114 FUEVA-Z surface-mounted light; steel, satin nickel / plastic, white Aufbauleuchte; St... lang:en score:26 filesize: 13.14 M page_count: 120 document date: 2022-03-16




[pdf] Datasheet

EGLO MIDAS CCT přisazený LED panel FUEVA Z matný nikl datasheet KPLED s r o 16 5W 220 240V IP44 210x210mm 900115 eshop kpled cz user Soubory ke stažení MiLight |||

900115 FUEVA-Z Vseobecn informace Cslo vrobku Typ Vrobkov segment Tma Tda energetick cinnosti Rozmry Vska vrobku v mm Ska vrobku v mm Dlka vrobku v mm Cist hmotnost v kg Materil barva Materil tla Barva tla Materil skla/stnidla Barva skla/stnidla Funkcionalita Typ vypnace Funkce Baterie 9...

lang:es score:26 filesize: 1.15 M page_count: 2 document date: 2023-10-17



[pdf]

EGLO MIDAS FUEVA Z 220 240V 50 60Hz Dæmpbar Yes Maks effekt 1 16 5W Lyskilde Fatningstype LED Lyskildetype Inklusiv Lumen samlet Datablad res cloudinary evoleska images c0qjio2ep3pkhxofxkee |||

900115 FUEVA-Z Generel information Materialenummer Type Produktsegment Tema Dimensioner Produktets hjde i mm Produktets bredde i mm Produktets lngde i mm Nettovgt i kg Materiale og farve Materiale Farve Materiale glas/skrn Farve glas/skrn Funktionalitet Stiktype Funktion Batteri **900115** pb...

lang:da score:20 filesize: 1.37 M page_count: 2 document date: 2022-08-12



[\[pdf\]](#)

EGLO connect zExhibitors and products Christmasworld1733130927658 1803477329exhibitorsearch messefrankfurt images original document 10000018202501 389298 1733130927658 1803477329 CONNECT Z 2024 25EGLO zКаталогиExhibitors Christmasworldv1solislux eu site files de6d6a55f0f73d2b9c713a8f24580c72exhibitorsearch ||| ||| 2024/25 EGLO CONNECT.Z DISCOVER THE SMART WORLD EGLO CONNECT.Z 2 OVERVIEW EGLO CONNECT.Z EGLO CONNECT.Z EGLO CONNECT.Z CONNECT-Z SENSOR 11 CONNECT-Z REMOTE 12 CONNECT-Z SWITCH 12 ALFERO-Z 14 MOLOCHIO-Z 14-15 CHIUSELLO-Z 15 ANDREAS-Z 17 ANCH 2024/25 EGLO CONNECT.Z DISCOVER THE SMART WORLD EGLO CONNECT.Z 2 OVERVIEW EGLO CONNECT.Z EGLO CO ... 2500 lm Remote, IP44 App , 0AC7F9-jiiiedc 285 H 28 EGLO CONNECT.Z 81 900114 IP44 98845 IP44 **900115** IP44 900114 FUEVA-Z surface-mounted light; steel, satin nickel / plastic, white Aufbauleucht...

lang:de **score:15** filesize: 30 M page_count: 124 document date: 2024-09-03



[\[pdf\]](#)

EGLO connect z 2022 23 Aktuální katalogy dodávaných značek Dekolamp cz kompri dekolamp files ckeditor Katalogy nové ||| 2022/23 EGLO CONNECT.Z EGLO CONNECT.Z CONTENTS NOVELTIES* P.010-031 CURRENT ASSORTMENT P.032-091 ... 28, 285 19,5 W 2500 lm Remote, IP44 App , 0AC7F9-jiiiedc 285 EGLO CONNECT.Z 67 900114 98845 **900115** 900114 FUEVA-Z surface-mounted light; steel, satin nickel / plastic, white Aufbauleuchte; St...

lang:en **score:15** filesize: 12.2 M page_count: 120 document date: 2022-09-08



[\[pdf\]](#) Catalog

2QR 000746 A Descarga EGLO FUEVA Z LED Luminarias 900109 BDA 00 V01 eglo media catalog product dam ||| 900104 **900115** 900109 6mm E F 2 1 1 2 www.eglo.com 6mm D a d // b c ... G UP ...

lang:en **score:14** filesize: 577.81 K page_count: 1 document date: 2021-03-22



[\[pdf\]](#)

EGLO connect z 2022 23 connect 2022 2023 OUTDOOR 900209 VIGNANELLO venkovní závěsné svítidlo LED 0 06W 2700K 4xAA battery IP44 černá průhledná Feim cz 2 août — offers a wide range of lamps and lighting equipment Select products from the following options according to your needs kompri feim data upload files Katalogy |||

2022/23 EGLO CONNECT.Z EGLO CONNECT.Z CONTENTS NOVELTIES* P.010-031 CURRENT ASSORTMENT P.032-091 ... 28, 285 19,5 W 2500 lm Remote, IP44 App , 0AC7F9-jiiiedc 285 EGLO CONNECT.Z 67 900114 98845 **900115** 900114 FUEVA-Z surface-mounted light; steel, satin nickel / plastic, white Aufbauleuchte; St... lang:en **score:13** filesize: 16.42 M page_count: 120 document date: 2022-06-14



[\[pdf\]](#) Catalog

eglo catalog technic electriccasabrasov ro fisiere cataloage |||

2023/24 TECHNICAL LIGHT SOLUTIONS TECHNISCHE LICHTLSUNGEN SOLUTIONS D CLAIRAGE TECHNIQUE Dear bus ... 9,5 W 2500 lm Remote, IP44 App , 0AC7F9-jiiieje L 285 H 28 B 285 EGLO CONNECT.Z 43 900114 IP44 **900115** IP44 98845 IP44 900114 FUEVA-Z surface-mounted light; steel, satin nickel / plastic, white ...

lang:de **score:13** filesize: 66.15 M page_count: 380 document date: 2024-04-10




[\[pdf\]](#)

Untitled EGLO technické 2023 2024 OUTDOOR 900209 VIGNANELLO venkovní závěsné svítidlo LED 0 06W 2700K 4xAA battery IP44 černá průhledná Feim cz eglo technical 24 kompri feim data upload files Katalogy |||

2023/24 TECHNICAL LIGHT SOLUTIONS TECHNISCHE LICHTLSUNGEN SOLUTIONS D CLAIRAGE TECHNIQUE Dear bus ... 9,5 W 2500 lm Remote, IP44 App , 0AC7F9-jiiieje L 285 H 28 B 285 EGLO CONNECT.Z 43 900114 IP44 **900115** IP44 98845 IP44 900114 FUEVA-Z surface-mounted light; steel, satin nickel / plastic, white ...

lang:de **score:13** filesize: 37.86 M page_count: 380 document date: 2023-04-26



[\[pdf\]](#)

KATTLS21 Aktuální katalogy dodávaných značek Dekolamp cz Eglo technical 2021 22 dekolamp files ckeditor Katalogy nové 2022 |||

2021/22 TECHNICAL LIGHT SOLUTIONS TECHNISCHE LICHTLSUNGEN

SOLUTIONS D CLAIRAGE TECHNIQUE Dear rea ... lanc H 28, 285 21W 2300lm

Remote, IP44 App , 0AC7F9-jiiedc 285 EGLO CONNECT Z 35 900114 IP44 **900115** IP44 98845 IP44 900114 FUEVA-Z surface-mounted light; steel, satin nickel / plastic, white ...

lang:de **score:13** filesize: 21.22 M page_count: 324 document date: 2022-09-08



[\[pdf\]](#)

KATTLS21 EGLO Technical light solutions 2021 22 ƉƉ°ŇƉ°Ɖ»Ɖ¼Ɖ·Ɖ.

bbe7a503ba29d436f810cdc22e9e7ef9 solislux eu site files |||

2021/22 TECHNICAL LIGHT SOLUTIONS TECHNISCHE LICHTLSUNGEN

SOLUTIONS D CLAIRAGE TECHNIQUE Dear rea ... lanc H 28, 285 21W 2300lm

Remote, IP44 App , 0AC7F9-jiiedc 285 EGLO CONNECT Z 35 900114 IP44 **900115** IP44 98845 IP44 900114 FUEVA-Z surface-mounted light; steel, satin nickel / plastic, white ...

lang:de **score:13** filesize: 156.92 M page_count: 324 document date: 2021-09-01



[\[pdf\]](#) Catalog

Interior Lighting 2021 22 Svítidla osvětlení a světla Eglo Dekolamp czEGLO interier 1dekolamp cz files ckeditor Katalogy katalogy nové 2022 EGLO 1 |||

2021/22 INTERIOR LIGHTING WO H N R AU M L EU CH T EN LUMINAIRES

INTRIEURS Dear customers and busi ... blanc H 28, 285 19,5 W 2700 lm Remote,

IP44 App , 0AC7F9-jiiedc 285 EGLO CONNECT Z 55 900114 **900115** 98845 900114 FUEVA-Z surface-mounted light; steel, satin nickel / plastic, white Aufbauleuc...

lang:en **score:12** filesize: 110.99 M page_count: 830 document date: 2022-09-08



[\[pdf\]](#) Catalog

EGLO Interior Lighting 2024 25Каталоги7252edb934c15b282d8c5fd62b49007esolislux eu site files 7252edb934c15b282d8c5fd62b49007e |||

Dear business partners and loyal EGLO Geschtzte Geschäftspartner*innen, treue Chers partenaires com ... 2500 lm Remote, IP44 App , 0AC7F9-jiiedc 285 H 28 EGLO CONNECT.Z 97 900114 IP44 98845 IP44 **900115** IP44 900114 FUEVA-Z surface-mounted light; steel, satin nickel / plastic, white Aufbauleucht...

lang:de **score:11** filesize: 207.75 M page_count: 924 document date: 2024-09-03



[\[pdf\]](#) Catalog

Untitled EGLO interiér 2023 2024 OUTDOOR 900457 MANNERA venkovní dotyková stolní lampička LED V340mm 2 2W 200lm 3000K IP54 černá bílá Feim cz eglo Interior 2023 24 kompri feim data upload files Katalogy |||

Dear business partners and loyal EGLO Geschtzte Geschäftspartner*innen, treue Chers partenaires com ... 285 19,5 W 2500 lm Remote, IP44 App , 0AC7F9-jiiedc 285 H 28 EGLO CONNECT.Z 83 900114 IP44 **900115** IP44 98845 IP44 900114 FUEVA-Z surface-mounted light; steel, satin nickel / plastic, white ...

lang:de **score:11** filesize: 104.11 M page_count: 916 document date: 2023-09-06



[\[pdf\]](#) Catalog

0001 EGLO Interior Lighting 2022 23 ĐĐ°ÑĐ°Đ»Đ¾Đ·Đ_ ac49d57ba2628942341b4ddef105706d solislux eu site files |||

2022/23 INTERIOR LIGHTING WO H N R AU M L EU CH T EN LUMINAIRES INTRIEURS Dear business partners ... H 28, 285 19,5 W 2500 lm Remote, IP44 App , 0AC7F9-jiiedc 285 H 28 EGLO CONNECT.Z 75 900114 **900115** 98845 900114 FUEVA-Z surface-mounted light; steel, satin nickel / plastic, white Aufbauleuc...

lang:de **score:11** filesize: 183.42 M page_count: 876 document date: 2022-07-01



[\[pdf\]](#) Catalog

Interior Lighting 2021 22 Aktuální katalogy dodávaných značek Dekolamp cz EGLO interior 1 dekolamp files ckeditor Katalogy nové 2022 |||

2021/22 INTERIOR LIGHTING WO H N R AU M L EU CH T EN LUMINAIRES INTRIEURS Dear customers and busi ... blanc H 28, 285 19,5 W 2700 lm Remote, IP44 App , 0AC7F9-jiiedc 285 EGLO CONNECT Z 55 900114 **900115** 98845 900114 FUEVA-Z surface-mounted light; steel, satin nickel / plastic, white Aufbauleuc...

lang:en **score:11** filesize: 110.99 M page_count: 830 document date: 2022-09-08



[pdf] Catalog

0001 EGLO interiér 2022 2023 OUTDOOR 900209 VIGNANELLO venkovní závěsné svítidlo LED 0 06W 2700K 4xAA battery IP44 černá průhledná Feim cz interior 2022 23 kompri feim data upload files
 Katalogy |||
 2022/23 INTERIOR LIGHTING WO H N R AU M L EU CH T EN LUMINAIRES
 INTRIEURS Dear business partners ... H 28, 285 19,5 W 2500 lm Remote, IP44 App ,
 0AC7F9-jiiiedc 285 H 28 EGLO CONNECT.Z 75 900114 **900115** 98845 900114
 FUEVA-Z surface-mounted light; steel, satin nickel / plastic, white Aufbauleuc...
 lang:de score:10 filesize: 79.1 M page_count: 876 document date: 2022-10-07



[pdf] Catalog

EGLO MIDAS Fiche de catalogue Eglo 900115 Luminaire salle bain à intensité variable FUEVA Z LED
 16 5W 230V IP44 Lumima EG900115 ALL lumimania fr ImgGalery Img1 PORT destination Katalogový list
 |||
 Powered by TCPDF www.tcpdf.org ...
 lang:de score:10 filesize: 123.41 K page_count: 2 document date: 2022-02-28