

Brightever 3667-P5-WDBK

Brightever 5-Light Farmhouse Kitchen Island Lighting User Manual

Model: 3667-P5-WDBK

1. INTRODUCTION

Thank you for choosing the Brightever 5-Light Farmhouse Kitchen Island Lighting fixture. This manual provides essential information for the safe and correct installation, operation, and maintenance of your new lighting fixture. Please read these instructions thoroughly before beginning installation and retain them for future reference.



Figure 1: Brightever 5-Light Farmhouse Kitchen Island Lighting

2. SAFETY INFORMATION

WARNING: To reduce the risk of fire, electric shock, or personal injury, always follow these safety precautions:

- **Disconnect Power:** Always turn off the power at the main circuit breaker or fuse box before beginning installation or performing any maintenance.
- **Qualified Electrician:** If you are unsure about the installation process, consult a qualified electrician.
- **Grounding:** Ensure the fixture is properly grounded to avoid potential electric shock.
- **Bulb Wattage:** Do not exceed the maximum wattage specified for the bulbs (Max 60W per bulb, 100W total).
- **Handle with Care:** The fixture contains glass components; handle with care to prevent breakage.
- **Indoor Use Only:** This fixture is designed for indoor use in dry locations. Do not expose to water or moisture.

3. PACKAGE CONTENTS

Verify that all components are present before beginning installation. If any parts are missing or damaged, contact Brightever customer service.

- Fixture Body with Wood Frames
- Adjustable Rods (8 detachable rods)
- Canopy/Ceiling Plate
- Mounting Hardware (screws, wire nuts, mounting bracket)



Figure 2: Included Mounting Parts

4. SPECIFICATIONS

Brand	Brightever
Model Name	3667-P5-WDBK
Color	Wood
Material	Metal, Wood
Style	Farmhouse/Rustic/Retro/Industrial/Country
Light Fixture Form	Island
Product Dimensions	41.5"L x 9.5"W x 53"H (Adjustable)
Indoor/Outdoor Usage	Indoor
Power Source	Corded Electric
Installation Type	Semi Flush Mount
Special Features	5-Light, Anti-corrosion Black Metal Finish, Wood Frameworks, Adjustable 5 Wood Boxes, Dimmable
Light Source Type	Halogen (adaptable with LED, CFL, Incandescent, Flame)
Number of Light Sources	5
Voltage	120 Volts
Wattage	Max 60W per bulb
Bulb Base	E26

Assembly Required

Yes



Figure 3: Size Information

5. SETUP AND INSTALLATION

Follow these steps carefully for proper installation. Ensure power is disconnected before starting.

1. **Prepare Wiring:** Connect the fixture's wires to your household wiring according to local electrical codes. Secure connections with wire nuts.
2. **Assemble Fixture Body:** Screw the five individual wood frames onto the main horizontal bar of the fixture.
3. **Install Rods:** Attach the desired number of detachable rods to achieve your preferred hanging height. Guide the electrical wire through the rods. The fixture offers 4 adjustable hanging heights ranging from 17.3 inches to 52.8 inches.
4. **Mount Canopy:** Secure the mounting bracket to your ceiling junction box. Connect the fixture's wires to the ceiling wires, then attach the canopy plate to the mounting bracket, ensuring all wires are tucked safely inside.

5. **Install Bulbs:** Insert five E26 base bulbs (not included) into the sockets. Compatible bulb types include LED, CFL, Incandescent, Flame, and Halogen, with a maximum of 60 watts per bulb.



Figure 4: Installation Steps Overview



Figure 5: Adjustable Hanging Heights



Figure 6: Standard E26 Socket

6. OPERATING INSTRUCTIONS

Once installed and bulbs are in place, restore power to the fixture at the circuit breaker.

- **Turning On/Off:** Operate the light using your wall switch.
- **Dimmable Functionality:** This fixture is fully dimmable when used with compatible dimmer switches and dimmable E26 bulbs. Ensure both the switch and bulbs are rated for dimming.
- **Adjustable Wood Boxes:** The five wood boxes are designed to rotate from 0-90 degrees, allowing you to customize the light's appearance and direction.



Figure 7: Suggested E26 Bulb Types

7. MAINTENANCE

Regular maintenance ensures the longevity and optimal performance of your lighting fixture.

- **Cleaning:** Disconnect power before cleaning. Use a soft, dry cloth to wipe the fixture. Do not use abrasive cleaners or solvents, as they may damage the finish. The open box design facilitates easy cleaning.
- **Bulb Replacement:** Disconnect power before replacing bulbs. Allow bulbs to cool completely before touching. Replace with E26 base bulbs of the correct wattage.
- **Inspection:** Periodically inspect the wiring and connections for any signs of wear or damage. If any issues are found, consult a qualified electrician.

8. TROUBLESHOOTING

If you encounter issues with your fixture, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Light does not turn on	<ul style="list-style-type: none">• Power is off at the circuit breaker.• Loose wire connections.• Faulty bulb.	<ul style="list-style-type: none">• Check circuit breaker and wall switch.• Ensure all wire connections are secure (with power off).• Replace bulb with a new, working one.
Light flickers	<ul style="list-style-type: none">• Loose bulb.• Incompatible dimmer switch or bulb.• Loose wiring.	<ul style="list-style-type: none">• Tighten bulb securely.• Ensure dimmer switch and bulbs are compatible and rated for dimming.• Check wiring connections (with power off).
Humming noise from fixture	<ul style="list-style-type: none">• Incompatible dimmer switch or bulb.	<ul style="list-style-type: none">• Ensure dimmer switch and bulbs are compatible and rated for dimming.

If the problem persists after attempting these solutions, consult a qualified electrician.

9. WARRANTY AND SUPPORT

This Brightever lighting fixture comes with a limited warranty. For specific details regarding warranty coverage, terms, and conditions, please refer to the documentation provided at the time of purchase or contact Brightever customer service.

For technical support or inquiries, please visit the official Brightever store or contact their customer service department. Contact information is typically available on the product packaging or the Brightever website.