

MOOONICHE ZH101

MOOONICHE 42-Inch Crystal Retractable Ceiling Fan with Light and Remote

Model: ZH101

1. PRODUCT OVERVIEW

The MOOONICHE 42-inch Crystal Retractable Ceiling Fan (Model ZH101) combines the functionality of a ceiling fan with the aesthetic of a chandelier. It features four retractable acrylic blades that extend when the fan is in use and retract discreetly when turned off. The integrated LED light offers dimmable options and three color temperature changes (Cool, Neutral, Warm). Control is managed via a high-sensitivity remote control or a dedicated mobile application, providing six variable speeds, a natural wind function, timing settings, and reversible airflow for year-round comfort.

2. SAFETY INFORMATION

- Always turn off the power at the circuit breaker before installation, cleaning, or maintenance.
- Ensure all electrical connections comply with local codes and ordinances. If you are unsure about wiring, consult a qualified electrician.
- Mount the fan to a ceiling joist or a securely supported structure capable of supporting the fan's weight.
- Do not bend the blade holders during installation, balancing, or cleaning.
- Keep children away from the fan when it is operating.
- Do not insert objects into the path of the fan blades.
- This product is designed for indoor use only.

3. PACKAGE CONTENTS

Verify that all components are present before beginning installation:

- Motor base
- Fan blades (retractable)
- Crystal lampshade components

- Two downrods (5 inches and 8 inches)
- Remote Control
- Mounting hardware and accessories
- User Manual

4. SPECIFICATIONS

Feature	Detail
Brand	MOOONICHE
Model Name	ZH101
Size	42 inches (when blades extended)
Color	Gold
Material	Metal (frame), Acrylic (fan blade), Crystal (lampshade)
Style	Modern
Light Source Type	LED
Light Color Temperature	3000K (Warm), 4500K (Neutral), 6500K (Cool)
Dimmability	Yes (adjustable brightness)
Fan Speeds	6 variable speeds + Natural Wind function
Control Method	Remote Control & Mobile APP
Motor	Pure Copper, Silent Operation (approx. 35dB at max speed)
Power Source	Corded Electric, 120 Volts
Wattage	35 watts
Mounting Type	Downrod Mount (includes 5-inch and 8-inch downrods)
Estimated Yearly Energy Cost	\$9 (based on 12 cents/kWh and 6.4 hours/day use)

Product Dimensions


PRODUCT SPECIFICATION



Remote Control




Reversible



Dimmable



Silent



Timer



6 Wind Speed

Image Description: A detailed diagram illustrating the dimensions of the MOOONICHE 42-inch crystal ceiling fan. It shows the overall height of 22.2 inches (56.5 cm), the light fixture diameter of 18 inches (46 cm), and the full fan diameter of 42 inches (106 cm) when blades are extended. Two downrod options, 5 inches and 8 inches, are also depicted.

Energy Guide

ENERGYGUIDE

Estimated
Yearly Energy Cost
\$9



Cost Range of Similar Models (19" - 83")

- Based on 12 cents of per kWh and 6.4 hours use per day
- **Your cost depends on rates and use**
- Energy Use: 35 Watts

Airflow
2,280

Cubic Feet Per Minute

- The higher the airflow, the more air the fan will move
- Airflow efficiency: 89 Cubic Feet Per Minute Per Watt

All estimates based on typical use, excluding lights

ftc.goc/energy

Image Description: An Energy Guide label indicating an estimated yearly energy cost of \$9 for the fan, with an airflow of 2,280 Cubic Feet Per Minute. It notes that the energy use is 35 Watts and that costs depend on rates and use.

5. INSTALLATION

Installation typically takes 15-30 minutes. For safety and optimal performance, professional installation is recommended. Ensure the power is disconnected at the circuit breaker before starting.


Key Components for Installation



Low Speed Comfortable Sleep



Medium Speed Natural Ventilation



High Speed Strong Wind Refreshing

Image Description: An exploded view highlighting the key components of the MOOONICHE ceiling fan. This includes the stable metal canopy, two downrods of different lengths, the pure copper motor, clear retractable blades, and the sparkling K9 crystal elements that form the light fixture.

Installation Overview



Image Description: A comprehensive overview detailing the fan's dimensions, construction materials (metal frame, acrylic blades, crystal lampshade), recommended room size (75 to 144 sq.ft), control options (remote and app), downrod mount type, modern style, estimated 15-30 minute installation time, and gold finish.

6. OPERATING INSTRUCTIONS

Your MOOONICHE ceiling fan can be operated using the included remote control or a dedicated mobile application.

Remote and App Control

ALL-IN-ONE APP CONTROL



Image Description: This image displays both the physical remote control and a smartphone screen showing the control application. It highlights various functions including dimmable lighting, sleep mode, reversible fan direction, time setting, and six wind speed options, emphasizing comprehensive control.



Image Description: A graphic detailing the comprehensive control options available via both the mobile app and the remote control.

Features include adjustable color temperature and wind speed, 6 distinct wind speeds, a timer function, brightness control, dimmable lighting, a sleep mode, and a reversible fan function.

Light Settings

The integrated LED light offers three color temperature options and is fully dimmable:

- **Cool White (6000K):** Bright, crisp light for tasks.
- **Neutral White (4500K):** Balanced light for general illumination.
- **Warm White (3000K):** Soft, inviting light for relaxation.

Adjust brightness from 20% to 100% to suit your preference.

STEPLESS COLOUR CHANGE



Cool white

6000K



Neutral white

4500K



Warm white

3000K

Color of light can be changed by remote control.

Image Description: A visual representation of the three available light color temperatures: Cool white (6000K), Neutral white (4500K), and Warm white (3000K). Each setting is shown on the ceiling fan, demonstrating the distinct ambiance created by each color.


FAN DIMENSIONS		MATERIAL	
		FRAME	METAL
		FAN BLADE	ACRYLIC
		LAMPSHADE	CRYSTAL
ROOM SIZE 75 to 144 sq.ft	REMOTE CONTROL TYPE	MOUNT TYPE	STYLE
	 +  Remote Control APP Control	DOWNROD MOUNT	MODERN
		INSTALLATION	FINISH
		15-30 MINUTES	GOLD

Image Description: This graphic illustrates the adjustable light features of the fan, including three color temperature options (6500K, 4500K, 3000K) and a brightness slider that allows adjustment from 20% to 100% intensity.

Fan Operation and Modes

The fan features six variable speeds and a natural wind function for customized airflow. The reversible motor allows for seasonal use:

- **Summer Mode (Downward Airflow):** Creates a cooling effect by pushing air down.
- **Winter Mode (Upward Airflow):** Circulates warm air near the ceiling, improving heat distribution.




Image Description: A diagram visually explaining the reversible airflow feature. It shows blue arrows indicating downward airflow for cooling during summer and orange arrows indicating upward airflow to circulate warm air during winter.



Image Description: This graphic illustrates the versatility of the fan's speed settings, suggesting optimal uses for each: Low Speed for comfortable sleep, Medium Speed for natural ventilation, and High Speed for strong, refreshing airflow.

Quiet Operation

The fan is designed with a silent motor, operating at approximately 35dB at maximum speed, ensuring minimal disturbance.



Image Description: An image depicting a baby sleeping soundly, with the ceiling fan visible in the background. Text overlays emphasize the fan's quiet operation at 35dB (at maximum speed), along with features like time setting and a silent motor.

Product Features Overview

FEATURES



▲ Silent Motor

◀ Retractable Blades

Shining K9 Crystal ▶



Image Description: A collage of close-up images showcasing key features of the fan: the silent motor, the clear retractable blades, and the sparkling K9 crystal elements that adorn the light fixture.

Product Video

Your browser does not support the video tag.

Video Description: This video provides a brief overview of the MOOONICHE 42-inch gold fandelier ceiling fan, demonstrating its light functions, retractable blades, and overall aesthetic. It showcases the fan in operation, highlighting its unique design and features.

7. MAINTENANCE

Regular maintenance ensures the longevity and optimal performance of your ceiling fan.

- **Cleaning:** Turn off the power before cleaning. Use a soft, damp cloth to wipe down the motor housing and blades. For the crystal components, use a soft, lint-free cloth, possibly dampened with a mild glass cleaner, taking care not to spray directly onto electrical parts.
- **Blade Inspection:** Periodically check the fan blades for any signs of damage or imbalance.
- **Tightening Screws:** Over time, screws may loosen. Periodically check and tighten all screws on the motor housing and mounting bracket.

8. TROUBLESHOOTING

If you encounter issues with your fan, refer to the following common solutions:

Problem	Possible Cause	Solution
Fan does not start	No power to the fan; Loose wire connections; Remote control battery low.	Check circuit breaker; Verify all wiring connections are secure; Replace remote control batteries.
Light does not work	No power to the light; LED driver issue; Remote control battery low.	Check power supply; Contact customer support if LED driver is suspected; Replace remote control batteries.
Remote control not working	Batteries are dead; Remote not paired with fan; Obstruction between remote and receiver.	Replace batteries; Follow pairing instructions in the full manual; Ensure clear line of sight.
Excessive wobbling	Loose mounting screws; Unbalanced blades.	Tighten all mounting screws; Use a blade balancing kit (not included) if necessary.

9. WARRANTY AND SUPPORT

Warranty Information

All MOOONICHE products come with a one-year warranty that covers normal wear and tear. Please retain your proof of purchase for warranty claims.

Customer Support

MOOONICHE is committed to providing quality products and ensuring customer satisfaction. If you encounter any issues with the installation or operation of the fan, or if you cannot find the installation instructions, our professional team is available to help. Please contact us via email for prompt and professional after-sales service.