

Vacmaster VDK611PF 0201

Vacmaster Professional 6 Gallon 4.5 Peak HP Wet/Dry Vacuum

Model: VDK611PF 0201

1. SAFETY INFORMATION

Please read and understand all safety warnings and operating instructions before using this wet/dry vacuum. Failure to follow the warnings and instructions may result in electric shock, fire, and/or serious injury.

1.1 General Safety Warnings

- Always wear safety glasses and hearing protection when operating the vacuum.
- Do not leave the vacuum unattended when plugged in. Unplug from outlet when not in use and before servicing.
- Do not use to pick up flammable or combustible liquids, such as gasoline, or use in areas where they may be present.
- Do not pick up anything that is burning or smoking, such as cigarettes, matches, or hot ashes.
- Keep hair, loose clothing, fingers, and all parts of body away from openings and moving parts.
- Do not use with a damaged cord or plug. If the vacuum is not working as it should, has been dropped, damaged, left outdoors, or dropped into water, return it to a service center.
- Do not pull or carry by cord, use cord as a handle, close a door on cord, or pull cord around sharp edges or corners. Keep cord away from heated surfaces.

1.2 Electrical Safety

- This appliance is for household use only.
- Do not expose to rain. Store indoors.
- Do not unplug by pulling on cord. To unplug, grasp the plug, not the cord.
- Do not handle plug or appliance with wet hands.
- Use only as described in this manual. Use only manufacturer's recommended attachments.

2. PACKAGE CONTENTS

Carefully unpack your Vacmaster Professional Wet/Dry Vacuum and all included accessories. Ensure all items listed below are present and undamaged.



NOTE: The hose and accessories for this vacuum are 1-7/8" (4.76cm) diameter.

Image: The Vacmaster Professional Wet/Dry Vacuum shown with its complete set of accessories, including the hose, extension wands, various nozzles, and filters.

- Vacmaster Professional 6 Gallon 4.5 Peak HP Wet/Dry Vacuum Unit
- 1-7/8-inch x 7-foot EVA Hose
- 2 Extension Wands
- Floor Brush/Squeegee Nozzle
- Utility Nozzle
- Crevice Tool
- Dust Bag
- Fine Dust Cartridge Filter
- Foam Wet Filter

3. PRODUCT OVERVIEW

Familiarize yourself with the different components of your wet/dry vacuum for optimal use and maintenance.

6 GALLON*

4.5 PEAK HP†

1-7/8"
7ft EVA Hose



Image: A detailed diagram highlighting key parts of the vacuum, including the power head, collection tank, latches, ports, handle, and wheels.

- **Power Head:** Contains the motor, filter cleaning button, and On/Off switch.
- **Handle:** For easy portability and transport.
- **On/Off Switch:** Controls power to the unit.
- **Filter Cleaning Button:** Activates the self-cleaning filter system.
- **Vacuum Port:** Where the hose connects for vacuuming.
- **Blower Port:** Where the hose connects for blowing debris.
- **Collection Tank:** Holds collected wet or dry debris.
- **Latches:** Secure the power head to the collection tank.
- **Drain Port:** For easy emptying of liquids.
- **Casters:** Swivel wheels for maneuverability.
- **Accessory Storage:** Integrated storage for tools and hose.

4. ASSEMBLY

Follow these steps to assemble your wet/dry vacuum before first use.

4.1 Attaching Casters

1. Invert the collection tank to access the caster mounting points.
2. Insert each caster stem into the corresponding hole on the bottom of the tank.
3. Secure each caster with the provided screws. Ensure they are firmly attached.

4.2 Installing Handle

1. Align the handle with the designated slots on the power head.
2. Push the handle firmly into place until it clicks or is securely seated.
3. If applicable, secure with any provided screws.

5. OPERATION

Your Vacmaster Professional Wet/Dry Vacuum is designed for versatile cleaning tasks. Understand the different modes of operation.

5.1 Dry Vacuuming

1. Ensure the fine dust cartridge filter and dust bag are properly installed.
2. Connect the hose to the vacuum port on the front of the power head.
3. Attach the desired accessory (e.g., Floor Brush/Squeegee Nozzle, Utility Nozzle, Crevice Tool) to the end of the hose or extension wands.
4. Plug the power cord into a grounded electrical outlet.
5. Turn the On/Off switch to the 'ON' (I) position to begin vacuuming dry debris.



Image: Demonstrates the utility nozzle, crevice tool, and floor brush/squeegee nozzle being used for different cleaning applications.

5.2 Wet Vacuuming

1. **Remove the dust bag and cartridge filter.** Install the foam wet filter over the filter cage.
2. Connect the hose to the vacuum port.
3. Attach the desired accessory. The Floor Brush/Squeegee Nozzle is often suitable for wet pickup.
4. Plug the power cord into a grounded electrical outlet.
5. Turn the On/Off switch to the 'ON' (I) position to begin vacuuming liquids.
6. When the tank is full, the suction will automatically shut off. Turn off the vacuum, unplug it, and empty the tank using the drain port.

5.3 Blower Function

1. Ensure the tank is empty and clean.
2. Remove the hose from the vacuum port.
3. Insert the hose into the blower port located on the rear of the power head.
4. Plug the power cord into a grounded electrical outlet.

5. Turn the On/Off switch to the 'ON' (I) position to use as a powerful blower for clearing debris.

5.4 Self-Cleaning Filter System

This system helps maintain optimal suction by clearing dust from the filter without manual intervention.



Image: A hand pressing the yellow filter cleaning button on top of the vacuum's power head, indicating the activation of the self-cleaning function.

1. While the vacuum is running and you notice a decrease in suction, press the yellow filter cleaning button located on the power head.
2. Hold the button down for a few seconds. This will reverse the airflow momentarily, dislodging dust from the cartridge filter.
3. Release the button. Suction power should be restored. Repeat as necessary during operation.

6. MAINTENANCE

Regular maintenance ensures the longevity and optimal performance of your wet/dry vacuum.

6.1 Filter Care

- **Cartridge Filter (Dry Use):** Regularly check for clogs. Tap gently to remove loose dust. For heavy buildup, rinse with water and allow to air dry completely before reinstallation. Do not use for wet pickup.
- **Foam Wet Filter (Wet Use):** After wet pickup, remove the foam filter, rinse thoroughly with water, and allow to air dry completely before storing or next use.
- **Dust Bag (Dry Use):** Replace the dust bag when it is full or when suction significantly decreases.

6.2 Tank Cleaning

- After each use, especially wet pickup, empty the collection tank.
- Rinse the inside of the tank with water to remove any residue.
- Wipe the tank dry or allow it to air dry before storing to prevent odors and mildew.

7. TROUBLESHOOTING

Refer to this table for common issues and their solutions.

Problem	Possible Cause	Solution
Vacuum will not turn on.	No power to outlet; Power cord damaged; On/Off switch faulty.	Check power outlet; Inspect power cord for damage; Contact customer support.
Reduced suction power.	Clogged filter; Full dust bag/tank; Hose/accessories clogged; Loose hose connection.	Clean or replace filter; Empty dust bag/tank; Clear hose/accessories; Secure hose connection. Use filter cleaning system.
Motor runs, but no suction.	Hose not connected to vacuum port; Hose or accessory is blocked.	Ensure hose is firmly in vacuum port; Clear any blockages in hose or accessories.
Water coming from exhaust.	Tank is full during wet pickup; Foam wet filter not installed.	Empty tank; Ensure foam wet filter is correctly installed for wet pickup.

8. SPECIFICATIONS

Technical details for the Vacmaster Professional 6 Gallon 4.5 Peak HP Wet/Dry Vacuum.


Feature	Detail
Brand	Vacmaster
Model Name	VDK611PF 0201
Capacity	6 Gallons
Motor Horsepower	4.5 Peak HP
Hose Length	7 feet (2.1 Meters)
Amperage	11 Amps


Feature	Detail
Noise Level	72 dB
Product Dimensions	13.38"L x 13.2"W x 21.85"H
Item Weight	18.81 pounds
Filter Type	Cartridge, Foam Wet Filter
Special Feature	Wet/Dry, Self-Cleaning Filter System

9. WARRANTY AND SUPPORT

Vacmaster products are manufactured with high-quality materials and craftsmanship. This product is covered by a limited warranty against defects in material and workmanship. For specific warranty details, registration, or technical support, please refer to the warranty card included with your product or visit the official Vacmaster website. Keep your purchase receipt as proof of purchase.

Related Documents


	<p>Vacmaster VJF608PF 0201 6 Gallon Wet/Dry Vacuum Operator's Manual</p> <p>Operator's manual for the Vacmaster VJF608PF 0201 6 Gallon Wet/Dry Vacuum, covering safety instructions, assembly, operation, maintenance, and troubleshooting.</p>
	<p>Vacmaster VJE1412SW 0201 Wet/Dry Vacuum Operator's Manual: Safety, Operation, Maintenance Guide</p> <p>Download the Vacmaster VJE1412SW 0201 Wet/Dry Vacuum Operator's Manual. Get detailed instructions on safe operation, assembly, dry/wet vacuuming, blower use, maintenance, and troubleshooting. Find official Vacmaster accessories and parts at Vacmaster.com.</p>
	<p>Vacmaster VQ1530SFDC Wet and Dry Vacuum Cleaner Operator's Manual</p> <p>Comprehensive operator's manual for the Vacmaster VQ1530SFDC 1500W 30L wet and dry vacuum cleaner, including safety instructions, specifications, assembly, operation (dry, wet, blowing), maintenance, and troubleshooting.</p>



[Vacmaster VQ1530SFDC Wet and Dry Vacuum Cleaner: Powerful 30L 1500W Shop Vac](#)

Explore the Vacmaster VQ1530SFDC, a versatile 30L 1500W wet and dry vacuum cleaner designed for effective cleaning of liquids and dry debris. This comprehensive user manual provides essential safety information, assembly instructions, operation guidelines, maintenance tips, and troubleshooting solutions for optimal performance and longevity.

Documents - Vacmaster – VDK611PF 0201



[\[pdf\] User Manual Instructions Warranty Accessories](#)

User Manual Vacmaster VDK611PF 0201 6 Gallon Wet Dry Shop Vacuum with Filter Cleaning System
Tools Home Improvement C1hRhubJsHS m media amazon images I |||

Wet/Dry Vacuum Operator s Manual 6 Gallon Model No. **VDK611PF 0201** FOR
YOUR SAFETY Read and understand this manual before use. Keep this manual for
future reference. Suzhou Cleva Electric Appliance Co., Ltd. NO.8 Ting Rong Street
215122 Suzhou, China Replacement Filters Accessories available at:...

lang:en score:44 filesize: 7.31 M page_count: 18 document date: 2021-08-03