

WYZE LAOVER Small Dehumidifier for Home

WYZE LAOVER Small Dehumidifier for Home User Manual

Model: LAOVER Small Dehumidifier for Home

INTRODUCTION

This manual provides essential instructions for the safe and efficient operation, maintenance, and troubleshooting of your WYZE LAOVER Small Dehumidifier for Home. Please read this manual thoroughly before using the appliance and retain it for future reference.

The WYZE LAOVER Small Dehumidifier is designed to remove excess moisture from the air in small to medium-sized rooms, helping to prevent mold, mildew, and musty odors. Its compact design and quiet operation make it suitable for various indoor environments.

SAFETY INSTRUCTIONS

To reduce the risk of fire, electric shock, or injury, always follow these basic safety precautions:

- Ensure the power supply voltage matches the rating label on the dehumidifier.
- Do not operate the dehumidifier with a damaged cord or plug. If the cord is damaged, it must be replaced by the manufacturer or a qualified service agent.
- Do not immerse the appliance, cord, or plug in water or other liquids.
- Keep the dehumidifier away from heat sources, direct sunlight, and flammable materials.
- Always place the dehumidifier on a stable, level surface.
- Do not block the air inlet or outlet. Maintain at least 10 cm (4 inches) clearance around the unit.
- Unplug the dehumidifier before cleaning, performing maintenance, or when not in use for extended periods.
- This appliance is not intended for use by persons (including children) with reduced physical, sensory, or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.

- Children should be supervised to ensure they do not play with the appliance.

PRODUCT OVERVIEW

Familiarize yourself with the main components of your dehumidifier:



Image: The WYZE LAOVER Small Dehumidifier in operation, illustrating 360-degree airflow and the visible water collection tank. It shows the unit effectively reducing humidity from 80% to 45% in a room.

- **Air Inlet Grille:** Where humid air enters the unit.

- **Air Outlet Grille:** Where dry air is expelled.
- **Control Panel:** Buttons for power, light, and mode selection.
- **Water Tank:** Collects condensed moisture. Transparent for easy monitoring.
- **Power Cord:** For connecting to an electrical outlet.
- **Removable Filter:** Located at the back or side, for trapping dust particles.

Not Only a Dehumidifier

Comes with 7 colorful LED lights which can create a romantic atmosphere for you.



Image: The dehumidifier displaying its 7 colorful LED lights, which can be used to create ambient lighting.

Removable and Washable Dust Proof Filter

Effectively block dust and bring fresh air



Image: A close-up view of the dehumidifier's side panel opened, revealing the removable and washable dust-proof filter, with an illustration of it being cleaned under running water.

SETUP

1. **Unpack:** Carefully remove the dehumidifier from its packaging. Retain packaging for future storage or transport.
2. **Placement:** Place the dehumidifier on a firm, level surface in the desired room. Ensure there is at least 10 cm (4 inches) of clear space around all sides of the unit for proper airflow. Do not place it against a wall or near furniture that could obstruct the air inlets or outlets.
3. **Power Connection:** Plug the power cord into a suitable electrical outlet. Ensure the outlet meets the power requirements specified on the appliance's rating label.
4. **Water Tank:** Ensure the water tank is correctly inserted into the unit. The dehumidifier will not operate if the tank is not properly seated or is full.

OPERATING INSTRUCTIONS

Follow these steps to operate your dehumidifier:

1. **Power On:** Press the Power button on the control panel to turn on the dehumidifier. The unit will

start operating in its default mode.

2. **Mode Selection:** If available, press the Mode button to cycle through different operating modes (e.g., Automatic, Sleep). The "Automatic" mode adjusts operation based on ambient humidity. In "Sleep" mode, the LED lights may dim or turn off, and the fan speed might reduce for quieter operation (noise level less than 30dB).
3. **LED Light Control:** Press the Light button to turn on or off the colorful LED lights. You can cycle through different colors or turn them off completely.
4. **Water Tank Full Indicator:** When the water tank is full, the dehumidifier will automatically shut off, and an indicator light will illuminate. Empty the water tank as described in the Maintenance section.
5. **Power Off:** Press the Power button again to turn off the dehumidifier.

MAINTENANCE

Regular maintenance ensures optimal performance and extends the lifespan of your dehumidifier.

Emptying the Water Tank

1. When the water tank is full, the dehumidifier will stop operating, and the "Full" indicator light will turn on.
2. Gently pull out the water tank from the front or bottom of the unit.
3. Carefully carry the tank to a sink and pour out the collected water.
4. Rinse the tank with clean water if necessary. Do not use harsh detergents or abrasive cleaners.
5. Reinsert the empty water tank firmly back into the dehumidifier. Ensure it clicks into place. The dehumidifier will resume operation.

Cleaning the Air Filter

The air filter should be cleaned every two weeks or more frequently depending on usage and air quality.

1. Unplug the dehumidifier from the power outlet.
2. Locate the filter cover (usually on the back or side) and open it.
3. Carefully remove the air filter.
4. Clean the filter using a vacuum cleaner to remove dust and debris. For a more thorough cleaning, wash the filter gently under running water.
5. Allow the filter to air dry completely before reinserting it. Do not use a dryer or direct heat.
6. Place the dry filter back into its slot and close the cover.
7. Plug the dehumidifier back in.

Cleaning the Exterior

Wipe the exterior of the dehumidifier with a soft, damp cloth. Do not use abrasive cleaners, solvents, or spray directly onto the unit.

TROUBLESHOOTING

Problem	Possible Cause	Solution
---------	----------------	----------

Problem	Possible Cause	Solution
Dehumidifier does not turn on.	No power supply. Water tank is full or not properly inserted.	Check if the power cord is securely plugged into a working outlet. Empty the water tank and ensure it is correctly seated.
No water collected or low dehumidification.	Room temperature or humidity is too low. Air filter is clogged. Air inlets/outlets are blocked. Unit size is too small for the room.	Dehumidifiers are most effective in temperatures above 15°C (59°F) and relative humidity above 40%. Clean the air filter. Ensure there is adequate clearance around the unit. Consider using the unit in a smaller area.
Unit is noisy.	Unit is not on a level surface. Air filter is dirty.	Place the unit on a stable, level surface. Clean the air filter.

SPECIFICATIONS



Image: Diagram showing the dimensions of the WYZE LAOVER Small Dehumidifier: approximately 25cm in height, 15cm in width, and 13cm in depth.

Brand	WYZE
Model Number	LAOVER Small Dehumidifier for Home
Manufacturer	LAOVER
Floor Area Coverage	Up to 280 Square Feet
Water Tank Capacity	1000 Milliliters (1 Liter)
Item Weight	1.3 kg
Wattage	36 Watts
Operation Mode	Automatic
Color	White

WARRANTY AND SUPPORT

This product comes with a standard manufacturer's warranty. For specific warranty terms and conditions, please refer to the documentation included with your purchase or contact the manufacturer directly.

For technical support, troubleshooting assistance, or to inquire about replacement parts, please contact WYZE customer service through their official website or the contact information provided in your purchase documentation.