

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Sensea](#) /

› [SENSEA Easy Bathroom Vanity Unit with Sink - L. 70 cm - Natural Oak Effect Instruction Manual](#)

Sensea localization_B09GVTJZH2

SENSEA Easy Bathroom Vanity Unit with Sink - L. 70 cm - Natural Oak Effect

Model: localization_B09GVTJZH2

INTRODUCTION

This manual provides detailed instructions for the assembly, installation, operation, and maintenance of your SENSEA Easy Bathroom Vanity Unit with Sink. Please read all instructions carefully before beginning installation and retain this manual for future reference.

SAFETY INFORMATION

WARNING: Follow the provided installation instructions carefully for safe use and to prevent injury or damage. Improper installation can lead to instability and potential hazards.

- Always ensure the unit is securely fixed to the wall using appropriate fasteners for your wall material.
- Do not overload drawers or shelves.
- Keep small parts away from children during assembly.
- If any parts are missing or damaged, do not proceed with assembly. Contact customer support.

PACKAGE CONTENTS

Verify that all components are present before starting assembly. The package should contain:

- Vanity cabinet (70 cm width, Natural Oak Effect)
- Ceramic sink with integrated overflow
- Adjustable feet (4 units)
- Drawer slides and soft-closing mechanisms
- Assembly hardware (screws, dowels, etc. for cabinet assembly)
- Instruction manual

Note: Wall mounting hardware (screws, washers, wall plugs suitable for your wall material), faucet, and drain assembly (e.g., sliding or click-clack drain) are **not included** and must be purchased separately.



Figure 1: Close-up view of the white ceramic sink, showing the faucet hole and integrated overflow.

SETUP AND INSTALLATION

The SENSEA Easy Bathroom Vanity Unit is designed for straightforward assembly and wall-mounted installation. Follow the steps below and refer to the included assembly guide for detailed diagrams.

Tools Required (Not Included):

- Screwdriver (Phillips and Flathead)
- Drill with appropriate bits for wall material
- Level
- Measuring tape
- Pencil
- Safety glasses

Assembly Steps:

1. **Unpack and Inspect:** Carefully remove all components from the packaging. Check for any damage or missing parts.
2. **Assemble the Cabinet:** Follow the step-by-step instructions in the provided assembly guide to construct the vanity cabinet. Ensure all connections are secure.
3. **Install Adjustable Feet:** Attach the four adjustable feet to the bottom of the cabinet. Adjust their height independently to ensure the

cabinet is level and stable on the floor.

4. **Install Drawers:** Assemble the drawers and install the soft-closing drawer slides according to the instructions. Insert the drawers into the cabinet.
5. **Prepare for Wall Mounting:** Determine the desired height and position for the vanity. Mark the drilling points on the wall, ensuring they are level.
6. **Drill and Secure:** Drill holes in the wall using an appropriate drill bit for your wall material. Insert suitable wall plugs (not included). Secure the vanity to the wall using screws and washers (not included). This step is crucial for stability.
7. **Install Sink:** Carefully place the ceramic sink onto the vanity cabinet. Ensure it is properly aligned. Apply a silicone sealant (not included) around the edges for a watertight seal, if recommended by the sink manufacturer.
8. **Connect Plumbing:** Install the faucet and drain assembly (not included) to the sink. Connect the water supply lines and drain pipe according to local plumbing codes. Check for leaks.




Figure 2: Technical drawing illustrating the dimensions of the SENSEA Easy Bathroom Vanity Unit and sink. Cabinet dimensions are approximately 70 cm (width) x 40 cm (depth) x 79.5 cm (height). Sink dimensions are approximately 71.4 cm (width) x 42.4 cm (depth) x 15.5 cm (height).



Figure 3: Detail showing the soft-closing mechanism for drawers and the adjustable feet for leveling the cabinet.

OPERATING INSTRUCTIONS

The SENSEA Easy Bathroom Vanity Unit is designed for daily use in a bathroom environment. Its primary functions include providing a washbasin and storage space.

- **Using the Sink:** Operate your faucet as per its manufacturer's instructions. The integrated overflow helps prevent water from spilling if the drain is blocked.
- **Using the Drawers:** The unit features two drawers with soft-closing mechanisms. Gently push the drawers to close them; the soft-closing feature will engage automatically to ensure a quiet and smooth closure.
- **Storage:** Utilize the drawers for organizing toiletries, cleaning supplies, and other bathroom essentials. Avoid placing excessively heavy items in the drawers to maintain their smooth operation and structural integrity.



Figure 4: Top-down view of the SENSEA Easy Bathroom Vanity Unit with sink and open drawers, showcasing storage capacity for toiletries.



Figure 5: Complete bathroom setup featuring the SENSEA Easy Bathroom Vanity Unit alongside a matching tall storage cabinet, demonstrating its aesthetic integration into a bathroom space.

MAINTENANCE

Regular cleaning and proper care will ensure the longevity and appearance of your vanity unit.

- **Cabinet Cleaning:** Wipe the engineered wood surfaces with a soft, damp cloth. For stubborn marks, use a mild, non-abrasive cleaner. Avoid harsh chemicals, abrasive pads, or excessive moisture, which can damage the finish.
- **Sink Cleaning:** Clean the ceramic sink with standard bathroom cleaners. Rinse thoroughly after cleaning to prevent residue buildup.
- **Spills:** Immediately wipe up any water spills or splashes on the cabinet surfaces to prevent water damage.
- **Drawer Mechanisms:** Periodically check the drawer slides and soft-closing mechanisms for smooth operation. If needed, clean any dust or debris and apply a silicone-based lubricant sparingly.
- **Adjustable Feet:** Ensure the adjustable feet remain stable and level. Re-adjust if the unit becomes wobbly.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Unit is wobbly or unstable.	Uneven floor; adjustable feet not properly set; wall mounting not secure.	Adjust the height of the individual feet until the unit is stable. Ensure the unit is securely fixed to the wall.
Drawers do not close smoothly or soft-closing mechanism fails.	Obstruction in drawer slides; debris in mechanism; mechanism misalignment.	Check for any objects blocking the drawer slides. Clean the slides and mechanism. Realign the drawer if necessary.
Water leaks from sink or plumbing connections.	Loose plumbing connections; improper sealant application; damaged drain.	Tighten all plumbing connections. Reapply silicone sealant if necessary. Inspect the drain for damage and replace if faulty. Consult a plumber if issues persist.

SPECIFICATIONS

Brand	Sensea
Model Number	localization_B09GVTJZH2
Color	Natural Oak Effect
Product Dimensions (Depth x Width x Height)	Overall: 40 x 70 x 80 cm (approx.); Cabinet: 40 x 70 x 79.5 cm; Sink: 42.4 x 71.4 x 15.5 cm
Item Weight	19.5 kg
Material	Engineered Wood (FSC Certified)
Special Feature	Soft-closing drawers, Adjustable feet
Mounting Type	Wall Mount
Finish Type	Eco-friendly finish
Room Type	Bathroom



Figure 6: Front view of the SENSEA Easy Bathroom Vanity Unit with sink, highlighting FSC certification and overall dimensions.



Figure 7: FSC certification logo, indicating the use of wood from responsible sources in the product's construction.

WARRANTY AND SUPPORT

Specific warranty details are typically provided with your purchase documentation or on the manufacturer's official website. Please refer to those resources for comprehensive warranty information.

For technical assistance, missing parts, or any other inquiries, please contact SENSEA customer support through their official channels. Contact information can usually be found on the product packaging or the brand's website.

