

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

Manuals.plus /

› **TOTALFLOW** /

› TOTALFLOW 2192P Ram 1500 Exhaust Tips User Manual

TOTALFLOW 2192P

TOTALFLOW 2192P Ram 1500 Exhaust Tips User Manual

Model: 2192P | Brand: TOTALFLOW

1. PRODUCT OVERVIEW

The TOTALFLOW 2192P Exhaust Tips are designed to enhance the appearance and sound of your 2019-2024 5th Generation Ram 1500 with factory dual exhaust. Crafted from premium 304 stainless steel, these 5-inch polished, double-wall, angle-cut tips offer superior durability and corrosion resistance. They are engineered for a direct, clamp-on fit, requiring no welding for installation.



Figure 1: TOTALFLOW 2192P Ram 1500 Exhaust Tips (Set of 2)

This image displays the two polished stainless steel exhaust tips, showcasing their double-wall and angle-cut design, ready for installation.

2. SPECIFICATIONS

Feature	Detail
Model Number	2192P
Material	304 Stainless Steel
Finish	Polished
Outlet Connection Size	5 Inches
Design	Double Wall, Angle Cut
Vehicle Fitment	2019-2024 Ram 1500 (5th Gen) with Factory Dual Exhaust (5.7L Hemi engines), Ram 1500 Classic
Installation Type	Clamp-On (No Welding Required)
Item Weight	7 pounds (per set)
UPC	816264026713

3. INSTALLATION GUIDE

These exhaust tips are designed for a straightforward clamp-on installation, requiring no welding. Please ensure your vehicle is safely supported and cooled before beginning the installation process.

3.1. Tools Required

- Socket wrench or appropriate tool for factory clamp bolts
- Penetrating oil (optional, for rusted bolts)
- Safety glasses and gloves

3.2. Installation Steps

1. **Prepare Vehicle:** Park your Ram 1500 on a level surface and engage the parking brake. Allow the exhaust system to cool completely to prevent burns. For easier access, consider raising the vehicle using a lift or jack stands, ensuring it is stable and secure.
2. **Locate Factory Exhaust Tips:** Identify the existing exhaust tips on your vehicle. These are typically secured with a clamp.
3. **Loosen Factory Clamps:** Using a socket wrench, carefully loosen the bolts on the factory exhaust tip clamps. If the bolts are rusted, apply penetrating oil and allow it to soak.
4. **Remove Old Tips:** Once the clamps are sufficiently loose, gently twist and pull the old exhaust tips off the exhaust pipe. Dispose of them responsibly.
5. **Install New TOTALFLOW Tips:** Slide the new TOTALFLOW 2192P exhaust tips onto the exhaust pipes. Ensure they are fully seated and aligned as desired. The angle cut should face downwards and outwards for optimal aesthetic appeal.
6. **Secure with Factory Clamps:** Reuse your factory clamps to secure the new TOTALFLOW tips. Tighten the clamp bolts firmly to ensure a secure fit. *Do not overtighten, but ensure the tips are snug and do not wobble.*
7. **Verify Fitment:** After tightening, gently attempt to twist and pull the new tips to confirm they are securely attached. Ensure there is no excessive movement.



Figure 2: Side Profile of TOTALFLOW Exhaust Tip

This image shows the elongated design of a single exhaust tip, illustrating the portion that slides over the existing exhaust pipe.

4. OPERATION AND PERFORMANCE

Once installed, the TOTALFLOW 2192P exhaust tips contribute to an enhanced driving experience by optimizing exhaust flow and reducing backpressure. This can lead to improved engine efficiency and a more refined, aggressive exhaust note.

- **Enhanced Sound:** Expect a deeper, more aggressive tone from your vehicle's exhaust, particularly noticeable during acceleration.
- **Improved Aesthetics:** The polished stainless steel finish and double-wall angle cut design provide a premium, custom look to the rear of your Ram 1500.

5. MAINTENANCE AND CARE

To ensure the longevity and maintain the polished appearance of your TOTALFLOW exhaust tips, regular cleaning and inspection are recommended.

- **Regular Cleaning:** Wash the exhaust tips with mild automotive soap and water. For stubborn grime or carbon buildup, use a non-abrasive metal polish designed for stainless steel.

- **Avoid Harsh Chemicals:** Do not use abrasive cleaners, steel wool, or harsh chemicals, as these can scratch the polished finish or compromise the corrosion resistance.
- **Periodic Inspection:** Periodically check the tightness of the clamps securing the exhaust tips. Vibrations and temperature changes can sometimes cause clamps to loosen over time.
- **Addressing Minor Rust:** While designed to be corrosion-resistant, exposure to harsh road salts and chemicals can sometimes lead to surface discoloration or minor rust spots, especially on the lip. These can often be removed with a dedicated stainless steel cleaner and a soft cloth.

6. TROUBLESHOOTING

If you encounter any issues with your TOTALFLOW exhaust tips, refer to the following common problems and solutions:

- **Loose Exhaust Tips:**

If the exhaust tips feel loose or rattle, the clamps may not be sufficiently tightened. Re-tighten the factory clamps securely. Ensure the tips are fully seated on the exhaust pipe. If persistent looseness occurs, consider professional installation or inspection.

- **Unwanted Noise/Vibration:**

Check for proper alignment and ensure the tips are not making contact with other parts of the vehicle's undercarriage or bumper. Verify that the clamps are tight and the tips are not vibrating against the exhaust pipe itself.

- **Discoloration or Surface Rust:**

Despite being stainless steel, prolonged exposure to extreme conditions or certain chemicals can cause surface discoloration. Refer to the "Maintenance and Care" section for cleaning recommendations. For persistent rust, a specialized stainless steel rust remover may be necessary.

7. WARRANTY INFORMATION

TOTALFLOW stands behind the quality and durability of its products. The 2192P Ram 1500 Exhaust Tips are backed by a **Lifetime Limited Warranty**.



Figure 3: TOTALFLOW Lifetime Limited Warranty

This image represents the Lifetime Limited Warranty offered by TOTALFLOW for their products.

For complete details regarding the terms, conditions, and coverage of the Lifetime Limited Warranty, please refer to the official TOTALFLOW website or contact their customer support.

8. CUSTOMER SUPPORT

If you have any questions, require assistance with installation, or need to address a warranty claim, please contact TOTALFLOW customer support through their official website or the contact information provided with your purchase.

For more information and product updates, visit the official TOTALFLOW store: [TOTALFLOW Store on Amazon](#)

© 2024 TOTALFLOW. All rights reserved.

This manual is for informational purposes only. Always exercise caution and follow safety guidelines when working on vehicles.