

[manuals.plus](#) /› [PowerTac](#) /› [PowerTac Valor 800 Lumen Compact Flashlight User Manual](#)

PowerTac VALOR

PowerTac Valor 800 Lumen Compact Flashlight User Manual

Model: VALOR



INTRODUCTION

Thank you for choosing the PowerTac Valor 800 Lumen Compact Flashlight. This high-performance EDC (Everyday Carry) light is designed for reliability and durability in various conditions. Please read this manual thoroughly to ensure proper use and maintenance of your flashlight.

The PowerTac Valor features an 800-lumen output, a 138-meter beam distance, and a robust aircraft-grade aluminum body with an IPX8 waterproof rating. It is equipped with both a tail switch and a side switch for intuitive operation and includes a memory function for convenience.

PACKAGE CONTENTS

- PowerTac Valor Flashlight
- Pocket Clip (pre-installed or included separately)
- User Manual

PRODUCT DIAGRAM

Familiarize yourself with the components of your PowerTac Valor flashlight.



Image: The PowerTac Valor flashlight, showing its compact design and integrated pocket clip.



Image: A detailed view of the flashlight's head, lens, and textured body, highlighting the LED and overall construction.

SETUP

1. Battery Installation

The PowerTac Valor uses two AA alkaline batteries (not included). Ensure correct polarity during installation to prevent damage.

1. Unscrew the tail cap of the flashlight by turning it counter-clockwise.
2. Insert two AA batteries with the positive (+) end facing towards the flashlight head.

3. Screw the tail cap back on clockwise until it is securely tightened. This ensures proper electrical contact and maintains the waterproof seal.

Caution: Incorrect battery installation can damage the device. Always observe polarity markings. Do not mix old and new batteries, or different types of batteries.

2. Attaching the Pocket Clip

The flashlight comes with a deep-carry bidirectional pocket clip, which may be pre-installed or included separately.

- If not pre-installed, slide the clip onto the flashlight body into the designated groove until it clicks securely into place.
- The bidirectional design allows for flexible attachment to pockets, belts, or gear.





Image: The PowerTac Valor flashlight shown with its pocket clip, ready for attachment to clothing or gear.

OPERATING INSTRUCTIONS

1. Basic Operation (Tail Switch)

- **Momentary On:** Lightly press and hold the tail switch for temporary illumination. Release to turn off.
- **Constant On/Off:** Fully press the tail switch until it clicks to turn the flashlight on. Press again until it clicks to turn the flashlight off.

2. Changing Brightness Modes (Side Switch)

With the flashlight on, press the side switch to cycle through the available brightness modes (e.g., Low, Medium, High, Turbo). The flashlight features a memory function that will recall the last-used brightness level when turned on again.

3. Advanced Features

- **Memory Function:** The flashlight automatically saves the last-used brightness level (excluding strobe/SOS, if applicable) and will activate in that mode when turned on again.
- **Reverse Polarity Protection:** This feature prevents damage to the flashlight if batteries are inserted incorrectly.



Image: A gloved hand demonstrating the comfortable grip and accessibility of the PowerTac Valor flashlight during use.

MAINTENANCE

- **Cleaning:** Periodically clean the flashlight body with a soft, damp cloth. Do not use abrasive cleaners or solvents.
- **O-Rings:** Inspect the O-rings (seals) for wear and tear. Lubricate them with silicone grease if necessary to maintain the waterproof rating. Replace damaged O-rings promptly.
- **Battery Replacement:** Replace batteries when the light output becomes dim or inconsistent. Always replace both batteries at the same time with new, identical batteries.
- **Storage:** If storing the flashlight for an extended period, remove the batteries to prevent leakage and potential damage to the device.

Warning: Do not disassemble the flashlight head, as this may damage the LED and void the warranty.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Flashlight does not turn on.	<ul style="list-style-type: none">Batteries are dead or low.Batteries inserted incorrectly.Tail cap is loose.Dirty contacts.	<ul style="list-style-type: none">Replace with new AA batteries.Check battery polarity.Tighten the tail cap securely.Clean battery contacts with a cotton swab.
Light output is dim or flickers.	<ul style="list-style-type: none">Low battery power.Loose connections.	<ul style="list-style-type: none">Replace batteries.Ensure tail cap is tight.

Problem	Possible Cause	Solution
Water ingress after exposure.	<ul style="list-style-type: none">• Damaged or improperly seated O-rings.• Tail cap not fully tightened.	<ul style="list-style-type: none">• Inspect and replace O-rings if damaged. Lubricate O-rings.• Ensure tail cap is fully tightened before water exposure.

If the problem persists after attempting these solutions, please contact PowerTac customer support.

SPECIFICATIONS

Feature	Detail
Model	VALOR
Light Output	800 Lumens (Max)
Beam Distance	138 meters
Light Source	LED
Power Source	2 x AA Alkaline Batteries
Material	Aircraft-grade Aluminum
Water Resistance	IPX8 (Submersible up to 2 meters)
Impact Resistance	Up to 2 meters
Dimensions (L x W x H)	5.8" x 0.75" x 0.75"
Weight	5.6 ounces (without batteries)
Special Features	Adjustable Light Modes, High Power, Impact Resistant, Non-Slip Grip, Weatherproof, Auto Memorization, Reverse Polarity Protection

WARRANTY AND SUPPORT

Warranty Information

PowerTac stands by its products with a no-hassle lifetime warranty. This warranty covers manufacturing defects and ensures the long-term reliability of your PowerTac Valor flashlight. Please retain your proof of purchase for warranty claims.

Customer Support

For technical assistance, warranty claims, or any questions regarding your PowerTac Valor flashlight, please contact our friendly US-based customer service team.


Contact Information:

- **Website:** www.powertac.com
- **Email:** support@powertac.com *(Example, actual email not provided in JSON)*
- **Phone:** 1-800-XXX-XXXX *(Example, actual phone not provided in JSON)*

Please visit the official PowerTac website for the most up-to-date contact details and warranty policy.

© 2023 PowerTac. All rights reserved.

Related Documents - VALOR


	<p><u>Valor 936XN/936XP Freestanding Direct Vent Gas Fireplace Heater Installation and Owner's Manual</u></p> <p>Comprehensive installation and owner's manual for the Valor 936XN and 936XP freestanding direct vent gas fireplace heaters. Includes safety information, installation procedures, operating instructions, and maintenance guidelines.</p>
	<p><u>Valor 10 Remote Control User Guide</u></p> <p>A comprehensive guide to operating the Valor 10 remote control for Valor Radiant Gas Fireplaces, covering quick start, time and temperature settings, thermostat functions, fan and light controls, safety features, battery replacement, and troubleshooting.</p>
	<p><u>Valor L2 1700K Gas Fireplace Clearances for Combustible Mantels and Sidewalls</u></p> <p>Detailed clearance requirements for the Valor L2 1700K gas fireplace, including combustible mantel and sidewall installations, with dimensions and safety notes. Information is based on the December 2019 document.</p>
	<p><u>Valor G4 Direct Vent Gas Fireplace Insert Installation Manual</u></p> <p>Detailed installation manual for the Valor G4 Direct Vent Gas Fireplace Insert (Models 780MN, 780MP) with AutoFire™ technology. Covers safety precautions, specifications, installation steps, and operation for natural gas and propane fuel types. Essential guide for installers and homeowners from Valor Fireplaces.</p>
	<p><u>Valor VL100 & VL110 Quick Reference Guide: Payment Technology</u></p> <p>A concise guide to using Valor VL100 and VL110 payment terminals, covering transactions, favorites menu, and WiFi connectivity.</p>



[Valor G3.5 Gas Fireplace Insert: Features, Options, and Specifications](#)

Explore the Valor G3.5 gas fireplace insert, featuring advanced AutoFire™ technology, realistic logs, efficient radiant heat, and customizable options for logs, liners, fronts, and finishes. Includes dimensions and installation guidelines.

Documents - PowerTac – VALOR



[\[pdf\] Warranty Catalog](#)

PowerTac product catalog combo UPDATED PFM indd Product Catalog Powertac Flashlights Purpose built Tactical Lighting Solutions POWERTAC 2023 CATALOG v 1699636889 cdn shopify s files 1 0562 4410 9481 |||

PRODUCT CATALOG 2023 NG AS YOU HAVE THE LI LIFETIME WARRANTY E WILL REPAIR OR REPLA AS LO CE IT GH ... -C charging port 5 Year Warranty VIST THE PRODUCT PAGE 36 37 EVERYDAY CARRY SERIES / POWERTAC **VALOR** 800 LUMEN AA LED TACTICAL AND EDC LIGHT Actual Size The Powertac **Valor** is the brightest AA...

lang:en score:26 filesize: 19.38 M page_count: 33 document date: 2023-11-10



[\[pdf\] Warranty Catalog](#)

2022 Product Catalog Powertac Flashlights Purpose built Tactical Lighting Solutions v 1640815405 cdn shopify s files 1 0562 4410 9481 |||

2022 PRODUCT CATALOG 1 WHY POWERTAC We're an American owned and operated company in North Carolina 8 EXPLORER HL-10 EVERYDAY CARRY COLLECTION..... 9 E10 E11-G2 E12 **VALOR** M5 M6 CADET SEARCH RESCUE COLLECTION..... 16 WATCHDOG ODXLT PATHF...

lang:en score:23 filesize: 5.22 M page_count: 32 document date: 2021-12-27




[\[pdf\] Warranty Catalog](#)

Product Catalog 2600 mAh Lithium ion 18650 Rechargeable Battery Powertac v 1704221969 cdn shopify s files 1 0562 4410 9481 |||

PRODUCT CATALOG 1 WHY POWERTAC We're an American owned and operated company in North Carolina We 8 EXPLORER HL-10 EVERYDAY CARRY COLLECTION 9 E10-G4 E11-G2 E12-G2 **VALOR** M5-G3 M6-G2 CADET-G4 ABOUT US Powertac is an American owned and operated company based in Gr...

lang:en score:23 filesize: 10.78 M page_count: 29 document date: 2024-01-02



[pdf] Warranty Catalog

Warranty Claim PT 2024 3 drive google file d 11 IQlFozF WeCTHhLD4bwR7pVNn1KIV4 view usp link ||| PRODUCT CATALOG 1 WHY POWERTAC We re an American owned and operated company in North Carolina We8 EXPLORER HL-10 EVERYDAY CARRY COLLECTION9 E10-G4 E11-G2 E12-G2 **VALOR** M5-G3 M6-G2 CADET-G4 ABOUT US Powertac is an American owned and operated company based in Gr...

lang:en score:16 filesize: 10.52 M page_count: 29 document date: 2023-12-28

POWERTAC USA PRODUCT COMPARISON CHART						
Model	Price	Run Time	Beam Distance	Intensity	Charging	Product Code
Cadet Gen 4	\$19.95	1200 Lumens	45 Minutes	202 Yards	USB-C	1044000124
Destroyer Gen 2	\$199.95	2000 Lumens	150 Minutes	400 Yards	1130 Wall Battery Pack	1044000001
E-10 Gen 4	\$49.95	2300 Lumens	90 Minutes	200 Yards	USB-C	1044000125
E-11 Gen 3	\$99.95	2500 Lumens	75 Minutes	200 Yards	USB-C	1044000126
ESR Nova	\$199.95	4000 Lumens	90 Minutes	500 Yards	USB-C	1044000127
E9R Nova	\$199.95	2500 Lumens	110 Minutes	500 Yards	USB-C	1044000128
EWK Gen 5 LT	\$129.95	2000 Lumens	110 Minutes	200 Yards	USB-C	1044000129
Explorer HL-10	\$199.95	2500 Lumens	7.6 Hours	220 Yards	USB-C	1044000130
Headlamp	\$19.95	2000 Lumens	8.1 Hours	N/A	2220000044	1130 Wall Battery Pack
Guardian	\$199.95	2000 Lumens	8.2 Hours	200 Yards	1130000044	1130 Wall Battery Pack
Hunterman Rifle Light	\$199.95	2000 Lumens	8.2 Hours	700 Yards	1130000045	1130 Wall Battery Pack
Huntsman XLT	\$179.95	2200 Lumens	8.2 Hours	1000 Yards	2020000045	2170000045
MS Gen 3	\$99.95	2000 Lumens	8.2 Hours	800 Yards	2170000046	1800000045
MC Gen 3	\$49.95	2500 Lumens	7.5 Hours	300 Yards	1130000047	1130 Wall Battery Pack
Mark Mini Gen 2	\$119.95	600 Lumens	1.3 Hours	200 Yards	1130000048	1130 Wall Battery Pack
Hunting Light	\$119.95	2000 Lumens	8.2 Hours	700 Yards	1130000049	1130 Wall Battery Pack
SOL Keychain Light	\$9.95	200 Lumens	1.8 Hours	80 Yards	8000000046	8000000046
Sabre	\$99.95	2000 Lumens	N/A	121 Yards	1000000046	1000000046
Valor	\$49.95	800 Lumens	N/A	100 Yards	8000000047	8000000047
Warrior Gen 4	\$149.95	2000 Lumens	3.2 Hours	200 Yards	1140000048	1000000046
Warrior Gen 5 LT	\$149.95	2000 Lumens	3.35 Hours	520 Yards	1170000049	1000000046
WOTF	\$129.95	2300 Lumens	4.7 Hours	200 Yards	1144000049	1000000046

[Powertac USA Flashlight Comparison Chart](#)

Compare specifications for various Powertac USA flashlight models, including price, output, runtime, beam distance, intensity, charging type, and battery type.

lang:de score:12 filesize: 181.24 K page_count: 1 document date: 2025-08-14

Velvo South Africa e/a TorchSA						
Velvo FLASHLIGHTS QUOTATION SHEET						
Model	Picture	Output/Runtimes (ANSI Standard)	Base Spec Information	Battery	Size	Price incl.
Prime L1		800 Lumens 1000 Lumens 1200 Lumens 1500 Lumens 1800 Lumens 2000 Lumens 2500 Lumens 3000 Lumens 3500 Lumens 4000 Lumens 4500 Lumens 5000 Lumens 6000 Lumens 7000 Lumens 8000 Lumens 9000 Lumens 10000 Lumens 11000 Lumens 12000 Lumens 13000 Lumens 14000 Lumens 15000 Lumens 16000 Lumens 17000 Lumens 18000 Lumens 19000 Lumens 20000 Lumens 21000 Lumens 22000 Lumens 23000 Lumens 24000 Lumens 25000 Lumens 26000 Lumens 27000 Lumens 28000 Lumens 29000 Lumens 30000 Lumens 31000 Lumens 32000 Lumens 33000 Lumens 34000 Lumens 35000 Lumens 36000 Lumens 37000 Lumens 38000 Lumens 39000 Lumens 40000 Lumens 41000 Lumens 42000 Lumens 43000 Lumens 44000 Lumens 45000 Lumens 46000 Lumens 47000 Lumens 48000 Lumens 49000 Lumens 50000 Lumens 51000 Lumens 52000 Lumens 53000 Lumens 54000 Lumens 55000 Lumens 56000 Lumens 57000 Lumens 58000 Lumens 59000 Lumens 60000 Lumens 61000 Lumens 62000 Lumens 63000 Lumens 64000 Lumens 65000 Lumens 66000 Lumens 67000 Lumens 68000 Lumens 69000 Lumens 70000 Lumens 71000 Lumens 72000 Lumens 73000 Lumens 74000 Lumens 75000 Lumens 76000 Lumens 77000 Lumens 78000 Lumens 79000 Lumens 80000 Lumens 81000 Lumens 82000 Lumens 83000 Lumens 84000 Lumens 85000 Lumens 86000 Lumens 87000 Lumens 88000 Lumens 89000 Lumens 90000 Lumens 91000 Lumens 92000 Lumens 93000 Lumens 94000 Lumens 95000 Lumens 96000 Lumens 97000 Lumens 98000 Lumens 99000 Lumens 100000 Lumens 101000 Lumens 102000 Lumens 103000 Lumens 104000 Lumens 105000 Lumens 106000 Lumens 107000 Lumens 108000 Lumens 109000 Lumens 110000 Lumens 111000 Lumens 112000 Lumens 113000 Lumens 114000 Lumens 115000 Lumens 116000 Lumens 117000 Lumens 118000 Lumens 119000 Lumens 120000 Lumens 121000 Lumens 122000 Lumens 123000 Lumens 124000 Lumens 125000 Lumens 126000 Lumens 127000 Lumens 128000 Lumens 129000 Lumens 130000 Lumens 131000 Lumens 132000 Lumens 133000 Lumens 134000 Lumens 135000 Lumens 136000 Lumens 137000 Lumens 138000 Lumens 139000 Lumens 140000 Lumens 141000 Lumens 142000 Lumens 143000 Lumens 144000 Lumens 145000 Lumens 146000 Lumens 147000 Lumens 148000 Lumens 149000 Lumens 150000 Lumens 151000 Lumens 152000 Lumens 153000 Lumens 154000 Lumens 155000 Lumens 156000 Lumens 157000 Lumens 158000 Lumens 159000 Lumens 160000 Lumens 161000 Lumens 162000 Lumens 163000 Lumens 164000 Lumens 165000 Lumens 166000 Lumens 167000 Lumens 168000 Lumens 169000 Lumens 170000 Lumens 171000 Lumens 172000 Lumens 173000 Lumens 174000 Lumens 175000 Lumens 176000 Lumens 177000 Lumens 178000 Lumens 179000 Lumens 180000 Lumens 181000 Lumens 182000 Lumens 183000 Lumens 184000 Lumens 185000 Lumens 186000 Lumens 187000 Lumens 188000 Lumens 189000 Lumens 190000 Lumens 191000 Lumens 192000 Lumens 193000 Lumens 194000 Lumens 195000 Lumens 196000 Lumens 197000 Lumens 198000 Lumens 199000 Lumens 200000 Lumens 201000 Lumens 202000 Lumens 203000 Lumens 204000 Lumens 205000 Lumens 206000 Lumens 207000 Lumens 208000 Lumens 209000 Lumens 210000 Lumens 211000 Lumens 212000 Lumens 213000 Lumens 214000 Lumens 215000 Lumens 216000 Lumens 217000 Lumens 218000 Lumens 219000 Lumens 220000 Lumens 221000 Lumens 222000 Lumens 223000 Lumens 224000 Lumens 225000 Lumens 226000 Lumens 227000 Lumens 228000 Lumens 229000 Lumens 230000 Lumens 231000 Lumens 232000 Lumens 233000 Lumens 234000 Lumens 235000 Lumens 236000 Lumens 237000 Lumens 238000 Lumens 239000 Lumens 240000 Lumens 241000 Lumens 242000 Lumens 243000 Lumens 244000 Lumens 245000 Lumens 246000 Lumens 247000 Lumens 248000 Lumens 249000 Lumens 250000 Lumens 251000 Lumens 252000 Lumens 253000 Lumens 254000 Lumens 255000 Lumens 256000 Lumens 257000 Lumens 258000 Lumens 259000 Lumens 260000 Lumens 261000 Lumens 262000 Lumens 263000 Lumens 264000 Lumens 265000 Lumens 266000 Lumens 267000 Lumens 268000 Lumens 269000 Lumens 270000 Lumens 271000 Lumens 272000 Lumens 273000 Lumens 274000 Lumens 275000 Lumens 276000 Lumens 277000 Lumens 278000 Lumens 279000 Lumens 280000 Lumens 281000 Lumens 282000 Lumens 283000 Lumens 284000 Lumens 285000 Lumens 286000 Lumens 287000 Lumens 288000 Lumens 289000 Lumens 290000 Lumens 291000 Lumens 292000 Lumens 293000 Lumens 294000 Lumens 295000 Lumens 296000 Lumens 297000 Lumens 298000 Lumens 299000 Lumens 300000 Lumens 301000 Lumens 302000 Lumens 303000 Lumens 304000 Lumens 305000 Lumens 306000 Lumens 307000 Lumens 308000 Lumens 309000 Lumens 310000 Lumens 311000 Lumens 312000 Lumens 313000 Lumens 314000 Lumens 315000 Lumens 316000 Lumens 317000 Lumens 318000 Lumens 319000 Lumens 320000 Lumens 321000 Lumens 322000 Lumens 323000 Lumens 324000 Lumens 325000 Lumens 326000 Lumens 327000 Lumens 328000 Lumens 329000 Lumens 330000 Lumens 331000 Lumens 332000 Lumens 333000 Lumens 334000 Lumens 335000 Lumens 336000 Lumens 337000 Lumens 338000 Lumens 339000 Lumens 340000 Lumens 341000 Lumens 342000 Lumens 343000 Lumens 344000 Lumens 345000 Lumens 346000 Lumens 347000 Lumens 348000 Lumens 349000 Lumens 350000 Lumens 351000 Lumens 352000 Lumens 353000 Lumens 354000 Lumens 355000 Lumens 356000 Lumens 357000 Lumens 358000 Lumens 359000 Lumens 360000 Lumens 361000 Lumens 362000 Lumens 363000 Lumens 364000 Lumens 365000 Lumens 366000 Lumens 367000 Lumens 368000 Lumens 369000 Lumens 370000 Lumens 371000 Lumens 372000 Lumens 373000 Lumens 374000 Lumens 375000 Lumens 376000 Lumens 377000 Lumens 378000 Lumens 379000 Lumens 380000 Lumens 381000 Lumens 382000 Lumens 383000 Lumens 384000 Lumens 385000 Lumens 386000 Lumens 387000 Lumens 388000 Lumens 389000 Lumens 390000 Lumens 391000 Lumens 392000 Lumens 393000 Lumens 394000 Lumens 395000 Lumens 396000 Lumens 397000 Lumens 398000 Lumens 399000 Lumens 400000 Lumens 401000 Lumens 402000 Lumens 403000 Lumens 404000 Lumens 405000 Lumens 406000 Lumens 407000 Lumens 408000 Lumens 409000 Lumens 410000 Lumens 411000 Lumens 412000 Lumens 413000 Lumens 414000 Lumens 415000 Lumens 416000 Lumens 417000 Lumens 418000 Lumens 419000 Lumens 420000 Lumens 421000 Lumens 422000 Lumens 423000 Lumens 424000 Lumens 425000 Lumens 426000 Lumens 427000 Lumens 428000 Lumens 429000 Lumens 430000 Lumens 431000 Lumens 432000 Lumens 433000 Lumens 434000 Lumens 435000 Lumens 436000 Lumens 437000 Lumens 438000 Lumens 439000 Lumens 440000 Lumens 441000 Lumens 442000 Lumens 443000 Lumens 444000 Lumens 445000 Lumens 446000 Lumens 447000 Lumens 448000 Lumens 449000 Lumens 450000 Lumens 451000 Lumens 452000 Lumens 453000 Lumens 454000 Lumens 455000 Lumens 456000 Lumens 457000 Lumens 458000 Lumens 459000 Lumens 460000 Lumens 461000 Lumens 462000 Lumens 463000 Lumens 464000 Lumens 465000 Lumens 466000 Lumens 467000 Lumens 468000 Lumens 469000 Lumens 470000 Lumens 471000 Lumens 472000 Lumens 473000 Lumens 474000 Lumens 475000 Lumens 476000 Lumens 477000 Lumens 478000 Lumens 479000 Lumens 480000 Lumens 481000 Lumens 482000 Lumens 483000 Lumens 484000 Lumens 485000 Lumens 486000 Lumens 487000 Lumens 488000 Lumens 489000 Lumens 490000 Lumens 491000 Lumens 492000 Lumens 493000 Lumens 494000 Lumens 495000 Lumens 496000 Lumens 497000 Lumens 498000 Lumens 499000 Lumens 500000 Lumens 501000 Lumens 502000 Lumens 503000 Lumens 504000 Lumens 505000 Lumens 506000 Lumens 507000 Lumens 508000 Lumens 509000 Lumens 510000 Lumens 511000 Lumens 512000 Lumens 513000 Lumens 514000 Lumens 515000 Lumens 516000 Lumens 517000 Lumens 518000 Lumens 519000 Lumens 520000 Lumens 521000 Lumens 522000 Lumens 523000 Lumens 524000 Lumens 525000 Lumens 526000 Lumens 527000 Lumens 528000 Lumens 529000 Lumens 530000 Lumens 531000 Lumens 532000 Lumens 533000 Lumens 534000 Lumens 535000 Lumens 536000 Lumens 537000 Lumens 538000 Lumens 539000 Lumens 540000 Lumens 541000 Lumens 542000 Lumens 543000 Lumens 544000 Lumens 545000 Lumens 546000 Lumens 547000 Lumens 548000 Lumens 549000 Lumens 550000 Lumens 551000 Lumens 552000 Lumens 553000 Lumens 554000 Lumens 555000 Lumens 556000 Lumens 557000 Lumens 558000 Lumens 559000 Lumens 560000 Lumens 561000 Lumens 562000 Lumens 563000 Lumens 564000 Lumens 565000 Lumens 566000 Lumens 567000 Lumens 568000 Lumens 569000 Lumens 570000 Lumens 571000 Lumens 572000 Lumens 573000 Lumens 574000 Lumens 575000 Lumens 576000 Lumens 577000 Lumens 578000 Lumens 579000 Lumens 580000 Lumens 581000 Lumens 582000 Lumens 583000 Lumens 584000 Lumens 585000 Lumens 586000 Lumens 587000 Lumens 588000 Lumens 589000 Lumens 590000 Lumens 591000 Lumens 592000 Lumens 593000 Lumens 594000 Lumens 595000 Lumens 596000 Lumens 597000 Lumens 598000 Lumens 599000 Lumens 600000 Lumens 601000 Lumens 602000 Lumens 603000 Lumens 604000 Lumens 605000 Lumens 606000 Lumens 607000 Lumens 608000 Lumens 609000 Lumens 610000 Lumens 611000 Lumens 612000 Lumens 613000 Lumens 614000 Lumens 615000 Lumens 616000 Lumens 617000 Lumens 618000 Lumens 619000 Lumens 620000 Lumens 621000 Lumens 622000 Lumens 623000 Lumens 624000 Lumens 625000 Lumens 626000 Lumens 627000 Lumens 628000 Lumens 629000 Lumens 630000 Lumens 631000 Lumens 632000 Lumens 633000 Lumens 634000 Lumens 635000 Lumens 636000 Lumens 637000 Lumens 638000 Lumens 639000 Lumens 640000 Lumens 641000 Lumens 642000 Lumens 643000 Lumens 644000 Lumens 645000 Lumens 646000 Lumens 647000 Lumens 648000 Lumens 649000 Lumens 650000 Lumens 651000 Lumens 652000 Lumens 653000 Lumens 654000 Lumens 655000 Lumens 656000 Lumens 657000 Lumens 658000 Lumens 659000 Lumens 660000 Lumens 661000 Lumens 662000 Lumens 663000 Lumens 664000 Lumens 665000 Lumens 666000 Lumens 667000 Lumens 668000 Lumens 669000 Lumens 670000 Lumens 671000 Lumens 672000 Lumens 673000 Lumens 674000 Lumens 675000 Lumens 676000 Lumens 677000 Lumens 678000 Lumens 679000 Lumens 680000 Lumens 681000 Lumens 682000 Lumens 683000 Lumens 684000 Lumens 685000 Lumens 686000 Lumens 687000 Lumens 688000 Lumens 689000 Lumens 690000 Lumens 691000 Lumens 692000 Lumens 693000 Lumens 694000 Lumens 695000 Lumens 696000 Lumens 697000 Lumens 698000 Lumens 699000 Lumens 700000 Lumens 701000 Lumens 702000 Lumens 703000 Lumens 704000 Lumens 705000 Lumens 706000 Lumens 707000 Lumens 708000 Lumens 709000 Lumens 710000 Lumens 711000 Lumens 712000 Lumens 713000 Lumens 714000 Lumens 715000 Lumens 716000 Lumens 717000 Lumens 718000 Lumens 719000 Lumens 720000 Lumens 721000 Lumens 722000 Lumens 723000 Lumens 724000 Lumens 725000 Lumens 726000 Lumens 727000 Lumens 728000 Lumens 729000 Lumens 730000 Lumens 731000 Lumens 732000 Lumens 733000 Lumens 734000 Lumens 735000 Lumens 736000 Lumens 737000 Lumens 738000 Lumens 739000 Lumens 740000 Lumens 741000 Lumens 742000 Lumens 743000 Lumens 744000 Lumens 745000 Lumens 746000 Lumens 747000 Lumens 748000 Lumens 749000 Lumens 750000 Lumens 751000 Lumens 752000 Lumens 753000 Lumens 754000 Lumens 755000 Lumens 756000 Lumens 757000 Lumens 758000 Lumens 759000 Lumens 760000 Lumens 761000 Lumens 762000 Lumens 763000 Lumens 764000 Lumens 765000 Lumens 766000 Lumens 767000 Lumens 768000 Lumens 769000 Lumens 770000 Lumens 771000 Lumens 772000 Lumens 773000 Lumens 774000 Lumens 775000 Lumens 776000 Lumens 777000 Lumens 778000 Lumens 779000 Lumens 780000 Lumens 781000 Lumens 782000 Lumens 783000 Lumens 784000 Lumens 785000 Lumens 786000 Lumens 787000 Lumens 788000 Lumens 789000 Lumens 790000 Lumens 791000 Lumens 792000 Lumens 793000 Lumens 794000 Lumens 				

