

BLANCO 526672

BLANCO Fontas-S II Filter Kitchen Faucet User Manual

Model: 526672

Brand: BLANCO

INTRODUCTION

Thank you for choosing the BLANCO Fontas-S II Filter Kitchen Faucet. This 3-in-1 faucet is designed to provide both unfiltered hot and cold water, and filtered water, all from a single, elegant fixture. Its matte black finish and pull-out hose offer both aesthetic appeal and practical functionality for your kitchen. This manual provides essential information for installation, operation, maintenance, and troubleshooting to ensure optimal performance and longevity of your faucet.



Image: The BLANCO Fontas-S II Filter Kitchen Faucet in matte black, showcasing its sleek design and dual lever system.

PRODUCT FEATURES

- **3-in-1 Functionality:** Comfortable mixer lever on the right for cold and hot water, and a rotary handle on the left for filtered water.
- **Matte Black Finish:** Precisely adapted to modern kitchen environments.
- **Hygienic Design:** Separate water lines and separate outlet for filtered water, preventing mixing with unfiltered tap water.
- **Space-Saving:** No additional drilling required for filtered water dispensing due to the integrated 3-in-1 design.
- **Integrated Spout:** Features special jet regulators for both water qualities, designed to reduce limescale buildup.
- **Pull-Out Hose:** Provides extended reach and flexibility for various kitchen tasks.

SAFETY INFORMATION

Please read all instructions carefully before installation and use. Keep this manual for future reference.

- Ensure all water supply lines are turned off before beginning installation.
- Use appropriate tools and follow local plumbing codes.
- Do not overtighten connections, as this may damage the faucet or pipes.

- Protect the faucet's finish from abrasive cleaners or harsh chemicals.
- If you are unsure about any part of the installation or operation, consult a qualified plumber.

PACKAGE CONTENTS

Verify that all components are present before starting the installation.

- BLANCO Fontas-S II Faucet unit
- Mounting kit (includes necessary hardware for installation)
- Flexible connection hoses (350 mm length)
- Stabilization plate
- User Manual

SETUP AND INSTALLATION

The BLANCO Fontas-S II faucet is designed for single-hole installation. A faucet bore hole of Ø 35 mm is required.

Required Tools (Not Included):

- Adjustable wrench
- Screwdriver
- Basin wrench (optional, for tight spaces)
- Sealant tape (Teflon tape)

Installation Steps:

1. **Prepare the Sink/Countertop:** Ensure the mounting surface is clean and dry. If installing on a new sink, ensure the Ø 35 mm faucet hole is correctly drilled.
2. **Install the Faucet:** Insert the faucet body into the mounting hole. Ensure the base gasket is properly seated to prevent leaks.
3. **Secure the Faucet:** From underneath the sink, slide the stabilization plate and then the mounting washer onto the threaded shank. Secure with the mounting nut (20 cm nut for easy and secure mounting). Tighten firmly but do not overtighten.
4. **Connect Water Supply Lines:** Attach the flexible hot and cold water supply hoses to your existing hot and cold water shut-off valves. Use sealant tape on the threads for a watertight seal. Connect the filtered water line to your water filter system (additional filter required, not included).
5. **Connect Pull-Out Hose:** Connect the pull-out hose to the designated connection point on the faucet body. Ensure the counterweight is properly installed on the hose for smooth retraction.
6. **Test for Leaks:** Slowly turn on the main water supply and check all connections for leaks. Operate both the hot/cold and filtered water functions to ensure proper flow.




Image: Side view diagram of the faucet with key dimensions (height 306mm, spout reach 166mm) and lever position.




Image: Top-down diagram illustrating the 180-degree swivel range of the faucet spout.

OPERATING INSTRUCTIONS

The BLANCO Fontas-S II faucet offers intuitive control for both unfiltered and filtered water.

- **Unfiltered Hot/Cold Water:** Use the mixer lever located on the **right side** of the faucet. Push the lever up for water flow. Move it left for hot water and right for cold water.
- **Filtered Water:** Use the rotary handle located on the **left side** of the faucet. Rotate the handle to activate the filtered water flow. This water is delivered through a separate internal conduit and outlet to ensure purity.

- **Pull-Out Hose:** Gently pull the spout head to extend the hose for increased reach. After use, the hose will retract smoothly back into the faucet body.



Image: A user demonstrating the dispensing of filtered water into a glass, highlighting the separate filtered water function.



Image: A close-up view of a hand operating the left-side lever for filtered water, showing the ergonomic design.

MAINTENANCE

Regular maintenance will help preserve the appearance and functionality of your BLANCO Fontas-S II faucet.

- **Cleaning the Finish:** Clean the matte black finish with a soft cloth and mild soap and water. Avoid abrasive cleaners, scouring pads, or harsh chemicals, as these can damage the finish. Rinse thoroughly and dry with a soft cloth to prevent water spots.
- **Aerator Cleaning:** Periodically unscrew the aerator at the end of the spout and clean any mineral deposits or debris. The patented jet regulator is designed to reduce limescale, but occasional cleaning is still recommended.
- **Cartridge Maintenance:** The faucet is equipped with a ceramic cartridge for smooth operation. If you experience drips or leaks, the cartridge may need to be cleaned or replaced. Consult a professional if unsure.
- **Hose Maintenance:** Ensure the pull-out hose moves freely and is not obstructed under the sink. Keep the counterweight clear of any pipes or items that could impede its movement.

TROUBLESHOOTING

Before calling for service, please refer to the following common issues and solutions.

Problem	Possible Cause	Solution
Low water flow (unfiltered)	Clogged aerator; partially closed shut-off valve; low water pressure.	Clean aerator; ensure shut-off valves are fully open; check household water pressure.

Problem	Possible Cause	Solution
Low water flow (filtered)	Clogged filter (external, not part of faucet); clogged filtered water aerator.	Replace or clean external water filter; clean filtered water aerator.
Faucet drips or leaks	Loose connections; worn cartridge seals.	Check and tighten all connections; replace ceramic cartridge if necessary (professional assistance recommended).
Pull-out hose does not retract fully	Obstruction under sink; counterweight dislodged.	Clear obstructions; re-position or re-attach counterweight.

SPECIFICATIONS


Brand	BLANCO
Model Number	526672
Dimensions (L x W x H)	16.6 x 26.4 x 30.6 cm (6.5 x 10.4 x 12.0 inches)
Weight	2.2 kilograms (4.85 lbs)
Color	Matte Black
Material	Brass
Finish Type	Matte
Number of Handles	2
Installation Method	Single Hole (Monotrou)
Hose Length	3.5 Decimeters (35 cm)
Special Feature	Portable (referring to pull-out spout)
Recommended Uses	Kitchen

WARRANTY AND SUPPORT

BLANCO offers a 2-year availability for spare parts for this product. For warranty claims, technical support, or to inquire about spare parts, please contact BLANCO customer service directly.

Please have your model number (526672) and proof of purchase ready when contacting support.



 BLANCO BLANCO CATRIS-S HD Technical specifications:  ≤ 70°C / ≤ 158°F  ≤ 10 bar / ≤ 145 psi	BLANCO CATRIS-S HD Faucet Installation and Care Guide Comprehensive installation and maintenance guide for the BLANCO CATRIS-S HD kitchen faucet. Includes parts list, step-by-step instructions, technical specifications, and care recommendations from BLANCO.
 BLANCO BLANCO LINUS-S HD Technical specifications:  ≤ 70°C / ≤ 158°F  ≤ 10 bar / ≤ 145 psi	BLANCO LINUS-S HD Mixer Tap Installation and Maintenance Guide Comprehensive guide for the installation, operation, and maintenance of the BLANCO LINUS-S HD mixer tap, including safety and hygiene information.
 BLANCO	BLANCO SILGRANIT® Sink Installation Guide and Specifications This document provides installation instructions and technical specifications for BLANCO SILGRANIT® sinks. It includes step-by-step visual guides, material care information, and a comprehensive table of sink models with their dimensions and tolerances.
 BLANCO CATRIS Metal Finish Product Features: • Automatic temperature control with shut-off • 100% stainless steel construction (AISI 304) • 100% stainless steel faucet body • 100% stainless steel faucet handle • 100% stainless steel faucet spout • 100% stainless steel faucet base • 100% stainless steel faucet cartridge • 100% stainless steel faucet O-ring Planning Information: • 100% stainless steel faucet body • 100% stainless steel faucet handle • 100% stainless steel faucet spout • 100% stainless steel faucet base • 100% stainless steel faucet cartridge • 100% stainless steel faucet O-ring Codes & Standards: • 100% stainless steel faucet body • 100% stainless steel faucet handle • 100% stainless steel faucet spout • 100% stainless steel faucet base • 100% stainless steel faucet cartridge • 100% stainless steel faucet O-ring	BLANCO CATRIS Faucet Specifications and Installation Guide Detailed specifications, features, planning information, codes, standards, and warranty for the BLANCO CATRIS faucet in Metal Finish. Includes installation dimensions and compliance information.
 BLANCO UNIT BLANCO UNIT	BLANCO UNIT: Integrated Kitchen Sinks, Taps, and Waste Systems Explore the BLANCO UNIT, a comprehensive kitchen solution combining high-quality sinks, modern taps, and smart waste management systems for an efficient and elegant kitchen hub. Discover German engineering for your home.
 BLANCO	BLANCO Kitchen Sinks: Installation, Care, and Specifications Guide Comprehensive guide to installing and caring for BLANCO kitchen sinks, featuring detailed specifications for various models including A-STYLE, C-STYLE, S-STYLE, Z-STYLE, ANDANO, ETAGON, SOLIS, SUPRA, and YPSILON series.

Product information sheet FONTAS-S II Filter
Item no. 526672

Benefits



- Comfortable 3-in-1-mixer tap: filtered and unfiltered water out of a pull-out hose
- Black matt surface finish to precisely match the surroundings
- Separate water circuit: cold and warm water lever on the right, filtered water lever on the left
- Extra spout for filtered water – no mixture with mains water
- Space-saving and practical: with the 3-in-1-tap no additional drilling is required for filtered water supply
- Surface finishes to perfectly match sinks and bowls
- Needs to be installed with a water filter system

Colours



Available colours:
black matt

Special colours black matt

[pdf]

blanco template 526672 spec sheet Blanco FONTAS S II Filter Kitchen Mixer Tap Trading Depot tradingdepot co uk media wysiwyg tech sheets |||

Product information sheet FONTAS-S II Filter Item no.**526672** Benefits - Comfortable 3-in-1-mixer tap: filtered and unfiltered water out of a pull-out hose - Black matt surface finish to precisely match the surroundings - Separate water circuit: cold and warm water lever on the right, filtered water ...
lang:en score:22 filesize: 707.94 K page_count: 4 document date: 2018-09-08

Product information sheet FONTAS-S II Filter
Item no. 526672

Benefits



- Comfortable 3-in-1-mixer tap: filtered and unfiltered water out of a pull-out hose
- Black matt surface finish to precisely match the surroundings
- Separate water circuit: cold and warm water lever on the right, filtered water lever on the left
- Extra spout for filtered water – no mixture with mains water
- Space-saving and practical: with the 3-in-1-tap no additional drilling is required for filtered water supply
- Surface finishes to perfectly match sinks and bowls
- Needs to be installed with a water filter system

Colours



Available colours:
black matt

Special colours black matt

[pdf]

blanco template Tehnični list 526672 Blanco Fontas S II Filter črna izvelečna kuhinjska armatura s pr SAN KERAMIKA SI 186 705 FONTAS en EN v 1703358843 cdn shopify files 1 0660 9823 3591 |||
Product information sheet FONTAS-S II Filter Item no.**526672** Benefits - Comfortable 3-in-1-mixer tap: filtered and unfiltered water out of a pull-out hose - Black matt surface finish to precisely match the surroundings - Separate water circuit: cold and warm water lever on the right, filtered water ...
lang:en score:20 filesize: 709 K page_count: 4 document date: 2018-09-08

Product information sheet FONTAS-S II Filter
Item no. 526672

Benefits



- Comfortable 3-in-1-mixer tap: filtered and unfiltered water out of a pull-out hose
- Black matt surface finish to precisely match the surroundings
- Separate water circuit: cold and warm water lever on the right, filtered water lever on the left
- Extra spout for filtered water – no mixture with mains water
- Space-saving and practical: with the 3-in-1-tap no additional drilling is required for filtered water supply
- Surface finishes to perfectly match sinks and bowls
- Needs to be installed with a water filter system

Colours



Available colours:
black matt

Special colours black matt

[pdf]

blanco template Product SheetBlanco FONTAS S II 3 in 1 Kitchen mixer tap with pull out hose Vitel Home Office Electronics186 705 Filter en EN 1vitelmalta 2023 08 186 |||
Product information sheet FONTAS-S II Filter Item no.**526672** Benefits - Comfortable 3-in-1-mixer tap: filtered and unfiltered water out of a pull-out hose - Black matt surface finish to precisely match the surroundings - Separate water circuit: cold and warm water lever on the right, filtered water ...
lang:en score:13 filesize: 299.02 K page_count: 4 document date: 2025-02-03



[pdf]

MAKING KITCHEN LIFE EASIER EVERYDAY 656498987a7ded650305227a SmartHaus Blanco assets global website files 5f7af8b1875f605bd312bbc4 |||

Inspiration Collection 2023 BLANCO UNIT drink. prep. clean. MAKING KITCHEN LIFE EASIER EVERYDAY. ... ter system Filter System High Pressure Extendable spray Colour shown is black matt. Product code: **526672** and filter set code: 527453. Also available in PVD steel and chrome. Key Features Specifica...

lang:en score:13 filesize: 4.04 M page_count: 23 document date: 2023-11-27




[pdf]

BLANCO drink filter FONTAS S II star ing Ingenieurbüro Marko Vischer GmbH Co KG Media Expert 1 oct 2022 — 4 30°C 39 2 86°F ≤ 70°C 158°F clean H2O 8 bar 29 116 psi Page blanco sos 1x 14 mm

instrukcja obsługi Fontas s 526672 mediaexpert pl products files 41 4138710 |||

BLANCO drink.filter FONTAS-S II 70C 158F 4-30C 39,2-86F clean H O 2 2 - 8 bar 29 - 116 psi 1 BLANCO drink.filter FONTAS-S II 2 3 6 4 7 5 17 8 18 22 23 24 13 10 11 12 9 14 15 20 19 16 www.blanco.com/sos PH 2 21 1x 14 mm 1x 19 mm 1x 22 mm 2 3 4 35 mm 5 RED 6 19 mm...

lang:it score:12 filesize: 3.21 M page_count: 6 document date: 2021-05-17



[pdf]

Laudert GmbH Co KG BLANCO nagykatalógus 2022 Ecorgan Kereskedelmi dokumentumok C22 hunHU 72dpi ecorgan hu images Letoltheto Blanco |||


Mosogatk, csaptelepek, hulladkosztlyozok Praktikus megoldások a konyhban blanco.hu TARTALOM UNIT IN ... szerelve, gy visszafolyás ellen biztosítva az EN1717 szabvány szerint Magasnyoms 525205 Magasnyoms **526672** * Elrhet prilis 2022 Ajnlott mosogatszeradagol Csaptelepek Szennyszr a sarokszelephez 1284...

lang:i-klngon score:10 filesize: 19.13 M page_count: 340 document date: 2022-01-04



[pdf] Catalog

Laudert GmbH Co KG Soluciones integradas para la zona de aguas en cocina DAKE Escurridor esquina 235 866 consultar pág 54 PIONA Dispensador jabón plegable 238 482 € 85 00 BLANCO CULINA S Duo 189 BLANCO Catalogo General BLANCO ES 2022 dake es 11 |||
Fregaderos, grifería, sistemas de desperdicios y accesorios Tarifa 2022 I.V.A. no incluido Solucion ... omendacin accesorios 525199 526694* 525198 526158 525200 525207 525201 525204 525202 525206 525205 **526672** Filtro PVP sin IVA Dibujo tcnico 515,00 Cao extrable 508,00 PVP sin IVA 468,00 PV...
lang:i-klngon score:9 filesize: 16.41 M page_count: 308 document date: 2022-11-10




[pdf] Borchure Catalog

Laudert GmbH Co KG blanco catalogue 2023 cdn media fr be 03 dokumente brochures bben |||
Valable partir du 1er janvier 2023 Catalogue Belgique 2023 blanco.com CONTENU UNIT INSPIRATIONS ... ique 667,00 Filtre 526694 525198 526158 525200 525207 526946 525201 525204 526947 525206 525205 **526672** 671,00 Tous les prix en HTVA 547,00 Tous les prix en HTVA 620,00 Dbit 7.7 l 620,00...
lang:fr score:9 filesize: 143.37 M page_count: 372 document date: 2022-11-16



[pdf]

BLANCO katalógus 2022 parafalo hu mosogatótálca és csaptelep AEG ELECTROLUX AIRMEC APELSON BEKO BOSCH CANDY CATA DAVO DE DIETRICH ELICA ELLECI FAGOR FALMEC FOSTER GONAL GORENJE HOTPOINT ARISTON ICF INDESIT INSINKERATOR KDESIGN LIEBHERR MEKAPPA MIDEA MORA NARDI NEFF blanco mosogatotalca katalogus |||
Mosogatók, csaptelepek, hulladkosztályozók Praktikus megoldások a konyhában
TARTALOM UNIT INSPIRCIK 3 ... szerelve, gy visszafoly ellen biztosítva az EN1717 szabvány szerint Magasnyoms 525205 Magasnyoms **526672** * Elrhet prilis 2022 Ajnlott mosogatszeradagol Csaptelepek Szennyszr a sarokszelephez 1284...
lang:i-klngon score:9 filesize: 20.22 M page_count: 340 document date: 2022-01-09




[\[pdf\]](#) Accessories Borchure Catalog

Laudert GmbH Co KG bua catalogue 2023 cdn blanco media 03 dokumente brochures ua |||

Sinks, taps, waste systems accessories Seamless solutions for the kitchen water place blanco.com ... - Planned for LGA certificate - Planned for DVGW certificate - Filter system not included. 525205 **526672** Recommendation soap dispenser Mixer taps BLANCO Drink Filter Set Soft L 527453 246 Spray...

lang:en **score:9** filesize: 114.94 M page_count: 340 document date: 2022-11-16



[\[pdf\]](#) Borchure

Laudert GmbH Co KG c23 frach 72dpi 1 cdn blanco media 03 dokumente brochures ch |||

Liste 192733 Solutions intgres pour la zone d eau dans la cuisine BLANCO UNIT - Robinetteries, viers ... systme de filtre eau 525199 525198 526158 525200 525207 526946 525201 525204 526947 525206 525205 **526672** Douchette amovible Filter Prix CHF incl. Prix CHF excl. CHF 1138,00 CHF 1056,64 Schma...

lang:fr **score:9** filesize: 115.43 M page_count: 358 document date: 2022-11-23