

CHAMBERLAIN C2202

Chamberlain C2202 MYQ Smart Garage Door Opener Instruction Manual

Model: C2202 | Brand: CHAMBERLAIN

1. INTRODUCTION

This manual provides instructions for the Chamberlain C2202 MYQ Smart Garage Door Opener. This chain drive opener features MYQ smartphone control, a 1/2-HP AC motor, and a single light. It is designed for reliable and convenient garage access.

2. FEATURES

- **Smartphone Control:** Manage and monitor your garage door from any location using the myQ app.
- **Drive Type:** Equipped with a durable chain drive mechanism.
- **Security:** Incorporates Security+ 2.0 technology for enhanced encryption and security.
- **Included Accessories:** Comes with one 1-button remote, a push-button wall control, and IR safety sensors.
- **Compatibility:** Designed for 7-foot garage doors. Extension kits are available for 8-foot (8808CB-P) and 10-foot (8810CB-P) garage door openings.

3. COMPONENTS INCLUDED

- Chamberlain C2202 MYQ Smart Garage Door Opener Unit
- Chain Drive Rail Assembly
- One 1-Button Visor Remote (Tri-band frequency)
- Single Function Wall Control
- IR Safety Sensors
- Mounting Hardware



Image: The Chamberlain C2202 MYQ Smart Garage Door Opener unit, showing the main housing and a portion of the chain drive mechanism.



Image: A close-up of the included Chamberlain 1-button visor remote control.



CHAMBERLAIN®



Image: The Chamberlain single function wall control, featuring a large push-button for door operation.

4. SETUP & INSTALLATION

Installation of the Chamberlain C2202 garage door opener requires careful attention to safety and detailed steps. It is recommended to have two people for installation. Refer to the comprehensive installation guide provided with your product for specific instructions on mounting the opener, assembling the chain drive rail, connecting safety sensors, and wiring the wall control. Ensure all safety protocols are followed during the installation process.

A critical step is setting the door travel distance. The opener will not operate until this process is successfully completed. Consult the manual for detailed steps on programming the travel limits.

5. OPERATING INSTRUCTIONS

5.1. Smartphone Control (myQ App)

1. Download the myQ app from your device's app store.
2. Follow the in-app instructions to connect your C2202 opener to your home Wi-Fi network and register it with your myQ account.
3. Use the app to open, close, and monitor the status of your garage door from any location.
4. The app provides a history of door activity.



Image: A hand holding a smartphone showing the myQ app, which allows remote control and monitoring of the garage door.

5.2. Remote Control

The included 1-button visor remote can be programmed to operate the garage door. Refer to the programming section in the full product manual for instructions on syncing the remote with your opener.



Image: A person inside a vehicle using a Chamberlain remote control attached to the sun visor to operate the garage door.

5.3. Wall Control

The single function wall control allows for opening and closing the garage door from inside the garage. It also features a light control button to operate the opener's light.

6. MAINTENANCE

Regular maintenance ensures optimal performance and longevity of your garage door opener. Inspect the chain drive system periodically for proper tension and lubrication. Check the safety sensors for alignment and clear any obstructions. Ensure all mounting hardware is secure. Refer to the full product manual for a detailed maintenance schedule and procedures.

7. TROUBLESHOOTING

If the garage door opener is not responding, first check the power supply and ensure the safety sensors are properly aligned and free of obstructions. If the door does not move after installation, verify that the door travel limits have been set correctly. For further assistance, consult the troubleshooting section of your complete instruction manual or contact Chamberlain customer support.

8. SPECIFICATIONS

Brand	CHAMBERLAIN
Model Name	C2202
Model Number	C2202 MYQ
Drive Type	Chain Drive
Motor	1/2 HP AC
Light	Single 100W light, CFL compatible
Connectivity	Wi-Fi (myQ compatible)
Security	Security+ 2.0
Included Remotes	One 1-button visor remote
Included Wall Control	Single function push-button wall control
Included Safety Sensors	IR safety sensors
Door Compatibility	Designed for 7' garage doors (extension kits available for 8' and 10' doors)
Item Weight	36.36 Pounds
UPC	012381197880

9. WARRANTY & SUPPORT

The Chamberlain C2202 MYQ Smart Garage Door Opener comes with the following warranty:

- **Motor Warranty:** 6 years
- **Parts/Chain/Accessories Warranty:** 1 year

For product support, technical assistance, or to inquire about warranty claims, please visit the official Chamberlain website or contact their customer service department directly. Contact information can typically be found in the full product manual or on the manufacturer's website.