

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [BLAUX](#) /

› [BLAUX Cleanse Bidet Attachment Instruction Manual - Model 30738](#)

BLAUX 30738

BLAUX Cleanse Bidet Attachment Instruction Manual

Model: 30738

1. PRODUCT OVERVIEW

The BLAUX Cleanse Bidet Attachment is a non-electric bidet system designed to enhance personal hygiene. It features adjustable water pressure and dual nozzles for both front and rear cleansing, providing a refreshing and thorough wash. Constructed from durable ABS plastic, this attachment is designed for easy installation on most standard toilets.



Image 1.1: BLAUX Cleanse Bidet Attachment installed on a toilet.

2. WHAT'S IN THE Box

Before beginning installation, please ensure all components are present:

- BLAUX Cleanse Bidet Attachment Unit
- 1x T-adapter
- 1x Water Hose
- Mounting Plates/Fastening Slots

WHAT'S IN THE BOX?



Image 2.1: All components included in the BLAUX Cleanse Bidet Attachment package.

3. SETUP AND INSTALLATION

Installation of the BLAUX Cleanse Bidet Attachment is designed to be straightforward and does not require electricity. Basic tools such as a Philips screwdriver, an adjustable wrench, and plumber's tape are recommended.

3.1. Preparation

1. Turn off the water supply to your toilet at the shut-off valve.
2. Flush the toilet to drain the tank.
3. Disconnect the existing water supply hose from the toilet tank.

3.2. Attaching the Bidet Unit

1. Remove your existing toilet seat by unscrewing the bolts that secure it to the toilet bowl.
2. Place the bidet attachment onto the toilet bowl, aligning the fastening slots with the toilet seat bolt holes.
3. Reinstall your toilet seat over the bidet attachment and secure it with the original bolts. Ensure the

bidet unit is centered and stable.



Image 3.1: Super simple setup diagram for the bidet attachment.

3.3. Connecting the Water Supply

1. Install the T-adapter onto the toilet tank's water inlet.
2. Connect one end of the provided water hose to the T-adapter.
3. Connect the other end of the water hose to the bidet attachment's water inlet.
4. Slowly turn on the water supply to the toilet. Check for any leaks. If leaks occur, tighten connections as needed.

Your browser does not support the video tag.

Video 3.1: Official installation guide for the BLAUX Cleanse Bidet Attachment, demonstrating the steps to connect the unit to your toilet's water supply.

3.4. Compatibility

The BLAUX Cleanse Bidet Attachment is designed to fit most standard toilets. The fastening slots are adjustable to accommodate various bolt spacing, with a maximum length of 9.0 inches (23 cm).

AUTOMATIC DUAL NOZZLE

Choose from 4 pressure options for front and rear cleansing



Rear Wash



Feminine Wash



Image 3.2: Bidet attachment dimensions and toilet compatibility guide.

4. OPERATING INSTRUCTIONS

The bidet features a single control knob for easy operation of its dual nozzles and water pressure settings.

4.1. Nozzle Selection and Water Pressure

- **Rear Wash:** Turn the control knob to activate the rear nozzle for general cleansing.
- **Feminine Wash:** Turn the control knob in the opposite direction to activate the feminine nozzle for a gentler, front wash.
- **Adjusting Pressure:** Continue turning the knob in either direction to increase the water pressure from soft to strong.

DUAL NOZZLES FOR DEEP CLEANING



Feminine
Nozzle



Rear Nozzle



Adjustable
Water Pressure



Image 4.1: Dual nozzles for deep cleaning and adjustable water pressure.

PRECISE, REFRESHING WATER STREAM



Image 4.2: Easy control knob for precise water stream adjustment.

5. MAINTENANCE

Regular cleaning will ensure optimal performance and hygiene of your bidet attachment.

- The bidet is made from durable ABS plastic, which is easy to clean. Use a mild, non-abrasive cleaner and a soft cloth to wipe down the exterior of the unit.
- For nozzle cleaning, gently pull down the nozzles and clean them with a soft brush and mild soap. Rinse thoroughly.
- Avoid using harsh chemicals or abrasive cleaning tools, as these can damage the bidet's finish and components.

6. TROUBLESHOOTING

If you encounter any issues with your BLAUX Cleanse Bidet Attachment, refer to the following common solutions:

Problem	Possible Cause	Solution
---------	----------------	----------

Problem	Possible Cause	Solution
Water Leakage	Loose connections, missing/damaged washers, incorrect T-adapter installation.	Ensure all connections are tight. Check for proper placement of rubber washers. Apply plumber's tape to threaded connections if necessary.
No Water Spray / Weak Spray	Water supply valve closed, clogged nozzles, low water pressure in household.	Verify the toilet's water supply valve is fully open. Clean the nozzles as described in the Maintenance section. Check household water pressure.
Nozzles Not Retracting	Debris or mineral buildup on nozzles.	Clean the nozzles thoroughly. Ensure no obstructions prevent their movement.

7. SPECIFICATIONS

- Brand:** BLAUX
- Model Name:** BLAUX Cleanse Bidet Attachment
- Model Number:** 30738
- Material:** Acrylonitrile Butadiene Styrene (ABS Plastic)
- Color:** White
- Mounting Type:** Protruding
- Number of Handles:** 1 (Control Knob)
- Special Features:** Adjustable Water Pressure, Dual Nozzles (Front & Rear Wash), DIY Installation
- Item Weight:** 1.34 pounds (0.61 kg)
- Product Dimensions:** 6.89 x 3.74 x 16.93 inches (17.5 x 9.5 x 43 cm)
- Hose Length:** 27.5 Inches (70 cm)
- Power Source:** Non-Electric (Water Pressure Operated)

8. WARRANTY AND SUPPORT

The BLAUX Cleanse Bidet Attachment comes with a limited warranty. For specific warranty details, claims, or technical support, please refer to the warranty card included with your product or contact BLAUX customer service directly.

For further assistance, please visit the official BLAUX website or contact their customer support team.