Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

Graco 8AO710BCKEU

Graco IsoFamily i-Size ISOFIX Car Seat Base User Manual

Model: 8AO710BCKEU

1. Introduction

The Graco IsoFamily i-Size ISOFIX Car Seat Base is designed to provide a secure and convenient installation solution for compatible Graco i-Size infant car seats, including the SnugRide®/SnugEssentials™ and Ascent™ i-Size models. This base utilizes the ISOFIX anchorage system in your vehicle, ensuring a stable and correct fit with visual indicators for peace of mind. It features multiple adjustable positions to optimize fit within various vehicle seats.

2. Safety Information

Always prioritize safety when installing and using the car seat base. Read and understand all instructions before use. Failure to follow these instructions could result in serious injury or death.

- Ensure the base is only installed using the vehicle's ISOFIX anchor points.
- Verify that all color indicators are GREEN before driving. This confirms correct installation of the base, leg rest, and the car seat onto the base.
- The base is compatible only with Graco SnugEssentials i-Size Infant Car Seat, Graco SnugRide i-Size Infant Car Seat, and Graco Ascent i-Size Infant Car Seats. Do not use with other car seat models.
- Regularly check that the base is securely attached and the leg rest is firmly positioned against the vehicle floor.
- Never use the base if any part is damaged or missing. Contact Graco customer support for replacement parts or assistance.

3. Setup and Installation

Follow these steps for proper installation of your Graco IsoFamily i-Size ISOFIX Car Seat Base.

3.1 Preparing the Base



Figure 3.1: Overview of the Graco IsoFamily i-Size ISOFIX Car Seat Base. This image shows the base from an angled perspective, highlighting the ISOFIX connectors on the left and the adjustable support leg on the right.

1. Ensure your vehicle is equipped with ISOFIX anchor points. These are typically located between the seat back and seat cushion.
2. Extend the ISOFIX connectors from the base. Locate the release buttons, usually on the side of the base, and press them to extend the connectors.



Figure 3.2: Side view of the base with ISOFIX connectors extended. This image illustrates the ISOFIX arms fully extended from the base, ready for attachment to the vehicle's anchor points.

3.2 Installing the Base in the Vehicle

3. Align the ISOFIX connectors with your vehicle's ISOFIX anchor points. Push the base firmly against the vehicle seat back until the connectors click into place. The indicators on the ISOFIX connectors should turn from RED to GREEN.
4. Push the base firmly towards the vehicle seat back to ensure a tight fit. There should be minimal movement.
5. Lower the adjustable support leg until it makes firm contact with the vehicle floor. The indicator on the support leg should also turn from RED to GREEN. Ensure the leg is stable and not wobbly.



Figure 3.3: Front view of the base showing the adjustable support leg. This image provides a clear view of the support leg, which extends to the vehicle floor for stability, and its indicator.

6. Verify all three indicators (two for ISOFIX connectors, one for the support leg) are GREEN. If any indicator is RED, re-adjust the base until all are green.

3.3 Attaching the Car Seat

6. Place your compatible Graco i-Size infant car seat onto the base. Push down firmly until it clicks into place.
7. Check the indicator on the base for the car seat attachment. This indicator should also turn GREEN, confirming the car seat is correctly secured to the base.
8. Before driving, gently pull up on the car seat to ensure it is firmly attached to the base.

4. Operating the Base

4.1 Detaching the Car Seat

To remove the car seat from the base, locate the car seat release lever (typically at the front or back of the car seat where it connects to the base). Pull the lever and lift the car seat upwards.

4.2 Adjusting Base Position

The IsoFamily base features 7 different positions to adjust the angle and fit within your vehicle. To adjust, locate the recline adjustment handle (usually at the front or side of the base). Squeeze the handle and move the base to the desired position. Release the handle to lock it in place. Ensure the car seat remains level and secure after adjustment.

5. Maintenance and Care

Proper maintenance ensures the longevity and safety of your car seat base.

- **Cleaning:** The material composition is 30% Polyester and 70% Plastic. For cleaning, hand wash the fabric components. Wipe plastic parts with a damp cloth and mild soap. Do not use abrasive cleaners or solvents.
- **Storage:** When not in use, store the base in a cool, dry place away from direct sunlight.
- **Inspection:** Periodically inspect the base for any signs of wear, damage, or loose parts. If any damage is found, discontinue use and contact Graco customer support.

6. Troubleshooting

If you encounter issues with your Graco IsoFamily i-Size ISOFIX Car Seat Base, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
ISOFIX indicators remain RED.	Connectors not fully engaged with vehicle anchor points.	Push the base firmly against the vehicle seat back until a click is heard and indicators turn GREEN. Ensure no obstructions.
Support leg indicator remains RED.	Support leg not firmly extended to the vehicle floor.	Adjust the leg length until it makes firm contact with the floor and the indicator turns GREEN. Ensure it is not wobbly.
Car seat indicator remains RED.	Car seat not fully clicked onto the base.	Press down firmly on the car seat until it clicks into place and the indicator turns GREEN.
Base feels loose after installation.	ISOFIX connectors or support leg not fully secured.	Re-check all three indicators (ISOFIX and support leg) are GREEN. Push the base firmly into the vehicle seat.

7. Specifications



Figure 7.1: Dimensions of the Graco IsoFamily i-Size ISOFIX Car Seat Base. This image provides a visual representation of the base's length, width, and height measurements.

Feature	Detail
Model Number	8AO710BCKEU
Product Dimensions (L x W x H)	73.2 x 70.2 x 32.3 cm
Item Weight	5.39 kg
Material Type	Polypropylene, Polyester, Plastic
Material Composition	30% Polyester, 70% Plastic
Colour	Black
Installation Method	ISOFIX
Adjustable Positions	7 positions

Feature	Detail
Compatibility	Graco SnugEssentials i-Size, SnugRide i-Size, Ascent i-Size Infant Car Seats

8. Warranty and Support

For detailed warranty information, please refer to the warranty card included with your product or visit the official Graco website. Graco stands behind the quality of its products and offers support for any manufacturing defects.
If you have any questions, require technical assistance, or need to report an issue, please contact Graco Customer Service. Contact details can typically be found on the Graco official website or on the product packaging.

Online Support: Visit the Graco official website for FAQs, product registration, and support resources.

Phone Support: Refer to your regional Graco website for local contact numbers.

© 2024 Graco. All rights reserved. Information subject to change without notice.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B09JT3BZJY

More documents and user manuals: **https://manuals.plus/**