

[manuals.plus](#) /

› [Ohniyou](#) /

› [Ohniyou Ceiling Fan User Manual](#)

Ohniyou 52 Inches Ceiling Fans

Ohniyou 52 Inch Farmhouse Indoor Outdoor Ceiling Fan User Manual

Model: 52 Inches Ceiling Fans

1. PRODUCT OVERVIEW

The Ohniyou 52 Inch Farmhouse Ceiling Fan is designed for both indoor and covered outdoor environments, offering efficient air circulation with a quiet DC motor and integrated LED lighting. It features reversible blades for year-round use and comes with a remote control for convenient operation.



Image 1.1: The Ohniyou 52 Inch Farmhouse Ceiling Fan, showcasing its bronze finish, five wooden blades, and integrated LED light. A remote control and two blade finish options (reddish brown and farmhouse brown) are also displayed.

2. SAFETY INFORMATION


- Always turn off power at the circuit breaker before installation or maintenance.
- Ensure all electrical connections comply with local codes and ordinances.
- Consult a qualified electrician if you are unsure about wiring.
- Mount the fan to a ceiling joist or support structure capable of supporting the fan's weight.
- Keep hands, hair, and clothing clear of the fan blades when the fan is operating.
- Do not attempt to repair or modify the fan yourself. Contact customer support for assistance.

3. PACKAGE CONTENTS

Verify that all components are present before beginning installation:

- Ceiling Fan Motor Housing
- 5 Wooden Ceiling Fan Blades (Dual-Finish)
- LED Light Kit
- Remote Control
- 4-inch Downrod
- 8-inch Downrod
- Mounting Bracket
- Hardware Pack (screws, wire nuts, etc.)
- Instruction Manual

Double Choice For You



**Two Downward Rod
Suitable for Various Heights**




Brown Wood Stripes




Red-brown Wood Stripes

**Two Side Blades
Suitable for Various Styles**



4" Downrod



8" Downrod

Image 3.1: Illustration of the included 4-inch and 8-inch downrods, suitable for various ceiling heights, and the dual-finish wooden blades (Brown Wood Stripes and Red-brown Wood Stripes) offering versatile aesthetic options.

4. SETUP AND INSTALLATION

Follow these steps for proper installation. Refer to the included instruction manual for detailed diagrams.

4.1 Choosing a Location

This fan is suitable for indoor and covered outdoor use, including bedrooms, living rooms, patios, and porches. Ensure adequate clearance from walls and furniture.




Image 4.1: Examples of the Ohniyou ceiling fan installed in different environments, including a living room, patio, bedroom, and a room with a sloped ceiling (up to 15 degrees).

4.2 Mounting the Fan

1. Secure the mounting bracket to the ceiling electrical box and support structure.
2. Assemble the downrod with the canopy and hang the fan motor assembly onto the mounting bracket.
3. Connect the electrical wiring according to the provided wiring diagram.
4. Attach the fan blades to the motor housing.
5. Install the LED light kit and light cover.



Image 4.2: Visual representation of the 4-inch and 8-inch downrod options for high and low ceilings, and the fan's compatibility with sloped ceilings up to 15 degrees.

4.3 Video Installation Guide

For a visual guide on the installation process, please watch the official product video:

Video 4.3: An official product video demonstrating the features and operation of the Ohniyou 52 Inch Ceiling Fan, including its 6-speed settings, 3 light color options, reversible motor, and timing control. This video provides a helpful overview for setup and initial use.

5. OPERATING INSTRUCTIONS

The Ohniyou ceiling fan is operated using the included remote control.

5.1 Remote Control Functions



Image 5.1: The remote control for the Ohniyou ceiling fan, highlighting buttons for fan speed (1-6), light on/off, wind direction (downward/upward), and timer settings (1H/2H/4H). Key features like low noise, 3 light colors, and variable frequency DC motor are also indicated.

- **LIGHT ON/OFF:** Toggles the LED light on or off.
- **Variable Speed (1-6):** Adjusts fan speed from 1 (lowest) to 6 (highest).
- **Wind Downward (F):** Sets the fan to downdraft mode for cooling in summer.
- **Wind Upward (R):** Sets the fan to updraft mode for air circulation in winter.
- **1H/2H/4H Timing:** Sets the fan to turn off automatically after 1, 2, or 4 hours.
- **ALL OFF:** Turns off both the fan and the light.

5.2 Light Color Adjustment

The integrated LED light offers three color temperature options:

- **3000K (Warm Light):** For a cozy and romantic ambiance.
- **4500K (Neutral White):** For a comfortable and balanced illumination.

- **6000K (Cold White):** For bright and clear lighting.

Cycle through these options by pressing the LIGHT ON/OFF button repeatedly.

3

LIGHT COLOR

Warm Light / Neutral Light / White Light



3000K

Romantic



4500K

Comfortable



6000K

Bright

Image 5.2: The ceiling fan light displaying its three adjustable color temperatures: 3000K (Warm Light), 4500K (Neutral Light), and 6000K (White Light), illustrating the range from romantic to bright.

5.3 Reversible Motor Function

The fan features a reversible DC motor, allowing for optimal air circulation throughout the year.

- **Summer Mode (Downdraft):** Press the 'F' button on the remote. Blades rotate counter-clockwise, pushing cool air downwards.
- **Winter Mode (Updraft):** Press the 'R' button on the remote. Blades rotate clockwise, drawing cool air up and pushing warm air down from the ceiling.



Image 5.3: Diagram illustrating the fan's reversible airflow: blue arrows show downdraft for cooling in summer, and orange arrows show updraft for better air circulation and heat distribution in winter.

6. MAINTENANCE

Regular maintenance ensures optimal performance and longevity of your ceiling fan.

- **Cleaning:** Dust the fan blades and motor housing regularly with a soft, damp cloth. Do not use abrasive cleaners or solvents.
- **Blade Care:** The dual-finish wooden blades can be cleaned with a furniture polish suitable for wood.
- **Tightening Screws:** Periodically check and tighten all screws on the fan blades and mounting hardware to prevent wobbling and noise.
- **Light Kit:** The LED light kit is designed for long life and typically does not require bulb replacement. If issues arise, contact customer support.

7. TROUBLESHOOTING

Problem	Possible Cause	Solution
Fan does not start	No power to the fan; Loose wire connections; Remote control battery low.	Check circuit breaker; Verify all wire connections are secure; Replace remote control battery.
Fan wobbles	Loose blade screws; Unbalanced blades; Loose mounting bracket.	Tighten all blade screws; Check blade balance and use balancing kit if necessary; Ensure mounting bracket is securely fastened.
Noisy operation	Loose screws; Motor issues; Blades hitting an obstruction.	Tighten all screws; Ensure no obstructions are near blades; If motor noise persists, contact customer support.
Light does not work	Loose wiring to light kit; LED light kit failure.	Check wiring connections to the light kit; Contact customer support for LED light kit replacement if necessary.
Remote control not working	Battery low or dead; Remote not paired with fan.	Replace battery; Refer to the full instruction manual for remote pairing instructions.

8. SPECIFICATIONS

Feature	Detail
Brand	Ohniyou
Model Number	52 Inches Ceiling Fans
Product Dimensions	52"D x 52"W x 16"H
Blade Material	Wood (Dual-Finish)
Number of Blades	5
Motor Type	Reversible DC Motor
Fan Speeds	6
Noise Level	≤30 dB
Light Type	Integrated LED
Color Temperature	3000K (Warm), 4500K (Neutral), 6000K (Cold)
Control Method	Remote Control
Timer Function	1H, 2H, 4H
Voltage	110 Volts (AC)
Wattage	35 watts
Indoor/Outdoor Usage	Indoor, Outdoor (Covered)
Item Weight	12 Pounds

9. WARRANTY AND SUPPORT

Ohniyou provides a **365-day warranty** for this ceiling fan, covering manufacturing defects from the date of purchase. For technical support, troubleshooting assistance, or warranty claims, please contact Ohniyou customer service through the retailer's platform or the official Ohniyou website. Please have your purchase receipt and product model number ready when contacting support.