



Manuals.plus /

› ASA /

› Jensen JTV3220DC 32" LED DC Television User Manual

ASA JTV3220DC

Jensen JTV3220DC 32" LED DC Television User Manual

Model: JTV3220DC

INTRODUCTION

Thank you for purchasing the Jensen JTV3220DC 32" LED DC Television. This manual provides essential information for the safe and efficient operation of your new television. Please read this manual thoroughly before using the product and retain it for future reference.

SAFETY INFORMATION

Always observe the following safety precautions to prevent electric shock, fire, or injury:

- Do not expose the television to rain or moisture.
- Do not block ventilation openings. Ensure adequate space around the television for proper airflow.
- Use only the power supply specified for this unit (12V DC).
- Do not open the television casing. Refer all servicing to qualified service personnel.
- Protect the power cord from being walked on or pinched.
- Clean only with a dry cloth.

WHAT'S IN THE BOX

Verify that all items are present:

- Jensen JTV3220DC 32" LED DC Television
- Remote Control (Dual function)
- DC Power Cord
- Stand

PRODUCT OVERVIEW



Figure 1: Front View. This image shows the front of the Jensen JTV3220DC television, featuring its 32-inch screen. The screen displays a vibrant, high-definition image of a futuristic city with a spacecraft, demonstrating the television's visual capabilities.



Figure 2: Side Profile. This image provides a side view of the Jensen JTV3220DC television, highlighting its slim design and black bezel.

The angle emphasizes the compact nature of the unit, suitable for various installations.



Figure 3: Rear Panel Connections. This close-up image displays the rear input and output ports of the Jensen JTV3220DC. Visible connections include HDMI (with ARC support), USB, Composite Video, Component Video, RF, and various audio inputs and outputs, indicating comprehensive connectivity options.

Key Features:

- DC Power Operation
- White LED Illumination
- High Performance LCD Panel
- 1366 x 768 Full HD Resolution
- 16.7 Million Colors Display
- Integrated HDTV (ATSC) Tuner
- HD Ready (1080p, 720p, 480p)
- jCOM HDMI Function with JENSEN HDMI-equipped DVD players
- Audio Return Channel (ARC) supported with HDMI2
- VESA 100mm x 100mm Mounting Pattern

SETUP

Mounting the Stand:

1. Carefully place the television face down on a soft, clean surface to prevent screen damage.
2. Align the stand with the mounting holes on the bottom of the television.
3. Secure the stand using the provided screws. Do not overtighten.

Connecting Power:

Connect the supplied DC power cord to the 12V DC input on the television and to a compatible 12V DC power source.

Connecting External Devices:

- **HDMI:** Connect HDMI cables from your devices (e.g., DVD player, game console) to the HDMI 1 or HDMI 2 (ARC) ports.
- **USB:** Insert a USB drive into the USB port for media playback.
- **Antenna/Cable:** Connect an antenna or cable TV feed to the RF input.
- **Composite/Component Video:** Use the corresponding RCA jacks for older video devices.

OPERATING INSTRUCTIONS

Power On/Off:

Press the **POWER** button on the remote control or on the television to turn the unit on or off.

Input Source Selection:

Press the **INPUT** or **SOURCE** button on the remote control to cycle through available input sources (TV, HDMI 1, HDMI 2, USB, AV, Component).

Channel Scan (TV Mode):

1. Switch the input source to **TV**.
2. Access the **MENU** and navigate to the **Channel** or **Setup** section.
3. Select **Auto Scan** or **Auto Program** to search for available channels.

Volume Control:

Use the **VOL+** and **VOL-** buttons on the remote control to adjust the volume.

Menu Navigation:

Use the arrow buttons and **OK/ENTER** button on the remote to navigate through the on-screen menu for picture, sound, and other settings.

MAINTENANCE

Cleaning the Screen:

Gently wipe the screen with a soft, lint-free cloth. For stubborn marks, slightly dampen the cloth with water or a specialized screen cleaner. Do not spray liquid directly onto the screen.

Cleaning the Cabinet:

Wipe the television cabinet with a soft, dry cloth. Avoid using abrasive cleaners or solvents.

Storage:

If storing the television for an extended period, disconnect it from the power source and store it in a cool, dry place, ideally in its original packaging.

TROUBLESHOOTING

Problem	Possible Cause	Solution
No Power	Power cord not connected; Power source issue.	Ensure DC power cord is securely connected. Verify 12V DC power source is active.
No Picture/Sound	Incorrect input source; Loose cable connection.	Press INPUT/SOURCE button to select correct input. Check all cable connections.
Poor Picture Quality	Weak antenna signal; Incorrect display settings.	Adjust antenna position or check signal strength. Adjust picture settings (brightness, contrast, etc.) in the menu.
Remote Control Not Working	Dead batteries; Obstruction between remote and TV.	Replace batteries. Remove any obstructions and ensure direct line of sight to the TV's IR sensor.

SPECIFICATIONS

Feature	Specification
Diagonal Size	31.5" (82 cm)
Resolution	1366 x 768 (Full HD)
Brightness	200 nit
Contrast Ratio	3000:1
View Angles	Top 89° / Bottom 89° / Left 89° / Right 89°
Display Format	16:9
Response Time	6.5ms
Video / Display System	NTSC/ATSC/PAL
Audio Output	8W x 2
Power System	DC 12V
Power Consumption	20mA standby / 3.17A max
Operating Temperature	-4°F to 149°F (-20°C to 65°C)
Storage Temperature	-22°F to 158°F (-30°C to 70°C)
Maximum Relative Humidity	85%
Overall Dimensions (without stand)	28.8"W x 17.2"H x 3.2"D
Product Weight (unpackaged)	9.9 lbs

WARRANTY AND SUPPORT

This Jensen product is covered by a manufacturer's warranty. For specific warranty terms and conditions, please refer to the warranty card included with your product or visit the official ASA (Jensen) website. For technical support, service, or replacement

parts, please contact ASA customer service directly. Keep your purchase receipt as proof of purchase for warranty claims.

Online Resources: For the most up-to-date information, FAQs, and additional support, please visit the official ASA website.