Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

Toli CF9555

Toli Residential Cushion Floor CF Sheet H User Manual

Model: **CF9555** | Brand: **Toli**

1. Product Overview

The Toli Residential Cushion Floor CF Sheet H, model CF9555, is a high-quality flooring material designed to enhance living spaces with both aesthetic appeal and practical functionality. This stone-patterned (marble) cushion floor offers comfort, durability, and ease of maintenance, making it an ideal choice for various residential applications.



Image: Toli Cushion Floor designed to fill spaces with design and comfort.

This product is engineered for residential use, providing a comfortable and resilient surface. Its design is inspired by natural marble, offering a sophisticated look that complements various interior styles. The CF Sheet H series is known for its robust construction and user-friendly characteristics.



Image: Close-up view of the Toli CF9555 marble pattern cushion floor.

2. Key Features

- **Anti-Virus Processing:** The CF Sheet H features advanced anti-virus processing, significantly reducing the number of specific viruses on its surface by over 99%. This contributes to a healthier living environment. The product is SIAA certified for its anti-virus properties.



Image: Diagram illustrating the anti-virus mechanism and a table showing resistance to various disinfectants (e.g., sodium hypochlorite, ethanol).

- **Easy to Clean:** The surface of the cushion floor is designed for effortless cleaning, allowing spills and dirt to be wiped away easily. This feature ensures quick maintenance and helps keep your floor looking new.



Image: A hand wiping a liquid spill from the floor, illustrating the ease of cleaning.

- **Simple Installation:** The cushion floor is designed for straightforward installation, making it suitable for DIY

projects. Its flexibility and manageable size contribute to an easier setup process.



Image: Two individuals unrolling the cushion floor, indicating ease of installation.

- **Easy Cutting:** The material can be easily cut to fit specific room dimensions or around obstacles, ensuring a precise and neat finish.



Image: A hand using scissors to cut the cushion floor, demonstrating its ease of cutting.

- **Double-Sided Tape Application:** For added convenience, the cushion floor can be securely installed using double-sided adhesive tape, simplifying the installation process.



Image: A hand peeling the protective film from double-sided tape applied to the back of the flooring, indicating tape installation method.

- **Cost-Effective:** This product offers an economical solution for flooring renovation or installation, providing a high-quality finish without excessive cost.



Image: A person carrying a large roll of cushion floor, implying its lightweight nature and affordability.

3. Setup and Installation

Proper preparation and installation are crucial for the longevity and appearance of your Toli Cushion Floor. Follow these guidelines for a successful installation.

3.1 Preparation

- Ensure the subfloor is clean, dry, smooth, and free of debris.
- Acclimate the cushion floor material to the room temperature for at least 24 hours before installation.

3.2 Recommended Tools and Attire



Image: Visual guide showing recommended attire (long-sleeved pants) and tools (gloves, cutter, and pattern paper for precise cutting) for installation.

- **Long-sleeved pants:** For protection during installation.
- **Gloves:** To protect hands and ensure a clean handling of the material.
- **Cutter:** A sharp utility knife or specialized flooring cutter for precise cuts.
- **Pattern paper ( ):** Utilize pattern paper or templates for accurate shaping around irregular areas like corners or fixtures.
- **Double-sided adhesive tape (optional):** For securing the flooring, especially for temporary or less permanent installations.

3.3 Installation Steps

1. **Measure and Cut:** Measure the room dimensions accurately. Unroll the cushion floor and cut it to size, leaving a slight excess for trimming. Use the cutter and pattern paper for complex shapes.
2. **Positioning:** Carefully position the cut flooring in the desired area, ensuring it aligns correctly with walls and corners.

3. **Adhesion (if using tape):** If using double-sided tape, apply it to the subfloor or the back of the cushion floor according to the tape manufacturer's instructions. Press the flooring firmly onto the tape, ensuring no air bubbles.
4. **Trimming:** Trim any excess material along the edges using the cutter for a neat finish.
5. **Sealing (Optional):** For areas prone to moisture, consider sealing the edges with a suitable sealant to prevent water ingress.

4. Operating and Usage

Once installed, the Toli Cushion Floor CF Sheet H is ready for immediate use. Its cushioned nature provides a comfortable walking surface, and its durable construction is designed for everyday residential traffic.

- **Comfort:** The cushion layer provides a softer feel underfoot compared to traditional hard flooring, reducing fatigue.
- **Sound Absorption:** It helps in reducing noise, contributing to a quieter indoor environment.
- **Temperature Insulation:** The material offers some insulation properties, helping to maintain room temperature.

5. Maintenance and Care

Regular maintenance will preserve the appearance and extend the lifespan of your Toli Cushion Floor. The anti-virus and easy-clean features simplify routine care.

5.1 Routine Cleaning

- **Daily Cleaning:** Sweep or vacuum regularly to remove loose dirt and dust.
- **Spot Cleaning:** For spills, wipe immediately with a damp cloth. The surface is designed for easy removal of liquids.
- **Deeper Cleaning:** For general cleaning, use a mild, pH-neutral floor cleaner diluted in water. Mop the floor with a well-wrung mop to avoid excessive moisture.

5.2 Stain Removal

- Most common household stains can be removed with a damp cloth and mild detergent.
- For stubborn stains, refer to specialized vinyl floor cleaning products, ensuring they are safe for cushion floor materials.

5.3 Precautions

- Avoid using abrasive cleaners, harsh chemicals, or steel wool, as these can damage the surface.
- Protect the floor from heavy furniture by using furniture pads under legs to prevent indentations.
- Avoid dragging heavy or sharp objects across the floor to prevent scratches or tears.
- While resistant to many disinfectants, always test a small, inconspicuous area first if using a new cleaning product.

6. Troubleshooting

This section addresses common issues you might encounter with cushion flooring and provides solutions.

Problem	Possible Cause	Solution
Bubbles or Lifts	Improper adhesion; moisture underneath.	Ensure subfloor is dry and clean before installation. Re-adhere affected areas if possible.

Problem	Possible Cause	Solution
Scratches or Dents	Heavy objects dragged; sharp objects dropped.	Use furniture pads. Be careful with sharp objects. Minor scratches may be less noticeable with proper cleaning. For deep damage, consider professional repair or replacement of the section.
Discoloration	Exposure to direct sunlight; certain rubber products; harsh chemicals.	Use curtains or blinds to limit direct sun exposure. Avoid placing rubber-backed mats directly on the floor. Use only recommended cleaning agents.
Edges Lifting	Insufficient adhesive at edges; high traffic.	Ensure edges are properly secured during installation. Re-apply adhesive or double-sided tape to lifting edges.

7. Specifications

- **Brand:** Toli
- **Model:** CF9555
- **Product Type:** Residential Cushion Floor (CF Sheet H)
- **Pattern:** Stone Pattern (Marble)
- **Width:** 1820mm
- **Thickness:** 1.8mm
- **Features:** Anti-virus processing (SIAA certified), Anti-bacterial, Mold-resistant, Easy to clean, Easy to cut, Easy to install (can use double-sided tape).
- **ASIN:** B09KN3M6G
- **First Available Date:** February 14, 2022



Image: Toli CF9555 Cushion Floor showcasing its marble pattern, model number, and key dimensions (1820mm width, 1.8mm thickness).

8. Warranty and Support

Specific warranty details for the Toli Residential Cushion Floor CF Sheet H, model CF9555, are typically provided at the point of purchase or within the product packaging. For detailed warranty information, please refer to the documentation included with your product or contact Toli customer support directly.

For any inquiries regarding installation, maintenance, or product performance, please contact Toli customer service or your authorized dealer. Keep your purchase receipt as proof of purchase for any warranty claims.

- **Manufacturer:** Toli Corporation
- **Contact Information:** Please refer to the official Toli website or product packaging for the most current contact details.

© 2024 Toli Corporation. All rights reserved.
This manual is for informational purposes only. Specifications are subject to change without notice.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B09KN3M62G

More documents and user manuals: **https://manuals.plus/**