Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

Blossom 028

Blossom 48" Matte White Floating Vanity with Single Acrylic Sink - Installation and Care Manual

Model: 028 | UPC: 842708127449

1. Introduction

Thank you for choosing the Blossom 48" Matte White Floating Vanity with Single Acrylic Sink. This manual provides essential information for the safe installation, operation, and maintenance of your new bathroom vanity. Please read all instructions carefully before beginning installation and retain this manual for future reference.
This modern floating vanity is designed to provide a clean, open aesthetic while offering practical storage solutions. It features solid wood construction, soft-close drawers, and a moisture-resistant finish, making it suitable for humid bathroom environments.

2. Safety Information

WARNING: Improper installation or use can lead to injury or product damage. Always follow local plumbing and building codes.

- Ensure all mounting hardware is securely fastened to a structurally sound wall.
- Do not overload drawers.
- Keep small children away from the installation area.
- Wear appropriate safety gear (gloves, eye protection) during installation.
- If you are unsure about any installation step, consult a qualified professional.

3. Package Contents

Verify that all components are present and undamaged before proceeding with installation.

- Vanity Cabinet (Solid Wood, Matte White)
- Single Acrylic Sink
- Mounting Hardware
- Soft-Close Drawer Mechanisms




Figure 3.1: Exploded view and dimensions of the vanity components.

This image displays detailed technical drawings of the vanity, including its front, top, back, and side views, as well as separate diagrams for the ceramic and acrylic sink options. Dimensions are provided in both inches and millimeters.

4. Setup and Installation

This vanity is designed for wall-mounted installation. Professional installation is recommended.

4.1 Pre-Installation Checks

1. Confirm wall structure can support the vanity's weight (approximately 141.3 lbs, plus contents).
2. Ensure plumbing lines are correctly positioned for the vanity's dimensions (18.13"D x 47.63"W x 20.44"H).
3. Verify faucet hole compatibility. The sink is pre-drilled for a standard bathroom sink faucet.

4.2 Mounting the Vanity Cabinet

The vanity utilizes a wall-hung build. Use the provided mounting hardware to secure the cabinet to wall studs. Accurate measurement and leveling are crucial for proper function and appearance.



Figure 4.1: Vanity dimensions for installation planning.

This image illustrates the overall dimensions of the floating vanity, showing its width, depth, and height, which are essential for planning the installation space.




Figure 4.2: Alternative view of vanity dimensions.

This image provides another perspective of the vanity with its key dimensions, reinforcing the measurements needed for installation.

4.3 Sink and Faucet Installation

Place the acrylic sink onto the vanity cabinet. Ensure a watertight seal using appropriate sealant (not included). Install your chosen faucet into the pre-drilled hole according to the faucet manufacturer's instructions.

4.4 Plumbing Connections

Connect the water supply lines and drain assembly. The vanity features U-shape drawers with cut-out designs to accommodate plumbing without interfering with drawer function. Ensure all connections are tight and leak-free.



Figure 4.3: U-shape drawers designed for plumbing access.

This image highlights the innovative U-shape design of the vanity drawers, which provides ample space for plumbing while maintaining functional storage.




Figure 4.4: Internal view of the vanity cabinet, showing plumbing access.

This image shows the back of the vanity with the drawers open, revealing the internal structure and the space allocated for plumbing connections.

5. Operating Instructions

The Blossom floating vanity is designed for straightforward use.

5.1 Soft-Close Drawers

The vanity is equipped with soft-close storage drawers. To operate, simply pull the drawers open. When closing, gently push them until the soft-close mechanism engages, allowing them to close quietly and smoothly without slamming.



Figure 5.1: Vanity with soft-close drawers open.

This image provides a view of the vanity with its soft-close drawers extended, showcasing the internal storage capacity and the integrated acrylic sink.

Your browser does not support the video tag.

Video 5.1: Demonstration of the Blossom 48" Positano Floating Bathroom Single Vanity Set in Matte White, highlighting its features and design.

This video provides a visual overview of the 48" Positano Floating Bathroom Single Vanity Set in Matte White, demonstrating its aesthetic and functional aspects, including the soft-close drawers and overall design.

6. Maintenance

Proper care will ensure the longevity and appearance of your Blossom vanity.

6.1 Cleaning the Vanity Cabinet

The solid wood cabinet features a five-layer vapor-barrier finish for moisture resistance. To clean, simply wipe with a dry, soft cloth. Avoid abrasive cleaners or harsh chemicals, as these can damage the matte finish.

6.2 Cleaning the Acrylic Sink

The non-porous acrylic basin is scratch- and stain-resistant and easy to clean. Use a mild soap and water solution with a soft cloth. Rinse thoroughly and wipe dry to prevent water spots. Do not use abrasive pads or harsh chemical cleaners.



Figure 6.1: High-quality acrylic sink features.

This image emphasizes the key attributes of the acrylic sink: high quality, stain resistance, scratch resistance, and ease of cleaning.

7. Troubleshooting

Problem	Possible Cause	Solution
Drawers do not close smoothly or soft-close mechanism fails.	Obstruction in drawer slides; misaligned drawer; damaged soft-close mechanism.	Check for obstructions. Realign drawers. If mechanism is damaged, contact customer support.
Water leaks from sink or faucet connections.	Loose plumbing connections; improper sealant application.	Tighten all plumbing connections. Reapply sealant if necessary. Consult a plumber if leaks persist.
Vanity appears uneven or wobbly.	Improper wall mounting; uneven wall surface.	Recheck wall mounting and ensure secure fastening to studs. Use shims if the wall surface is uneven.

8. Specifications

Feature	Detail
Brand	Blossom
Model Number	028

Feature	Detail
Color	Matte White
Material	Solid Wood (Zero MDF)
Sink Type	Single Acrylic Sink
Dimensions (D x W x H)	18.13" x 47.63" x 20.44"
Item Weight	141.3 pounds
Installation Type	Wall-Mount
Drain Type	Pop-Up (drain assembly not included)
Features	Soft-Close Storage Drawers, Moisture-Resistant Finish, Pre-Drilled Faucet Hole
UPC	842708127449

9. Warranty and Support

For warranty information or technical support, please contact Blossom customer service. Details can typically be found on the manufacturer's website or through your point of purchase. Please have your model number (028) and UPC (842708127449) available when contacting support.
You can visit the official Blossom Store for more information:Blossom Store on Amazon.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B09LNBSFXB

More documents and user manuals: **https://manuals.plus/**