



[Manuals.plus](#) /

› [ROCTRUK](#) /

› Soft Roll Up Vinyl Tonneau Cover Instruction Manual

ROCTRUK CS9169-SRTC

ROCTRUK Soft Roll Up Vinyl Tonneau Cover Instruction Manual

Model: CS9169-SRTC

PRODUCT OVERVIEW

The ROCTRUK Soft Roll Up Vinyl Tonneau Cover is designed to protect your truck bed cargo from the elements and enhance vehicle aerodynamics. It features a durable vinyl tarp and a robust aluminum frame, offering easy access to your truck bed when rolled up.

This cover is specifically compatible with 2020-2025 Chevy Silverado / GMC Sierra 2500HD 3500HD trucks with a 6'9" (82.2") short truck bed. Please verify your truck bed size before installation. Note: This product is not suitable for models with factory utility tracks or cargo rack systems.



Image: The ROCTRUK Soft Roll Up Vinyl Tonneau Cover fully installed on a truck bed, showing its sleek, low-profile design.

PACKAGE CONTENTS

Before beginning installation, please ensure all components are present and undamaged. The package includes:

- Soft Roll Up Tonneau Cover Assembly
- Left and Right Side Rails
- Installation Clamps (Upper and Lower)
- Hex Screws for Clamps
- Seal Foam Strip
- Button LED Light
- Instruction Manual (this document)



Image: A collage showing various components and material details of the tonneau cover, including the 25oz heavy-duty vinyl, aluminum frame, Velcro brand hook & loop, and tension adjustable locking system.

SAFETY INFORMATION

Always exercise caution during installation and operation. Ensure the truck is parked on a level surface with the parking brake engaged. Do not operate the vehicle with the cover partially open or improperly secured. Keep hands and fingers clear of moving parts during operation. If any part is damaged, do not attempt to install or use the cover; contact customer support.

INSTALLATION GUIDE

Installation typically takes 15-20 minutes and requires no drilling. Ensure the truck bed rails are clean and free of any accessories before starting.

Step 1: Prepare the Truck Bed

Clean the truck bed rails thoroughly. Apply the provided seal foam strip along the bulkhead (the front wall of the truck bed closest to the cab) to ensure a watertight seal.



Image: A person applying the seal foam strip to the bulkhead of the truck bed, ensuring proper adhesion for a tight seal.

Step 2: Position the Cover Assembly

Carefully place the rolled-up tonneau cover assembly onto the foam strip at the front of the truck bed. Ensure it is centered and aligned with the truck bed rails.



Image: The tonneau cover assembly, in its rolled-up state, positioned at the front of the truck bed, ready for rail attachment.

Step 3: Attach Side Rails

Align the left and right side rails with the connection parts of the cover assembly. Fasten the set screws tightly to secure the rails to the cover assembly. Ensure the rails are parallel and extend evenly along the truck bed.



Image: A close-up view showing the side rail being attached to the main cover assembly, highlighting the connection point.

Step 4: Secure with Clamps

Adjust the position of the upper clamps evenly along the rails. Insert the lower clamps into the truck bed rail lips and tighten the hex screws for both the upper and lower clamps. Ensure both rails are fixed steadily and securely to the truck bed.



Image: A hand tightening a clamp to secure the tonneau cover rail to the truck bed, demonstrating the clamping mechanism.

Installation Video

For a visual guide, please refer to the official installation video below:

Your browser does not support the video tag.

Video: A comprehensive installation guide for the Soft Roll Up Tonneau Cover, demonstrating each step from unboxing to final adjustments.

OPERATING INSTRUCTIONS

To Close the Cover:

1. Unroll the cover tarp from the front of the truck bed towards the tailgate.
2. Once fully unrolled, push down the rear latches into the locking slots of the rails on both sides. Ensure the locking clips are totally engaged into the slots.
3. Check the tarp closing with the Velcro tightly and horizontally along both side rails.
4. Close the tailgate to lock the cover in place. The cover is designed to be secured by the closed tailgate.




Image: The tonneau cover fully extended and secured over the truck bed, providing a smooth and flat appearance.

To Open (Roll Up) the Cover:

1. Open the tailgate.
2. Pull the release strip located at the rear of the cover to unlatch it from the rails.
3. Carefully roll up the cover tarp tightly towards the front of the truck bed.
4. Secure the rolled-up cover using the integrated buckles or straps to prevent it from unrolling during transit.



Image: The truck bed with the tonneau cover fully rolled up and secured at the front, providing full access to the bed.

The design allows for full access to the truck bed, unlike some covers that may obstruct space with crossbars.

Advantage 1:

Provides More Space For Hauling Cargo And Transporting Cargo When The Cover Is Fully Opened



Full Space

VS



3/2 - 4/3 Space

Advantage 2:

Built-in Cross Bars Conveniently Roll Up With The Cover That Allows Full And Instant Access To The Bed



Open The Cover Easily & You Will Get Full Access To The Bed

VS



Has Fewer Space & Difficult To Haul Cargos. Even Have To Remove The Bars To Transport Big Cargos.

Advantage 3:

Provides A Smooth And Flat Look When Closed



Smooth And Flat Look

VS



The Bars Are Visible

Image: A visual comparison highlighting the full space provided by this tonneau cover when open versus other designs, and its smooth, flat appearance when closed.

MAINTENANCE

To ensure the longevity and optimal performance of your tonneau cover, regular maintenance is recommended:

- **Cleaning:** Wash the vinyl tarp with mild soap and water. Avoid harsh chemicals or abrasive cleaners that could damage the material. Rinse thoroughly and allow to air dry.
- **Frame Inspection:** Periodically check the aluminum frame and clamps for any signs of loosening or damage. Tighten any loose screws or clamps as needed.
- **Vinyl Care:** For best results and to maintain the vinyl's flexibility and UV resistance, consider using a vinyl protectant

specifically designed for tonneau covers.

- **Weather Conditions:** In extreme cold weather, the vinyl may become stiffer. Allow it to warm up slightly before attempting to roll or unroll to prevent cracking.

TROUBLESHOOTING

If you encounter any issues with your tonneau cover, please refer to the following common solutions:

- **Cover Not Latching:** Ensure the side rails are properly aligned and the rear latches are fully extended and clear of any obstructions. Check that the tailgate is open when attempting to latch or unlatch.
- **Water Leaks:** Verify that the seal foam strip on the bulkhead is properly installed and adhered. Check the tightness of all clamps and ensure the Velcro along the side rails is securely fastened. Small amounts of moisture may still enter during heavy rain or car washes.
- **Difficulty Rolling/Unrolling:** Ensure the cover is clean and free of debris. In cold weather, allow the vinyl to warm up. Check for any obstructions along the rails.
- **Loose Fit:** Re-check the tightness of all clamps along the side rails. Adjust the tension system if available (refer to specific product features).

If problems persist, please contact ROCTRUK customer support for assistance.

SPECIFICATIONS

Brand	ROCTRUK
Model Number	CS9169-SRTC
Style	Roll-Up
Material	Dual Coated 25oz Vinyl (Tarp), 6063 T5 Aircraft Grade Aluminum Alloy (Frame, Loop, Rails)
Exterior Finish	Aluminum
Lock Type	Tailgate (secured by closed tailgate)
Item Weight	28.4 pounds
Product Dimensions	81.89 x 9.84 x 5.12 inches (packaging)
Country of Origin	China
Fitment	2020-2025 Chevy Silverado / GMC Sierra 2500HD 3500HD (6'9" / 82.2" Short Truck Bed)

WARRANTY AND SUPPORT

ROCTRUK stands behind the quality of its products. For specific warranty details, including coverage period and terms, please refer to the warranty card included with your purchase or visit the official ROCTRUK website. For technical support, replacement parts, or any inquiries, please contact ROCTRUK customer service through the contact information provided on the product packaging or their official website.