

## GIVI 9103FZ

# GIVI Monolock Top Case Holder (Model 9103FZ) Instruction Manual

For Keeway RKF 125 (2018-2020)

## 1. INTRODUCTION

This manual provides comprehensive instructions for the proper installation, usage, and maintenance of your GIVI Monolock Top Case Holder, model 9103FZ. This product is specifically designed for the Keeway RKF 125 scooter models manufactured between 2018 and 2020. Please read these instructions carefully before proceeding with installation or use to ensure safety and optimal performance.

For additional support or information, please contact GIVI technical service.

## 2. PRODUCT OVERVIEW

The GIVI Monolock Top Case Holder (Model 9103FZ) is a robust mounting system designed to securely attach a GIVI Monolock top case to your Keeway RKF 125 scooter. It ensures a stable and reliable connection for your luggage.

- **Brand:** GIVI
- **Model Number:** 9103FZ
- **Anchor Type:** Monolock
- **Compatibility:** Keeway RKF 125 (2018-2020)



Figure 1: GIVI Monolock Top Case Holder (Model 9103FZ). This image illustrates the main components of the top case holder.

### 3. SETUP AND INSTALLATION

Before beginning installation, ensure you have all necessary components, including the Monolock plate supplied with your GIVI top case. Installation should be performed by a qualified technician if you are unsure about any steps.

#### 3.1 Required Tools (Not Supplied)

- Appropriate wrenches and sockets
- Hex keys (Allen wrenches)
- Torque wrench (recommended for precise tightening)

#### 3.2 Installation Steps

1. **Prepare the Scooter:** Ensure the scooter is on a stable surface, preferably a center stand, and the engine is off.
2. **Remove Existing Components:** If any existing luggage rack or components are present where the holder will be mounted, carefully remove them according to your scooter's service manual.
3. **Position the Holder:** Place the GIVI Monolock Top Case Holder onto the designated mounting

points on the rear of your Keeway RKF 125. Ensure proper alignment.

4. **Secure the Holder:** Use the provided hardware (bolts, washers, nuts) to secure the holder to the scooter's frame. Hand-tighten all fasteners initially.
5. **Attach Monolock Plate:** Mount the Monolock plate (supplied with your GIVI top case) onto the GIVI holder using its dedicated mounting points and hardware.
6. **Final Tightening:** Systematically tighten all fasteners to the manufacturer's specified torque settings. Do not overtighten.
7. **Check Stability:** Gently shake the installed holder to ensure it is firmly secured and there is no excessive movement.

*Note: The image provided is for illustrative purposes only and may not show every specific detail of your exact installation process. Always refer to the detailed diagrams included with your product packaging.*

## 4. OPERATING INSTRUCTIONS

Once the GIVI Monolock Top Case Holder is securely installed, you can attach and detach your GIVI Monolock top case.

### 4.1 Attaching a Monolock Top Case

1. Align the front hooks of the Monolock top case with the corresponding slots on the Monolock plate.
2. Press down firmly on the rear of the top case until you hear a "click," indicating it is securely locked onto the plate.
3. Verify the top case is locked by gently pulling upwards on it. It should not lift off the plate.

### 4.2 Detaching a Monolock Top Case

1. Insert the key into the top case lock and turn it to the unlock position.
2. Press the release button (usually located near the lock mechanism).
3. Lift the top case upwards and away from the Monolock plate.

## 5. MAINTENANCE

Regular maintenance ensures the longevity and safe operation of your GIVI Monolock Top Case Holder.

- **Periodic Inspection:** Regularly check all mounting bolts and fasteners for tightness. Retighten if necessary, especially after the first few rides and periodically thereafter.
- **Cleaning:** Clean the holder with mild soap and water. Avoid abrasive cleaners or solvents that could damage the finish.
- **Lubrication:** Occasionally apply a small amount of silicone spray or light grease to the moving parts of the Monolock mechanism on the plate to ensure smooth operation.
- **Damage Check:** Inspect the holder for any signs of damage, cracks, or corrosion. Replace damaged components immediately.

## 6. TROUBLESHOOTING

This section addresses common issues you might encounter with your GIVI Monolock Top Case Holder.

Problem	Possible Cause	Solution
---------	----------------	----------

Problem	Possible Cause	Solution
Top case feels loose or rattles.	Mounting bolts are loose.	Check and retighten all mounting bolts on the holder and the Monolock plate.
Top case difficult to attach/detach.	Mechanism is stiff or misaligned.	Ensure proper alignment. Lubricate the Monolock mechanism with silicone spray. Check for obstructions.
Visible damage to the holder.	Impact or stress.	Discontinue use immediately. Contact GIVI or an authorized dealer for replacement parts.

## 7. SPECIFICATIONS

Feature	Detail
Brand	GIVI
Model Number	9103FZ
Anchor Type	Monolock
Compatibility	Keeway RKF 125 (2018-2020)
Package Dimensions	23.39 x 7.4 x 2.09 inches
Item Weight	6.11 Pounds
Manufacturer	Givi
ASIN	B09MMBQMJ5

## 8. WARRANTY AND SUPPORT

Specific warranty information for the GIVI Monolock Top Case Holder (Model 9103FZ) is typically provided with the product packaging or available on the official GIVI website. Please refer to these resources for detailed warranty terms and conditions.

For technical assistance, spare parts, or any inquiries regarding your GIVI product, please contact GIVI customer support or an authorized GIVI dealer. Contact information can usually be found on the GIVI official website or within the product documentation.

**Manufacturer:** Givi

**Date First Available:** January 9, 2025