

Vente-unique NIKI

Vente-unique Metal Bicycle Shed NIKI Instruction Manual

Model: NIKI | Brand: Vente-unique

1. PRODUCT OVERVIEW

This manual provides detailed instructions for the assembly, operation, and maintenance of your Vente-unique Metal Bicycle Shed NIKI. Designed to securely store up to two bicycles, this shed features a durable galvanized steel construction in an anthracite grey finish, offering reliable protection against the elements. The shed measures approximately 189 cm in length, 198 cm in width, and 157 cm in height, providing a total area of 2.8 m². Its robust design ensures longevity and security for your bicycles.



Figure 1.1: Exterior view of the Vente-unique Metal Bicycle Shed NIKI with doors closed.

2. SAFETY WARNINGS

Caution: Read these instructions carefully before beginning assembly or use. Failure to follow these safety guidelines may result in injury or damage to the product.

- **Heavy Components:** The shed components can be heavy. Exercise extreme caution when handling to prevent injury. It is recommended to have at least two people for assembly.
- **Sharp Edges:** Metal components may have sharp edges. Wear appropriate protective gloves during assembly.
- **Proper Installation:** Ensure the product is correctly installed and anchored to a stable, level surface to prevent tipping, especially in windy conditions. Proper installation is crucial for waterproofing.
- **Ventilation:** Do not store flammable materials or chemicals inside the shed without adequate ventilation.
- **Children and Pets:** Keep children and pets away from the assembly area. Do not allow them to play inside or around the shed.
- **Electrical Safety:** Do not install electrical wiring or appliances inside the shed unless specifically designed for outdoor use and installed by a qualified professional.

3. SETUP AND ASSEMBLY

Assembly of the Vente-unique Metal Bicycle Shed NIKI is required. Follow these general steps, referring to the detailed assembly diagrams provided with your product packaging for specific component identification and fastening instructions.

3.1 Site Preparation

- Choose a level, stable site for the shed. A concrete slab or a well-compacted gravel base is recommended.
- Ensure adequate drainage around the site to prevent water accumulation.
- Clear the area of any debris, rocks, or vegetation.

3.2 Component Check

Before starting assembly, unpack all components and verify against the parts list provided in your product packaging. Report any missing or damaged parts to Vente-unique customer service immediately.

3.3 Assembly Steps

1. **Base Frame Assembly:** Assemble the base frame according to the diagrams. Ensure it is square and level.
2. **Wall Panel Installation:** Attach the side and back wall panels to the base frame. Secure them using the provided fasteners.
3. **Roof Frame and Panels:** Construct the roof frame and then attach the roof panels. Ensure all roof panels overlap correctly to prevent water ingress.
4. **Door Assembly and Installation:** Assemble the two doors and attach them to the front frame using the hinges. Ensure they swing freely and close securely.
5. **Internal Racks:** Install the internal bicycle racks as shown in the diagrams. These are designed to hold two bicycles upright.

6. **Anchoring:** Securely anchor the shed to the prepared foundation using appropriate anchors (not always included, check packaging). This step is critical for stability and safety.



Figure 3.1: Interior view of the shed showing the bicycle racks.




Figure 3.2: The shed in an outdoor setting with a bicycle stored inside.

4. OPERATING INSTRUCTIONS

4.1 Opening and Closing the Doors

- To open, grasp the handle and pull the doors outwards. The shed features two hinged doors for easy access.
- To close, push the doors firmly until they meet. Ensure the latch mechanism engages securely.

4.2 Storing Bicycles

- The shed is designed to accommodate two standard bicycles.
- Roll each bicycle into the shed, aligning the wheels with the integrated racks for stability.
- Ensure bicycles are positioned to allow the doors to close completely without obstruction.

5. MAINTENANCE

Regular maintenance will extend the life of your Vente-unique Metal Bicycle Shed NIKI.

- Cleaning:** Clean the exterior of the shed periodically with mild soap and water. Rinse thoroughly and dry to prevent water spots. Avoid abrasive cleaners or harsh chemicals.
- Fastener Check:** Annually inspect all bolts, screws, and fasteners to ensure they are tight. Re-tighten as necessary to maintain structural integrity.
- Rust Prevention:** Although made of galvanized steel, inspect for any signs of rust, especially at joints or scratched areas. Treat any rust spots promptly with a rust-inhibiting primer and paint to prevent further corrosion.
- Door Hinges:** Lubricate door hinges annually with a silicone-based lubricant to ensure smooth operation and prevent squeaking.
- Drainage:** Ensure the area around the shed remains clear of debris to allow for proper water drainage.

6. TROUBLESHOOTING

Problem	Possible Cause	Solution
Water leakage inside the shed	Improper assembly of roof/wall panels; inadequate sealing; uneven base; damaged panels.	Check all panel overlaps and fasteners. Apply silicone sealant to seams if necessary. Ensure the base is level and shed is properly anchored. Inspect panels for damage.
Doors are difficult to open/close	Misaligned hinges; bent door frame; lack of lubrication; obstruction.	Check hinge alignment and adjust if needed. Lubricate hinges with a silicone spray. Remove any obstructions. Inspect door frame for damage.
Shed feels unstable or wobbly	Insufficient anchoring; uneven ground; loose fasteners.	Ensure the shed is securely anchored to a level foundation. Tighten all structural fasteners. Re-level the ground if necessary.
Rust spots appearing on surfaces	Surface scratches; prolonged exposure to moisture; lack of maintenance.	Clean the affected area, sand lightly to remove rust, apply a rust-inhibiting primer, and then paint with an appropriate outdoor metal paint.

7. SPECIFICATIONS

Feature	Specification
Product Name	Vente-unique Metal Bicycle Shed NIKI
Model Number	NIKI
Material	Galvanized Steel

Feature	Specification
Color	Anthracite Grey
Overall Dimensions (L x W x H)	189 cm x 198 cm x 157 cm (approx. 74.4 in x 78 in x 61.8 in)
Internal Dimensions (approx.)	Length: 189 cm, Width: 142 cm, Height: 157 cm (Note: Width varies due to roof slope and door structure)
Weight	56.3 kg (approx. 124.1 lbs)
Capacity	2 Bicycles
Assembly Required	Yes



Figure 7.1: Dimensional diagram of the bicycle shed.



8. WARRANTY AND SUPPORT

For information regarding product warranty, spare parts availability, or technical support, please contact Vente-unique customer service directly. Please have your product model (NIKI) and purchase details ready when contacting support.


While specific spare parts information is not available in this manual, Vente-unique is committed to customer satisfaction. You can visit the official Vente-unique website or contact their customer service for assistance.

Vente-unique Official Website: www.vente-unique.com

Related Documents

 <p>INSTRUCTIONS DE MONTAGE VENTE-UNIQUE INSTRUCTION - MONTAGEANLEITUNG INSTRUCCIONES DE MONTAJE - INSTRUÇÃO PARA MONTAGEM MONTE-IRÉTATI INSTRUKCIA - INSTRUKCIA MONTAJU</p> <p>VASQUE À POSER</p> <p>Vente-unique</p>    	<p>Vente-unique TEANA & TEANA 2 Vanity Unit Assembly Instructions</p> <p>Comprehensive assembly guide for Vente-unique TEANA and TEANA 2 vanity units, including parts lists, step-by-step instructions, safety guidelines, and maintenance tips for your bathroom furniture.</p>
 <p>INSTRUCTIONS D'INSTALLATION VENTE-UNIQUE VASQUE À POSER INSTRUCCIONES DE MONTAJE VENTE-UNIQUE VASQUE À POSER MONTE-IRÉTATI INSTRUKCIA VENTE-UNIQUE VASQUE À POSER</p> <p>VASQUE À POSER</p> <p>Vente-unique</p>    	<p>Vente-unique Vasque à Poser Basin: Installation, Care, and Natural Stone Guide</p> <p>Comprehensive guide for the Vente-unique Vasque à Poser basin, covering natural stone characteristics, step-by-step installation, and essential care and maintenance instructions. Includes product specifications and contact information.</p>
 <p>INSTRUCTIONS D'INSTALLATION VENTE-UNIQUE SARONE INSTRUCCIONES DE MONTAJE VENTE-UNIQUE SARONE MONTE-IRÉTATI INSTRUKCIA VENTE-UNIQUE SARONE</p> <p>SARONE MEUBLE MURAL DE SALLE DE BAIN 3236973</p> <p>Vente-unique</p>    	<p>SARONE Wall-Mounted Bathroom Cabinet Installation Guide</p> <p>Detailed installation guide for the SARONE wall-mounted bathroom cabinet (Model 3236973). Includes parts list, hardware, step-by-step assembly instructions, and safety/care information. Features multilingual support.</p>
 <p>-09P2 MIRO PRISMA VITTORIA RIO</p> <p>Vente-unique</p>    	<p>MIRO PRISMA VITTORIA RIO - Assembly Instructions</p> <p>Detailed assembly instructions for the MIRO PRISMA VITTORIA RIO furniture unit by Vente-unique. Includes a comprehensive parts list, hardware list, and step-by-step assembly guide for building the furniture.</p>

Documents - Vente-unique – NIKI



[pdf] User Manual

Sharlene Hunt KARCHER HDS 13 20 De Tr1 Trailer 01925 44 64 Karcher Center Aquaspray MANUAL
cdn accentuate io 671048925250 2840422514754 |||

HDS 9/50 De Tr1 HDS 13/35 De Tr1 HDS 13/20 De Tr1 HDS 17/20 De Tr1 Deutsch 3
English 21 Franais ... e, razli- vajte ali uporabljajte v blizini odprtega ognja ali naprav
kot so pe i, grelni kotli, grelniki vode itd., ki imajo vzidalni plamen ali lahko proizvajajo
iskre. Rezervoarja za gorivo nikoli ...

lang:de score:8 filesize: 171.92 M page_count: 512 document date: 2019-02-13

