Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

FreedConn R1 Headphones Accessories

FreedConn R1 Series Motorcycle Helmet Bluetooth Headset Accessories User Manual

Model: R1 Headphones Accessories

Introduction

This user manual provides detailed instructions for the installation, operation, maintenance, and troubleshooting of your FreedConn R1 Series Motorcycle Helmet Bluetooth Headset Camera Recorder Clip and Headphones Accessories Set. Please read this manual thoroughly before using the product to ensure proper function and longevity.



Image: A motorcycle rider equipped with a FreedConn headset, demonstrating typical usage in an outdoor setting.

Product Components

The FreedConn R1 Series Accessories Set includes the following components:

- Headphones/Speakers
- Microphone (boom and soft wire options)
- Mounting clips and adhesive pads
- Charging cable
- Additional foam covers for speakers and microphone



Image: All components of the FreedConn R1 Series headset accessories set, laid out for clear identification.

Setup and Installation

Proper installation ensures optimal performance and comfort. Follow these steps to install the headset accessories into your motorcycle helmet.

1. Charging the Main Unit (if applicable)

Before first use, ensure the main Bluetooth unit (sold separately or part of a complete R1 system) is fully charged. Connect the charging cable to the unit and a USB power source. The charging time is approximately **2.5 Hours**.

2. Installing Speakers

1. Locate the ear pockets inside your helmet.
2. Peel the adhesive backing from the speaker pads.
3. Carefully place each speaker into the ear pockets, ensuring they are centered over your ears for best audio quality.

4. Route the speaker wires neatly under the helmet's padding to the desired location for the main unit.

3. Installing Microphone

- **For Full-Face Helmets:** Use the soft wire microphone. Attach it to the inside of the helmet near your mouth using the adhesive pad.
- **For Open-Face/Modular Helmets:** Use the boom microphone. Attach the boom microphone base to the inside of the helmet near your chin bar, ensuring the microphone tip is positioned approximately 1-2 cm from your mouth.

4. Connecting to the Main Unit

Connect the speaker and microphone cables to the corresponding ports on the FreedConn R1 main Bluetooth unit. Ensure all connections are secure.



Image: A user demonstrating the proper placement and adjustment of the headset on a helmet.

Operating Instructions

This section outlines the general operation of the FreedConn R1 Series headset when connected to its main unit.

Power On/Off

- **Power On:** Press and hold the Power button for approximately 3 seconds until you hear an audible prompt.
- **Power Off:** Press and hold the Power button for approximately 5 seconds until you hear an audible prompt.

Bluetooth Pairing

To pair the main unit with your mobile phone or other Bluetooth devices:

1. Ensure the main unit is off.
2. Press and hold the Power button for about 7 seconds until the indicator light flashes red and blue alternately, indicating pairing mode.
3. On your device, enable Bluetooth and search for "FreedConn R1" (or similar).
4. Select the device to connect. Once paired, the indicator light will flash blue slowly.

The headset supports **Bluetooth Version 5.0** and has a range of up to **30 meters**.

Call Management

- **Answer Call:** Short press the Multi-function button.
- **End Call:** Short press the Multi-function button during a call.
- **Reject Call:** Press and hold the Multi-function button for 2 seconds.
- **Voice Dial:** Short press the Voice Control button (if available on your main unit).

Music Playback

- **Play/Pause:** Short press the Multi-function button.
- **Next Track:** Short press the "Next" button.
- **Previous Track:** Short press the "Previous" button.
- **Volume Up/Down:** Use the Volume Up/Down buttons.

The headset provides clear audio with a frequency range of**20 Hz to 20,000 Hz**.



Image: A user wearing the helmet with the headset, illustrating typical operation.

Maintenance

To ensure the longevity and optimal performance of your FreedConn R1 Series accessories, follow these maintenance guidelines:

- **Cleaning:** Use a soft, damp cloth to wipe down the speakers and microphone. Avoid using harsh chemicals or abrasive cleaners.
- **Storage:** When not in use, store the headset accessories in a cool, dry place, away from direct sunlight and extreme temperatures.
- **Water Resistance:** The headset is **Waterproof**. However, avoid prolonged submersion or high-pressure water jets. Ensure all ports are sealed when exposed to moisture.
- **Battery Care:** For the main unit, avoid fully discharging the battery frequently. Charge it regularly, even if not in constant use, to maintain battery health. The battery life is approximately **17 Hours** of talk time.

Troubleshooting

If you encounter issues with your FreedConn R1 Series accessories, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
No sound from speakers	Loose connection, low volume, faulty speaker.	Check speaker cable connection to main unit. Increase volume. Test with another audio source.
Microphone not picking up voice	Microphone positioned incorrectly, loose connection, faulty microphone.	Adjust microphone position closer to mouth. Check microphone cable connection.
Cannot pair with device	Not in pairing mode, device Bluetooth off, interference.	Ensure main unit is in pairing mode (flashing red/blue). Restart Bluetooth on your device. Move away from other wireless devices.
Short battery life	Battery degradation, incomplete charging.	Ensure full charge cycle. If issue persists, battery may need replacement (for main unit).

Specifications

Feature	Detail
Model Name	R1 Headphones Accessories
Connectivity Technology	Wireless (Bluetooth)
Bluetooth Version	5.0
Bluetooth Range	30 Meters (approx. 98 feet)
Battery Life (Talk Time)	17 Hours
Charging Time	2.5 Hours
Frequency Range	20 Hz to 20,000 Hz
Water Resistance Level	Waterproof
Control Type	Voice Control, Touch
Material	Plastic
Item Weight	2.39 ounces
Package Dimensions	7.52 x 5.24 x 0.94 inches

Support and Contact

For further assistance, technical support, or warranty inquiries regarding your FreedConn R1 Series product, please refer to the official FreedConn website or contact their customer service directly.
You can visit the official FreedConn Store on Amazon for more information and product updates: FreedConn Store

© 2023 FreedConn. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B09MW2BLTZ

More documents and user manuals: **https://manuals.plus/**