

[Manuals.plus](#) /

› [MIEBELY](#) /

› MIEBELY Remote Control Car Mercedes Benz GT R Pro User Manual

MIEBELY 29716

MIEBELY Remote Control Car User Manual

Mercedes Benz 1/12 Scale Official Authorized GT R Pro RC Car

1. INTRODUCTION

Thank you for purchasing the MIEBELY Mercedes Benz 1/12 Scale Official Authorized GT R Pro RC Car. This manual provides essential information for the safe operation, maintenance, and troubleshooting of your new remote control car. Please read this manual thoroughly before use to ensure optimal performance and longevity of the product.



Figure 1: MIEBELY Mercedes Benz GT R Pro RC Car, remote control, and battery.

2. WHAT'S IN THE BOX

- Remote Control Car (Mercedes Benz GT R Pro)
- 7.4V 900mAh Rechargeable Lithium Ion Battery
- Charger
- Charging Cable
- 2.4Ghz Remote Control

3. SAFETY PRECAUTIONS

- **WARNING:** Not suitable for children under 6 years due to small parts.
- Always operate the RC car in open areas, away from people, pets, and obstacles.
- Do not operate near water or in wet conditions to prevent electrical damage.
- Ensure the battery is fully charged before each use for optimal performance.


- Do not attempt to modify or disassemble the car or remote control.
- Supervise children during operation.

4. SETUP GUIDE

4.1 Battery Installation and Charging

1. **Car Battery:** Locate the battery compartment on the underside of the RC car. Open the compartment cover. Connect the 7.4V 900mAh Lithium Ion battery to the car's power connector. Secure the battery inside the compartment and close the cover.
2. **Charging the Car Battery:** Connect the charging cable to the battery and the charger. Plug the charger into a standard wall outlet. The indicator light on the charger will show the charging status (refer to charger instructions for specific light indications). Charging typically takes approximately 2-3 hours. Do not overcharge.
3. **Remote Control Batteries:** The remote control requires 2x AA batteries (not included). Open the battery compartment on the back of the remote control, insert the batteries according to the polarity markings, and close the cover.

Satisfactory Battery Life



900mAh

Battery capacity

7.4V lithium battery

Figure 2: Illustration of the 7.4V 900mAh Lithium Ion battery and its approximate 40-minute run time.

4.2 Pairing the Remote Control

1. Ensure the car battery is installed and the car's power switch is OFF.
2. Turn ON the remote control. The indicator light on the remote will blink.
3. Turn ON the RC car. The car will automatically pair with the remote control. The indicator light on the remote will

become solid, indicating a successful connection.

4. If pairing fails, turn off both devices and repeat the steps.

5. OPERATING INSTRUCTIONS

5.1 Remote Control Functions

2.4GHz Wireless Remote



Maximum distance
200 feet



Figure 3: The 2.4GHz wireless remote control offers a maximum distance of 200 feet (approx. 50 meters).

- **Steering Wheel:** Rotate left or right to control the car's direction.
- **Trigger:** Pull the trigger to move the car forward. Push the trigger to move the car backward or brake.
- **Power Switch:** Turns the remote control ON/OFF.
- **Steering Trim (Direction Spinner):** Adjusts the steering to ensure the car drives straight when the steering wheel is

centered. If the car veers left or right, use this dial to fine-tune the alignment.

Direction Spinner



Fine tuning

Direction spinner



Figure 4: The direction spinner allows for fine-tuning of the car's steering.



Figure 5: Remote control features including power switch, direction control, and continuously variable transmission. The steering wheel can be detached and placed on either side for left or right-handed users.

5.2 Driving Tips

- Start by practicing in an open, flat area.
- Gradually increase speed and practice steering.
- The car features functional LED lights for a realistic driving experience.
- The lightweight ABS body provides durability and allows for speeds up to 12 km/h.



Figure 6: The RC car features functional headlights and taillights for enhanced realism.

6. MAINTENANCE

- Clean the car regularly with a soft, dry cloth. Do not use water or chemicals.
- Inspect the wheels and axles for debris after each use.
- Store the car and remote control in a cool, dry place away from direct sunlight.
- Remove batteries from the remote control if not used for extended periods.
- The car is designed with an anti-fall body material to increase service life.

Anti-fall Body Material, Increase Service Life



Figure 7: The solid body construction of the RC car is designed for durability and increased service life.

7. TROUBLESHOOTING

Problem	Possible Cause	Solution
---------	----------------	----------

Problem	Possible Cause	Solution
Car does not respond to remote.	Batteries are low or dead (car or remote). Car and remote are not paired. Power switch is OFF.	Charge/replace batteries. Re-pair the car and remote (refer to Section 4.2). Ensure both car and remote power switches are ON.
Car drives crooked.	Steering trim needs adjustment.	Adjust the steering trim (direction spinner) on the remote control until the car drives straight.
Short operating range.	Low batteries. Interference from other 2.4Ghz devices.	Charge/replace batteries. Move to an area with less wireless interference.

8. SPECIFICATIONS

- **Model:** MIEBELY Mercedes Benz GT R Pro RC Car (Model 29716)
- **Scale:** 1:12
- **Dimensions:** 16.44 x 6.1 x 7.48 inches (41.76 x 15.49 x 18.99 cm)
- **Weight:** 3.39 pounds (1.54 kg)
- **Battery:** 7.4V 900mAh Lithium Ion (included)
- **Remote Control Frequency:** 2.4Ghz
- **Max Speed:** Up to 12 km/h
- **Control Range:** Up to 50 meters (approx. 200 feet)
- **Body Material:** Lightweight ABS
- **Recommended Age:** 6 years and up

Scaled Down According to The Real Car 1 : 12



Figure 8: The 1:12 scale model accurately represents the Mercedes Benz GT R Pro, with dimensions of 14.96 inches in length and 4.25 inches in height.

9. WARRANTY AND SUPPORT

9.1 Warranty Information

MIEBELY products are manufactured to high-quality standards. For specific warranty details and terms, please refer to the warranty card included with your product or visit the official MIEBELY website. Keep your purchase receipt as proof of purchase.

9.2 Customer Support

If you encounter any issues or have questions regarding your MIEBELY RC Car, please contact our customer support team.

- **Email:** [Insert Customer Support Email Here]
- **Phone:** [Insert Customer Support Phone Number Here]
- **Website:** [Visit the MIEBELY Store on Amazon](#)

© 2025 MIEBELY. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question