

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [LAXIHUB](#) /

› [LAXIHUB P2 360° Pan/Tilt Indoor Security Camera User Manual](#)

## LAXIHUB P2

# LAXIHUB P2 360° Pan/Tilt Indoor Security Camera User Manual

Model: P2

## INTRODUCTION

This manual provides detailed instructions for the installation, operation, and maintenance of your LAXIHUB P2 Indoor Security Camera. Please read this manual thoroughly before using the product to ensure proper function and safety. Keep this manual for future reference.

## PRODUCT OVERVIEW

The LAXIHUB P2 is a versatile indoor security camera designed for monitoring pets, babies, or general home surveillance. It features 1080P Full HD video, 355° horizontal pan and 60° vertical tilt for comprehensive coverage, super IR night vision, motion and sound detection, and two-way audio communication. The camera is compatible with Amazon Alexa and Google Assistant for convenient voice control.

# 2K/3MP UHD Resolution

Higher definition, more details



Image: Front view of the LAXIHUB P2 Indoor Security Camera, showcasing its compact design.

## SETUP GUIDE

### 1. App Installation

To begin, download the Arenti app from your smartphone's app store (Google Play Store for Android or Apple App Store for iOS). Search for "Arenti" and install the application.

### 2. Powering On

Connect the camera to a power source using the provided USB cable and power adapter. The camera will power on automatically, and an indicator light will begin to flash, signaling it is ready for setup.

Your browser does not support the video tag.

Video: This video demonstrates the initial setup process, including powering on the camera and preparing for app connection.

### 3. Connecting to Wi-Fi

1. Open the Arenti app and create an account or log in.
2. Tap the '+' icon to add a new device.

3. Select the P2 camera model from the list of devices.
4. Follow the in-app instructions to connect the camera to your 2.4 GHz Wi-Fi network **Note: The camera only supports 2.4 GHz Wi-Fi.**
5. The app will display a QR code. Position your phone 5-8 inches in front of the camera lens for the camera to scan the code. You will hear a tone when the scan is successful.
6. Once connected, you can name your device and access live view.

#### 4. Mounting Options

The LAXIHUB P2 camera offers flexible installation options. It can be placed on a flat surface or mounted to a wall or ceiling using the included mounting bracket. Ensure the camera is securely fastened and has a clear line of sight to the desired monitoring area.

## Let's see more

Tilt 0°~60° and Pan 0°~355° Motion Detection



Image: The LAXIHUB P2 camera demonstrating its pan and tilt capabilities, providing a wide view of a living room.

### OPERATING INSTRUCTIONS

#### 1. Pan/Tilt Control

From the live view in the Arenti app, use the on-screen controls to remotely pan (355° horizontally) and tilt (60° vertically) the camera lens to adjust your viewing angle and cover a wider area.

Your browser does not support the video tag.

Video: This video illustrates the 355° pan and 60° tilt functionality of the P2 camera, showing its ability to cover a full 360° view.

## 2. Two-Way Audio

The camera features a built-in microphone and speaker, allowing for two-way communication. Tap the microphone icon in the app to speak through the camera, or listen to audio from the camera's environment.




Image: The LAXIHUB P2 camera positioned near a dog on a couch, symbolizing the two-way audio feature for pet interaction.

## 3. Motion and Sound Detection

The P2 camera is equipped with advanced motion and sound detection capabilities. When motion or sound is detected, the camera can send instant alerts to your smartphone. You can customize sensitivity levels and alert preferences within the app settings.

# Motion Tracking & Instant Alerts

Motion Detection & Noise Detection




Image: The LAXIHUB P2 camera capturing motion from two dogs, with a smartphone displaying an alert notification.

## 4. Super IR Night Vision

The camera's super IR night vision provides clear video footage even in low-light or complete darkness, with a range of up to 32 feet (10 meters). This ensures continuous monitoring around the clock.

# Clear Sight, Day and Night

Enhanced Night Vision up to 32ft/10m



Image: A smartphone displaying clear night vision footage from the LAXIHUB P2 camera, showing a cat sleeping in a dark room.

## 5. Privacy Mode

Activate Privacy Mode through the app to temporarily disable video recording and monitoring when you desire privacy. This feature can be scheduled or manually toggled.

## 6. Video Playback and Storage

Recorded footage can be stored locally on a microSD card (not included) or via cloud storage services (subscription may be required). Access and review recorded videos through the Arenti app.

# Playback Anytime

180's video recording & unlimited sharing



Image: The Arenti app interface on a smartphone, showing options for SD card and cloud storage, with a video playback of a baby.

## 7. Smart Home Integration

The LAXIHUB P2 camera works with Amazon Alexa and Google Assistant. Link your camera to these platforms through the Arenti app settings to enable voice commands for live view and other functions.

Your browser does not support the video tag.

Video: A short video demonstrating the LAXIHUB P2 camera's compatibility with smart home devices like Alexa and Google Assistant, showing live feed on a smart display.

## MAINTENANCE

### 1. Cleaning

To maintain optimal performance, regularly clean the camera lens and exterior with a soft, dry cloth. Avoid using harsh chemicals or abrasive materials that could damage the device.

### 2. Firmware Updates

Ensure your camera's firmware is up to date by checking for updates within the Arenti app. Firmware updates often include performance improvements, new features, and security enhancements.

## TROUBLESHOOTING

- **Camera not connecting to Wi-Fi:** Ensure your Wi-Fi network is 2.4 GHz. Check your Wi-Fi password and router settings. Move the camera closer to the router.
- **No video feed:** Verify the camera is powered on and connected to Wi-Fi. Check your internet connection.
- **Poor video quality:** Ensure the lens is clean. Check your internet speed. Adjust video resolution settings in the app if available.
- **Motion/Sound alerts not working:** Check alert settings in the app, including sensitivity and notification preferences. Ensure Privacy Mode is not active.
- **Two-way audio issues:** Check microphone and speaker volumes in the app. Ensure there is no obstruction to the microphone or speaker on the camera.

## SPECIFICATIONS

Feature	Specification
Model	P2
Video Resolution	1080P Full HD (720p listed in specs, but product title states 1080P)
Pan Range	355°
Tilt Range	60°
Night Vision Range	Up to 32 feet (10 meters)
Connectivity	2.4 GHz Wi-Fi
Audio	Two-Way Audio
Detection	Motion Sensor, Sound Detection
Smart Home Compatibility	Amazon Alexa, Google Assistant
Storage Options	MicroSD Card (up to 128GB, not included), Cloud Storage (subscription required)
Indoor/Outdoor Usage	Indoor

## WARRANTY AND SUPPORT

For warranty information and technical support, please refer to the official LAXIHUB website or contact their customer service directly. Keep your purchase receipt as proof of purchase for warranty claims.