Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

ULANZI Select H28

ULANZI H28 Mini Ball Head Instruction Manual

Model: H28 | Brand: ULANZI Select

Introduction

The ULANZI H28 Mini Ball Head is a versatile and compact accessory designed to enhance your photography and videography setup. Constructed from durable aluminum alloy and stainless steel, it offers robust support for various devices. Its key features include 360-degree rotation, panoramic shot capabilities, and a dual hot shoe mount adapter for expanded compatibility.



Image: ULANZI H28 Cold Shoe Ball Head, showcasing its compact design and included cold shoe adapter.

Package Contents

Verify that all items are present in your package:

- 1 x Mini Ball Head
- 1 x Cold Shoe Mount



Product Parameter

Brand: Ulanzi	Model: H28	Material: Aluminum Alloy+ABS
Size: 32mm*30mm 2.44in*1.18in	Net weight: 100g/0.22lb	Load capacity: 5kg/11lb

Image: A visual representation of the ULANZI H28 Mini Ball Head and its accompanying Cold Shoe Mount, along with a list of package contents.

Product Features

The ULANZI H28 Mini Ball Head offers a range of features for versatile camera and accessory mounting:

- **Sturdy & Durable:** Maximum load capacity of 5.5lb/3kg. Constructed from aluminum alloy and stainless steel for durability and corrosion resistance.
- **Dual Hot Shoe Mount Adapter:** Securely mounts to most digital SLR cameras (e.g., Sony, Canon, Nikon, Olympus, Pentax, Panasonic, Fujifilm), camera cages, and smartphone cages via the hot shoe adapter.
- **Universal 1/4” Screw:** Features a 1/4” screw for mounting LED video lights, LED flashes, field monitors, microphones, and other accessories with a 1/4” threaded hole.
- **Panoramic Shot:** Allows for 360-degree rotation and panoramic shots. Adjust the ball head angle using the turn knob and perform panoramic movements by releasing the screw knob.
- **Mini & Lightweight:** Compact size (2.44in*1.18in) and ultra-lightweight (100g), making it highly portable for photography and videography.



Image: An infographic highlighting the 8 key features of the ULANZI H28 Mini Ball Head, including its universal 1/4" screw, 360° rotation, turn knob, screw knob, panoramic movement, cold shoe mount, heavy-duty material, and 5kg/11lb payload.

Setup and Installation

Follow these steps to set up your ULANZI H28 Mini Ball Head:

1. **Attach to a Tripod/Stand:** Screw the 1/4” threaded base of the mini ball head onto a compatible tripod, monopod, or light stand. Ensure it is securely tightened.
2. **Mount Camera/Accessory:** Use the 1/4” screw on the top plate of the ball head to attach your camera, LED light, monitor, or other accessory. Rotate the accessory clockwise until it is firmly seated.
3. **Utilize Cold Shoe Mount:** If your device has a cold shoe slot, you can attach the included cold shoe mount to the bottom of the ball head. This allows you to slide the entire ball head assembly into a camera's hot shoe or a camera cage's cold shoe slot.



Image: A diagram illustrating the compatibility of the ULANZI H28 with various devices using its 1/4" screw (monitor, video light, phone, microphone) and cold shoe mount (camera, camera cage, smartphone cage, GoPro cage).

Setup Demonstration Video

Your browser does not support the video tag.

Video: This video provides a detailed demonstration of the ULANZI H28 Mini Ball Head's product features and how to set it up with various accessories.

Operating Instructions

The ULANZI H28 Mini Ball Head provides flexible positioning for your equipment:

1. **Adjusting Ball Head Angle:** Loosen the large turn knob on the side of the ball head. This will allow the ball to move freely, enabling you to tilt and swivel your attached device to the desired angle. Once positioned, tighten the turn knob firmly to secure the angle.
2. **Panoramic Movement:** The base of the ball head features a panoramic scale. To perform a panoramic shot, ensure the main turn knob is tightened to secure the ball. Then, loosen the smaller screw knob located at the base. This will allow the entire ball head assembly to rotate 360 degrees horizontally. Adjust to your desired panoramic position and tighten the screw knob to lock it in place.



Image: An illustration demonstrating the 360-degree rotation and panoramic movement capabilities of the ULANZI H28 Mini Ball Head, highlighting the turn knob and screw knob for adjustments.

Usage Demonstration Video

Your browser does not support the video tag.

Video: This video demonstrates the ULANZI Mini Tripod Ball Head in various usage scenarios, showcasing its flexibility and ease of adjustment for different camera setups.

Maintenance

To ensure the longevity and optimal performance of your ULANZI H28 Mini Ball Head:

- **Cleaning:** Wipe the ball head with a soft, dry cloth after each use to remove dust and debris. Avoid using harsh chemicals or abrasive materials that could damage the finish.
- **Lubrication:** Periodically check the movement of the ball and knobs. If movement becomes stiff, a small amount of silicone-based lubricant can be applied to the ball joint, avoiding contact with the rubberized top plate.
- **Storage:** Store the ball head in a dry, cool place away from direct sunlight and extreme temperatures.
- **Inspection:** Regularly inspect all screws and moving parts for any signs of wear or loosening. Tighten any loose screws as necessary.

Troubleshooting

If you encounter issues with your ULANZI H28 Mini Ball Head, consider the following:

- **Ball Head is Stiff or Locked:** Ensure both the main turn knob and the panoramic screw knob are fully loosened before attempting to adjust the ball or rotate the base. If it remains stiff, apply a small amount of lubricant as described in the Maintenance section. Avoid excessive force.
- **Device is Not Secure:** Double-check that the 1/4” screw attaching your device to the ball head is fully tightened. Also, ensure the main turn knob is firmly tightened after positioning the ball. For cold shoe mounting, verify the cold shoe adapter is properly seated and secured.
- **Panoramic Movement is Not Smooth:** Ensure the panoramic screw knob is sufficiently loosened. Clean any debris from the rotating base.

If problems persist, contact ULANZI Select customer support for further assistance.

Specifications

Brand	ULANZI Select
Model	H28
Material	Aluminum Alloy + ABS
Maximum Load Capacity	5.5 lb / 3 kg
Product Dimensions	2.44 x 1.18 inches (62 x 30 mm)
Item Weight	0.01 Kilograms (0.317 ounces)
Mounting Screw	Universal 1/4"
Rotation	360° Panoramic

Package List:

1 × Mini Ball Head
1 × Cold Shoe Mount



Product Parameter

Brand: Ulanzi	Model: H28	Material: Aluminum Alloy+ABS
Size: 32mm*30mm 2.44in*1.18in	Net weight: 100g/0.22lb	Load capacity: 5kg/11lb

Image: A detailed view of the product parameters, including brand, model, material, net weight, and load capacity, confirming the specifications of the ULANZI H28 Mini Ball Head.

Warranty and Support

For warranty information or technical support, please refer to the official ULANZI Select website or contact their customer service directly. Keep your purchase receipt as proof of purchase.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B09NJJ2DKM

More documents and user manuals: **https://manuals.plus/**